### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 **AOR**

Port: Minneapolis/St. Paul Waterway: MISSISSIPPI RIVER Mile: 383 PWD: 230 Name: Fort Madison River Boat Dock. Mile 383.1AOR, right bank, Mississippi River, approximately 0.8 mile below Atchison, Location: Datum: NPE\* Topeka, and Santa F Operator: City of Fort Madison (See remarks) Owner: City of Fort Madison Address: 902 River Drive. Phone: 319/372-7700 State: IA Town: Fort Madison County: Lee Railway Connection: None. Purpose: Mooring casino/excursion boat; boarding passengers. Latitude (decimal): Depth Alongside (feet): 10 40.628056 Total Berthing Space (feet): 200 Longitude (decimal): -91.31417 Remarks: At time of survey (1994) float had not yet been acquired dimensions shown are anticipated. □ \*NPE = 518.2 MSL Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31383 Dock Code: 001 Rock Island District Port: Minneapolis/St. Paul Waterway: MISSISSIPPI RIVER Mile: 517 PWD: 178 Name: ADM/Clinton Harbor Service Dock. Location: Mile 517.3 AOR, right bank, Mississippi River, Clinton, 0.3 mile below upper end of Datum: NPE\* Beaver Slough Channe Operator: ADM/Clinton Harbor Service. Owner: ADM/Clinton Harbor Service. Address: 204 Fifteenth Avenue South Phone: 319/242-0962 Town: Clinton State: IA County: Clinton Railway Connection: None. Purpose: Mooring barges for maintenance and repair; mooring floating drydock; mooring barges for fleeting (see Remarks). Latitude (decimal): Depth Alongside (feet): 9 - 12 41.828333 Total Berthing Space (feet): 400 Longitude (decimal): -90.18833 Remarks: Offices for barge fleeting and repair serve is located at 204 Fifteenth Avenue South at rear; one 500ton floating drydock is moored at wharf. Operator maintains nearby fleeting areas as follows: Fleet Mile/Bank (barges)Little Rock Barge Width Capy. 517.6-518.0/R 42 3 Beaver Island 516.5-517.4/R

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31517 Rock Island District Dock Code: 705

3Upper Beaver Slough 516.9-517.4/L\*

3□Main

50

Island

Channel

516.0-517.0/L

63

\* Beaver Slough Channel□

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R
Waterway: Black River

Waterway: Black River Mile: 0 PWD: 49

Name: Mobil Oil Corp., La Crosse Terminal Dock.

Location: Left bank, Black River, approximately 0.2 mile above Mile 698.1, left bank Mississippi Datum:

River.

Operator: Mobil Oil Corp.
Owner: Mobil Oil Corp.

Address: 35 Copeland Avenue Phone:

Town: La Crosse State: WI County: La Crosse

Railway Connection: None.

Purpose: Receipt of petroleum products.

Depth Alongside (feet): | Latitude (decimal): 43.823056

Total Berthing Space (feet): | Longitude (decimal): -91.25806

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32903 Dock Code: 010 St. Paul District

Port: Upper Mississippi R

Waterway: Black River Mile: 1 PWD: 56

Name: F. J. Robers Co. Dock.

Location: Right bank, Black River, 1.0 mile above Mile 698.1, right bank Mississippi River; Datum:

above CP Rail System B

Operator: F. J. Robers Co., and Brennan Marine, Inc.

Owner: Charles E. Robers.

Address: 816 South Bainbridge Street Phone:

Town: La Crosse State: WI County: La Crosse Railway Connection: One surface track extends to rear of wharf; connects with CP Rail System.

Purpose: Receipt and shipment of miscellaneous dry bulk materials including salt, coal, crushed stone and pig

iron; handling steel products and heavy lift items; shipment of grain; mooring barges for fleeting.

Depth Alongside (feet): | Latitude (decimal): 43.835

Total Berthing Space (feet): | Longitude (decimal): -91.25861

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32903 Dock Code: 967 St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Black River Mile: 1 PWD: 52 Name: Hydrite Chemical Co. Dock. Left bank, Black River, approximately 1.1 mile above Mile 698.1, left bank Mississippi Location: River; 0.3 mile a Operator: Hydrite Chemical Co. Hydrite Chemical Co. Owner: 701 Sumner Street Address: Phone: State: WI Town: La Crosse County: La Crosse Railway Connection: One 2-car-capacity surface track, serves terminal in rear; connects with CP Rail System. Purpose: Receipt of liquid caustic soda. Depth Alongside (feet): Latitude (decimal): 43.835 Longitude (decimal): -91.25361 Total Berthing Space (feet): Remarks: Corps of Engnrs Waterway Code: 32903 Dock Code: 005 Year of Last Survey: 1994 St. Paul District Port: **Upper Mississippi R** Waterway: Black River Mile: 1 PWD: 54 Name: J.F. Brennen Co. Right bank, Black River, approximately 1.2 mile above Mile 698.1, right bank Datum: Location: Mississippi River; 0.3 mile Operator: Brennan Marine, Inc. Owner: J. F. Brennan Co., Inc. 820 South Bainbridge Street Address: Phone: Town: La Crosse State: WI County: La Crosse Railway Connection: None. Purpose: Mooring barges and towboats for maintenance and repair; mooring floating drydock; Handling contractors supplies and equipment. Depth Alongside (feet): Latitude (decimal): 43.837222 Longitude (decimal): -91.25861 Total Berthing Space (feet): Remarks:

Corps of Engnrs Waterway Code: 32903

Year of Last Survey: 1994

Dock Code: 957

St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Black River Mile: 1 PWD: 53 Name: La Crosse Municipal Terminal. Left bank, Black River, approximately 1.2 mile above Mile 698.1, left bank Mississippi Location: River: 0.4 miles Operator: Brennan Marine Inc. and various lessees. Owner: City of La Crosse. Address: Foot of St. Cloud Street Phone: State: WI Town: La Crosse County: La Crosse Railway Connection: None. Purpose: Mooring barges; receipt and shipment of miscellaneous dry bulk materials. Latitude (decimal): Depth Alongside (feet): 43.835556 Longitude (decimal): -91.25333 Total Berthing Space (feet): Remarks: Corps of Engnrs Waterway Code: 32903 Year of Last Survey: 1994 Dock Code: 036 St. Paul District Port: Upper Mississippi R Waterway: **BLACK RIVER** Mile: 1 PWD: 51 Name: Midwest Industrial Fuels, Dock No. 1. Left bank, Black River, approximately one mile above Mile 698.1, left bank Location: Datum: Mississippi River; 0.2 mile a Midwest Industrial Fuels, Inc. and Brennan Marine, Inc. Operator: Midwest Industrial Fuels, Inc. Owner: Address: 615 Sumner Street Phone: Town: La Crosse State: WI County: La Crosse Railway Connection: One surface track serves 10 unloading stations at terminal in rear; connects with CP Rail System. Purpose: Receipt of asphalt and petroleum products; mooring barges for fleeting (see Remarks). Depth Alongside (feet): Latitude (decimal): 43.833889 Total Berthing Space (feet): Longitude (decimal): -91.25556 Remarks:

Corps of Engnrs Waterway Code: 32903

Year of Last Survey: 1994

Dock Code: 034

St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Black River Mile: 1 PWD: 50 Name: Midwest Industrial Fuels, Dock No. 2. Left bank, Black River, approximately 0.9 mile above Mile 698.1, left bank Mississippi Location: River; above CP R Operator: Midwest Industrial Fuels. Inc. Owner: Midwest Industrial Fuels, Inc. Address: 615 Sumner Street Phone: State: WI Town: La Crosse County: La Crosse Railway Connection: None. Purpose: Receipt of petroleum products (fuel oil). Latitude (decimal): Depth Alongside (feet): 43.832778 Total Berthing Space (feet): Longitude (decimal): -91.2575 Remarks: Corps of Engnrs Waterway Code: 32903 Year of Last Survey: 1994 Dock Code: 034 St. Paul District Port: **Upper Mississippi R** Waterway: Black River Mile: 1 PWD: 57 Name: Northern States Power Co., French Island Plant Dock. Right bank, Black River, 0.5 mile above Mile 698.1, right bank Mississippi River; at Location: Datum: west side, southern Northern States Power Co. Operator: Owner: Northern States Power Co. Address: 200 South Bainbridge Street Phone: State: WI Town: La Crosse County: La Crosse Railway Connection: None. Purpose: Receipt of fuel oil for plant consumption. Latitude (decimal): Depth Alongside (feet): 43.828333 Longitude (decimal): -91.25944 Total Berthing Space (feet):

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32903 Dock Code: 984 St. Paul District

Remarks:

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 **AOR**

Upper Mississippi R Waterway: Black River Mile: 1 PWD: 55 Name: Westway Trading Corp., La Crosse Terminal Dock. Right bank, Black River lower side of slip 0.9 mile above Mile 698.1, right bank Location: Datum: Mississippi River; 0.4 Operator: Westway Trading Corp. Owner: Westway Trading Corp. Address: 411 South Bainbridge Street (office) Phone: State: WI Town: La Crosse County: La Crosse Railway Connection: One 6-car capacity surface track, serves terminal located on opposite side of South Bainbridge Street in rear; connects with CP Rail System. Purpose: Receipt and shipment of molasses. Latitude (decimal): 43.835556 Depth Alongside (feet): Total Berthing Space (feet): Longitude (decimal): -91.25806 I Remarks: Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32903 Dock Code: 963 St. Paul District Port: Upper Mississippi R PWD: 63 Waterway: Croix River Mile: 22 Name: Northern States Power Co., Allen S. King Power Plant Dock. Location: Mile 21.6, right bank, St. Croix River, Oak Park Heights, approxi- mately 1.8 miles Datum: below Minnesota-Wisc Operator: Not operated. Owner: Northern States Power Co. Address: 1103 King Plant Road Phone: Town: Stillwater State: MN County: Washington Railway Connection: Seven surface tracks serving rotary dumper for unit trains connect Chicago and North Western Transportation Co. and Burlington Northern Railroad. Purpose: Not used. Latitude (decimal): 45.035 Depth Alongside (feet): Total Berthing Space (feet): Longitude (decimal): -92.78028 Remarks:

Corps of Engnrs Waterway Code: 32905

Year of Last Survey: 1994

Port:

Dock Code: 023

St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Croix River Mile: 23 PWD: 62 Name: Aiple Towing Co. Dock Mile 22.6, right bank, St. Croix River, Stillwater, approximately 0.9 mile below Location: Datum: Minnesota-Wisconsin Int Operator: Aiple Towing Co., Inc. and Aiple Marine Co. Owner: City of Stillwater. Address: 1250 S. Main Street Phone: State: MN Town: Stillwater County: Washington Railway Connection: None. Purpose: Mooring towboats and barges for repair; mooring floating drydock and company-owned floating equipment. Latitude (decimal): 45.045556 Depth Alongside (feet): Longitude (decimal): -92.79528 Total Berthing Space (feet): Remarks: Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32905 Dock Code: 892 St. Paul District Port: Upper Mississippi R PWD: 60 Waterway: Croix River Mile: 23 Name: Stillwater Municipal Dock. Location: Mile 23.2, Right bank, St Croix River, Stillwater, approximately 1,000 feet below Datum: Minnesota- Wisconsin In Operator: Andaimo Enterprises, LLC. Owner: St Croix Boat & Packet Co. Address: 225 East Nelson Street Phone: Town: Stillwater State: MN County: Washington Railway Connection: None. Purpose: Landing for excursion vessels 'Majestic Lady', 'Andiamo' and 'Andiamo Queen'; Boarding passengers. Depth Alongside (feet): Latitude (decimal): 45.053889

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32905 Dock Code: 887 St. Paul District

Longitude (decimal): -92.80278

Total Berthing Space (feet):

Remarks:

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Croix River Mile: 23 PWD: 61 Name: Stillwater-St. Croix Barge Co., Terminal Dock. Mile 23.0, Right bank, St Croix River, Stillwater, approximately 2,000 feet below Location: Datum: Minnesota- Wisconsin In Operator: Stillwater-St. Croix Barge Co. Owner: City of Stillwater. Address: 1250 South Main Street Phone: State: MN Town: Stillwater County: Washington Railway Connection: One surface track serving car-loading hopper, and one serving building; connect with Chicago and North Western Transportation Co. and Burlington Northern Railroad. Purpose: Receipt of dry bulk fertilizers. Depth Alongside (feet): Latitude (decimal): 45.050833 Longitude (decimal): -92.8 Total Berthing Space (feet): ı Remarks: Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32905 Dock Code: 886 St. Paul District Port: Upper Mississippi R PWD: 113 Waterway: Minnesota River Mile: 11 Name: U.S. Salt, Port Marilyn Dock. Location: Mile 11.1, right bank, Minnesota River, Burnsville approximately 1,800 feet above Datum: NPE\* Interstate Highway 35W U.S. Salt, Inc. Operator: Owner: Thomas R Johnson Address: 1020 Black Dog Road Phone: 612/890-8448 Town: Burnsville State: MN County: Dakota Railway Connection: None. Purpose: Receipt and direct transfer of miscellaneous bulk materials including salt, coal and stone. Depth Alongside (feet): Latitude (decimal): 12 44.751944 Total Berthing Space (feet): 395 Longitude (decimal): -92.86194 Remarks: A concrete paved open storage area at rear has capacity for 50,000 tons, approximately 7 + acres of

additional open storage area is available as required □\*NPE = 687.2 MSL.

Corps of Engnrs Waterway Code: 32907

Year of Last Survey: 1994

Dock Code: 888

St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Minnesota River Mile: 13 PWD: 112 Name: Dakota Barge Service, Port Cargill Empty; Kraemer and Peavey Fleet Miles 12.8-12.3; 11.5, and 11.0, right bank, Minnesota River, Burnsville, above and Location: Datum: NPE\* below Interstate Hig Operator: Dakota Barge Service Inc. Owner: Dakota Barge Service Inc.. Address: Phone: 612/731-6399 State: MN Town: Burnsville County: Dakota Railway Connection: None. Purpose: Mooring barges for fleeting. Latitude (decimal): Depth Alongside (feet): 9 44.7925 Total Berthing Space (feet): 24 6 6 Longitude (decimal): -93.32389 Remarks: \*NPE = 687.2 MSL Each fleet is arranged in tiers, each 2 barges wide; Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32907 St. Paul District Dock Code: 875 Port: Upper Mississippi R Waterway: Minnesota River Mile: 13 PWD: 111 Name: Port Cargill, Elevator C Dock. Mile 12.9, right bank, Minnesota River, Savage, west side, inner end of slip, approx 2 Location: Datum: NPE\* miles above Inter Operator: Cargill, Inc. Owner: Cargill, Inc. Address: 12101 Lynn Avenue Phone: 612/890-1300 Town: Savage State: MN County: Scott Railway Connection: Seven surface tracks, total capacity 75 cars, serve undertrack pit atelevator in rear; connect with Chicago and North Western Transportation Co. and CP Rail System. Purpose: Shipment of grain. Depth Alongside (feet): Latitude (decimal): 44.788333 9 Longitude (decimal): -93.32972 Total Berthing Space (feet): 400 Ι Remarks: Grain elevator at rear, consisting of 33 concrete silos 25 interstices and 6 steel tanks has total capacity

Corps of Engnrs Waterway Code: 32907

Year of Last Survey: 1994

for 14,687,000 bushels. ■ \*NPE = 687.2 MSL.

St. Paul District

Dock Code: 872

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Minnesota River Mile: 13 PWD: 109 Name: Port Cargill, Fertilizer Dock. Mile 13.1, right bank, Minnesota River, Savage, approximately 2.2 miles above Location: Datum: NPE\* Interstate Highway 35W Bri Operator: Cargill. Inc., Fertilizer Division Owner: Cargill, Inc. Address: 12120 Lynn Avenue Phone: 612/890-3440 State: MN Town: Savage County: Scott One surface track at rear serves warehouses, joins additional trackage serving terminal; Railway Connection: connects with Chicago and North Western Transportation Co and CP Rail System. Purpose: Receipt of dry bulk commodities, including fertilizer, salt, aggregate, and limestone. Latitude (decimal): Depth Alongside (feet): 10 Total Berthing Space (feet): 200 Longitude (decimal): -93.33111 Ι Remarks: Terminal at rear has a total of 7 storage buildings with capacity for 125,000 tons; and open storage area for 50,000 tons of salt. ■ \*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32907 Dock Code: 872 St. Paul District Port: Upper Mississippi R Waterway: Minnesota River Mile: 13 PWD: 108 Name: Port Cargill, Molasses Dock. Mile 13.3, right bank, Minnesota River, Savage, approximately 2.4 miles above Location: Datum: NPE\* Interstate Highway 35W Bri Cargill, Inc. Molasses Facility Operator: Owner: Cargill, Inc. Address: 12105 Lynn Avenue Phone: 612/890-2050 Town: State: MN County: Scott Savage Railway Connection: None. Purpose: Receipt of molasses. Latitude (decimal): 44.7875 Depth Alongside (feet): 10 Total Berthing Space (feet): 200 Longitude (decimal): -93.33333 Т Remarks: One 10-inch pipeline extends from wharf to one 3,380,000-gallon storage tank. One 3-inch steam utility line also serves wharf. 

\*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32907 Dock Code: 872 St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Minnesota River Mile: 13 PWD: 110 Name: Port Cargill, Stiff-leg Dock Mile 13.0, right bank, Minnesota River, Savage, approximately 2.1 miles above Datum: NPE\* Location: Interstate Highway 35W Bri Operator: Cargill, Inc. Owner: Cargill, Inc. Address: 12120 Lynn Avenue Phone: 612/890-3440 State: MN Town: at Savage, County: Dakota Railway Connection: One surface track at rear serves warehouses, joins additional trackage serving terminal; connects with Chicago and North Western Transportation Co and CP Rail System. Purpose: Receipt of general cargo, including tin plate, steel products, cast iron pipe, and lumber. Latitude (decimal): Depth Alongside (feet): 7 44.791389 Longitude (decimal): -93.32861 Total Berthing Space (feet): 200 Remarks: Use of warehouses described under Ref. No. 109. □ \*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32907 Dock Code: 872 St. Paul District Port: Upper Mississippi R PWD: 103 Waterway: Minnesota River Mile: 13 Name: Upper River Services, Port Cargill Load Fleet & Credit River Fleet Location: Mile 13.2, left bank, Minnesota River, Port Cargill Load Fleet, and mile 13.5, Credit Datum: NPE\* River Fleet; left Upper River Services, Inc. Operator: Owner: Upper River Services, Inc. Address: Phone: 612/292-9293 Town: Bloomington State: MN County: Hennepin Railway Connection: None. Purpose: Mooring barges for fleeting. Latitude (decimal): Depth Alongside (feet): 9-10 | 9-10 | 44.791111 Longitude (decimal): -93.33111 Total Berthing Space (feet): 20 22 Remarks: Barges in each fleet are arranged in tiers, each 3 barges wide. □□\*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32907 Dock Code: 873 St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Minnesota River Mile: 14 PWD: 107 Name: Shiely Co., Port Richards Dock. Mile 14.4, right bank, Minnesota River, Savage, approximately 1,000 feet above Location: Datum: NPE\* Normandale Boulevard Brid Operator: Shiely Co. and Richards Asphalt Co. Owner: Richards Asphalt Co. Address: 12101 Yosemite Avenue Phone: 612/890-6702 State: MN Town: Savage County: Scott Railway Connection: One surface track serves plant at rear; connects with Chicago and North Western Transportation Co. and CP Rail System. Purpose: Shiely Co.: Receipt of sand, gravel, and limestone. ☐ Richards Asphalt Co.: Receipt of asphalt. Latitude (decimal): Depth Alongside (feet): 9 44.787222 Longitude (decimal): -93.35333 Total Berthing Space (feet): 250 Remarks: Shiely Co.: Open storage area at rear has capacity for 40,000 cubic yards. Limestone is handled for Superior Minerals Corp. and trucked to the company's 8,000 cubic yard capacity storage building located nearby. Richards Asphalt Co.: One 10- to 8-inch pipeline extends from wharf to 32 steel storage tanks at rear; total capacity 166,700 barrels. □\*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32907 Dock Code: 856 St. Paul District Port: Upper Mississippi R Waterway: Minnesota River Mile: 15 PWD: 106 Name: Bunge Corporation., Port Bunge (Savage) Elevator Dock Location: Mile 14.5, right bank, Minnesota River, Savage, upper side of slip, approximately 0.2 Datum: NPE\* mile above Normand Operator: Bunge Corp. Owner: Bunge Corp. Address: 12100 Yosemite Avenue Phone: 612/890-1010 Town: Equipment at Sav County: Scott State: ag Railway Connection: Five surface tracks serve elevator and one car pit at rear; connect with Chicago and North Western Transportation Co and CP Rail System. Purpose: Shipment of grain. Depth Alongside (feet): 12 Latitude (decimal): 44.784722 Longitude (decimal): -93.35417 Total Berthing Space (feet): 600 Ι Remarks: Grain elevator at rear consisting of 29 concrete silos with 14 interstices, and 5 steel tanks, has capacity for 8,250,000 bushels. ■ \*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32907 Dock Code: 854 St. Paul District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Upper Mississippi R Port: Waterway: Minnesota River Mile: 15 PWD: 104 Name: Continental Grain Co., Savage Elevator Mile 14.7, right bank, Minnesota River, Savage, lower side of slip, and along bank 0.4 Datum: NPE\* Location: mile above Norman Operator: Continental Grain Co. Continental Grain Co. Owner: Address: 7000 Glendale Avenue, Highway 13 Phone: 612/890-3220 Town: Loading Wharf County: Scott Railway Connection: Twelve surface tracks, total capacity 110 cars, serve undertrack pit, and loading spout at grain elevator in rear; connect with Chicago and North Western Transportation Co. Purpose: Shipment of grain; receipt of salt and dry bulk fertilizers; mooring barges for fleeting (See Remarks). Latitude (decimal): Depth Alongside (feet): 9 Total Berthing Space (feet): 590 Longitude (decimal): -93.36056 Remarks: Grain elevator at rear consisting of 68 concrete silos with 60 interstices has total capacity for 5,000,000 bushels. Facility is at the upstream limit of the 9-foot Federal Project for the Minnesota River. Dakota Barge Service operates the 'Continental' fleeting area with capacity for 14 barges arranged 2 abreast along the right bank above slip. □\*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32907 Dock Code: 851 St. Paul District Port: Upper Mississippi R Waterway: Minnesota River Mile: 15 PWD: 105 Name: Harvest States Cooperatives, Savage Elevator Wharf. Location: Mile 14.6, right bank, Minnesota River, Savage, approximately 0.3 mile above Datum: NPE\* Normandale Boulevard Bridge Operator: Harvest States Cooperatives. Owner: Harvest States Cooperatives. 6200 W. Highway 13 Phone: 612/894-9550 Address: State: MN Town: Savage County: Scott Four surface tracks, total capacity 90 cars, serve undertrack pit, and loading spout at grain Railway Connection: elevator in rear; connect with Chicago and North Western Transportation Co. Purpose: Shipment of grain (see Remarks). Depth Alongside (feet): 9 - 10 Latitude (decimal): 44.785556 Longitude (decimal): -93.35694 Total Berthing Space (feet): 800 П Remarks: Grain elevator at rear consisting of 9 concrete silos with 4 interstices has total capacity for 565,000 bushels. Elevator is designed for direct transfer of grain from truck or rail to barge. □\*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32907 Dock Code: 853 St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Minnesota River Mile: 9 PWD: 114 Name: Northern States Power Co., Black Dog Power Plant Wharf. Mile 8.6, right bank, Minnesota River, approximately one mile above Cedar Avenue Location: Datum: NPE\* (State Highway 77) Brid Operator: Not operated. Owner: Northern States Power Co. Address: 1400 Black Dog Road Phone: 612/895-4269 State: MN Town: Burnsville County: Dakota Railway Connection: Trackage serving undertrack pit at plant in rear connects with Chicago and North Western Transportation Co. Purpose: Not used. Latitude (decimal): Depth Alongside (feet): 9 44.815278 Total Berthing Space (feet): 2920 1 Longitude (decimal): -93.24778 Remarks: Open storage area at rear has capacity for 1,000,000 tons. Facility has capacity for holding 20 barges. □ \*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32907 Dock Code: 915 St. Paul District Port: Upper Mississippi R PWD: 193 Waterway: Mississippi Mile: 487 Name: **Continental Cement Co., Bettendorf Terminal Dock.** Mile 486.9 AOR, right bank, Mississippi River, Bettendorf, 1.1 miles above lowa-Location: Datum: NPE\* Illinois Memorial (Inter Operator: Continental Cement Co. Owner: Continental Cement Co. Address: 2871 Depot Street Phone: 319/359-8237 Town: Bettendorf State: IA County: Scott Two surface tracks serve loading spout at terminal in rear; connect with Davenport, Rock Railway Connection: Island, and North Western Railway. Purpose: Receipt of bulk cement. Latitude (decimal): Depth Alongside (feet): 10 41.529722 Longitude (decimal): -90.49278 Total Berthing Space (feet): 245 Remarks: One 10-inch pneumatic pipeline extends from wharf to 6 storage bins at rear, total capacity 10,000 tons. Cement barges are unloaded at an average rate of 160 tons per hour. One 8-inch compressed air pipeline se plant and truck- and rail-loading spouts are located at terminal in rear. □ □\*NPE = 483.1 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31486 Dock Code: 801 Rock Island District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: MISSISSIPPI RIVER Mile: 306 PWD: 251 Name: Continental Cement Co. Hannibal Plant Cement Dock. Mile 305.8 AOR, right bank, Mississippi River, approximately 3.5 miles below Mark Location: Datum: NPE\* Twain Memorial (U.S. H Operator: Continental Cement Co. Owner: Continental Cement Co. Address: Highway 79 South Phone: 314/221-1740 State: MO Town: Hannibal County: Ralls Railway Connection: Trackage serving cement plant in rear; connects with Burlington Northern Railroad. Purpose: Shipment of cement. Latitude (decimal): Depth Alongside (feet): 10 39.694444 Total Berthing Space (feet): 30 Longitude (decimal): -91.31472 Remarks: One 12-inch pneumatic pipeline extends to the 2 surge silos on wharf total capacity 4,000 tons from 24 concrete silos with 15 interstices at cement plant in rear, total capacity 60,000 tons. □\*NPE = 459.5 MSL Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31306 Dock Code: 001 St. Louis District Port: Upper Mississippi R Waterway: MISSISSIPPI RIVER PWD: 250 Mile: 306 Name: Continental Cement Co. Hannibal Plant Coal Dock. Mile 306.0 AOR, approximately 3.4 miles below Mark Twain Memorial (U.S. Highway Location: Datum: NPE\* 36) Bridge. Continental Cement Co. Inc. Operator: Owner: Continental Cement Co. Inc. Address: U.S. Highway 79 South Phone: 314/221-1740 Town: Hannibal State: MO County: Ralls Railway Connection: Trackage serving cement plant in rear; connects with Burlington Northern Railroad. Purpose: Receipt of coal; mooring company-owned barges for maintenance and repair. Latitude (decimal): 39.683333 Depth Alongside (feet): 6 Total Berthing Space (feet): 30 Longitude (decimal): -91.30972 Remarks: Coal is trucked to a 30,000 ton capacity open storage area at plant in rear. □ "NPE = 459.5 MSL Corps of Engnrs Waterway Code: 31306 Dock Code: 002 Year of Last Survey: 1994 St. Louis District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: MISSISSIPPI RIVER Mile: 309 PWD: 249 Name: Mark Twain Riverboat Dock. Mile 308.9 AOR, right bank, Mississippi River, approximately 1,200 feet below Mark Location: Datum: NPE\* Twain Memorial (U.S. Operator: Mark Twain Riverboat Co. Owner: Mark Twain Riverboat Co. Address: Foot of Center Street. Phone: 314/221-3222 State: MO Town: Hannibal County: Marion Railway Connection: None. Purpose: Landing for river excursion vessel 'Mark Twain.' Boarding passengers. Depth Alongside (feet): Latitude (decimal): 7 39.711389 Total Berthing Space (feet): 120 Longitude (decimal): -91.35389 Remarks: Ticket office and waiting room are located on floating wharf. □ □\*NPE = 459.5 MSL Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31308 Dock Code: 900 St. Louis District Port: **Upper Mississippi R** Waterway: Mississippi River Mile: 310 PWD: 1 Name: Bunge Corp., East Hannibal Grain Elevator Dock. Mile 310.0 AOR, left bank, Mississippi River, East Hannibal, approximately 800 feet Location: Datum: above Norfolk Southe Operator: Bunge Corp. Owner: Bunge Corp. Address: Old Highway 36. Phone: State: IL Town: East Hannibal County: Pike Railway Connection: None. Purpose: Shipment of grain. Latitude (decimal): Depth Alongside (feet): 39.7275

Corps of Engnrs Waterway Code: 31310

Total Berthing Space (feet):

Year of Last Survey: 1994

Remarks:

Longitude (decimal): -91.36222

St. Louis District

Dock Code: 001

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: MISSISSIPPI RIVER Mile: 310 PWD: 248 Name: Hannibal Iron & Metal Co. Dock. Mile 309.5 AOR, right bank, Mississippi River, approximately 0.4 mile above Mark Location: Datum: NPE\* Twain Memorial (U.S. Hi Operator: Hannibal Iron & Metal Co. Owner: Hannibal Iron & Metal Co. Address: 700 Bridge Street Phone: 314/221-0036 State: MO Town: Hannibal County: Marion Railway Connection: One surface track serving yard at rear; connects with Burlington Northern Railroad and Norfolk and Western Railway. Purpose: Shipment and occasional receipt of scrap metal. Latitude (decimal): Depth Alongside (feet): 10 39.718611 Total Berthing Space (feet): 195 Longitude (decimal): -91.36028 Т Remarks: Open storage area for approximately 4,200 tons of scrap metal is located in rear; additional area is available for steel products handled by rail. □ \*NPE = 459.5 MSL Corps of Engnrs Waterway Code: 31309 Year of Last Survey: 1994 Dock Code: 501 St. Louis District Port: Upper Mississippi R Waterway: MISSISSIPPI RIVER Mile: 320 PWD: 247 Name: American Cyanamid Co., Hannibal Plant Dock. Mile 319.7 AOR, right bank, Mississippi River, Palmyra, approximately 5.3 miles Location: Datum: NPE\* below Lock and Dam No. 2 American Cyanamid Co. Operator: Owner: American Cyanamid Co. Address: Route 168 & JJ Spur Phone: 314/769-2011 Town: Palmyra State: MO County: Marion Railway Connection: Twelve surface tracks serve plant in rear; connect with Burlington Northern Railroad. Purpose: Receipt of orthoxylene. Latitude (decimal): 39.838333 Depth Alongside (feet): 8 - 9 Total Berthing Space (feet): 500 Longitude (decimal): -91.43389 П Ι Remarks: One 8-inch pipeline extends from wharf to one 1,400,000-gallon orthoxylene storage tank; One 12- and one 8-inch pipelines on wharf were blanked at time of survey. 

\*NPE = 459.5 MSL Corps of Engnrs Waterway Code: 31319 Dock Code: 801 Year of Last Survey: 1994 St. Louis District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: MISSISSIPPI RIVER Mile: 320 PWD: 245 Name: MFA, Palmyra Ammonia Terminal Dock. Mile 320.4 AOR, right bank, Mississippi River, Palmyra, approximately 4.4 miles Location: Datum: NPE\* below Lock and Dam No. 2 Operator: MFA. Inc. Owner: CF Industries, Inc. Address: County Road 'JJ,' Phone: 314/769-2184 State: MO Town: Palmyra County: Marion Railway Connection: One surface track serving 2 loading stations at terminal; connects with Burlington Northern Railroad. Purpose: Receipt and shipment of anhydrous ammonia. Latitude (decimal): 39.8475 Depth Alongside (feet): 5 - 8 Total Berthing Space (feet): 450 Longitude (decimal): -91.44 Remarks: One 10-inch pipeline extends from wharf to one 10,544,800 ton steel storage tank at terminal in rear. One 2-inch vapor return line serves wharf. ☐ \*NPE = 459.5 MSL Corps of Engnrs Waterway Code: 31320 Dock Code: 501 Year of Last Survey: 1994 St. Louis District Port: Upper Mississippi R Waterway: MISSISSIPPI RIVER Mile: 320 PWD: 246 Name: Northeast Missouri Electric Power Cooperative Palmyra, Fertilizer Mile 320.0 AOR, right bank, Mississippi River, Palmyra, approximately 5 miles below Location: Datum: NPE\* Lock and Dam No. 21. Northeast Missouri Electric Power Cooperative, agent for MFA Inc.; Palmyra Fertilizer Operator: Owner: Northeast Missouri Electric Power Cooperative. Address: County Road 'JJ,' Phone: 314/769-2181 Town: Palmvra State: MO County: Marion Railway Connection: Two surface tracks, capacity 11 cars serve car-loading spout and bulk storage warehouse in rear; connect with Burlington Northern Railroad. Purpose: Receipt of dry bulk fertilizer. Depth Alongside (feet): Latitude (decimal): 39.843611 9 Longitude (decimal): -91.43861 Total Berthing Space (feet): 550 Т Ι Remarks: Timber dry bulk storage warehouse at terminal in rear has storage capacity for 20,000 tons of dry bulk fertilizer. 

\*NPE = 459.5 MSL St. Louis District Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31320 Dock Code: 101

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 326 PWD: 4

Name: Quincy Barge Terminal Wharf.

Location: Mile 327.0 AOR, left bank, Mississippi River, Quincy, approximately 1.1 miles above Datum:

Lock and Dam No. 21.

Operator: The Prince Manufacturing Co., d.b.a. Quincy Barge Terminal, Inc.

Owner: City of Quincy and The Prince Manufacturing Co.

Address: Front and Harrison Streets Phone:

Town: Quincy State: IL County: Adams

Railway Connection: None.

Purpose: Receipt and shipment of general cargo and miscellaneous, bulk materials including fertilizer, stone,

miscellaneous minerals and ores.

Depth Alongside (feet): | Latitude (decimal): 39.915833

Total Berthing Space (feet): | Longitude (decimal): -91.415

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31327 Dock Code: 002 St. Louis District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 326 PWD: 3

Name: Quincy Soybean Co., Dock No. 2.

Location: Mile 325.9 AOR, left bank, Mississippi River, Quincy, approximately one mile above Datum:

Lock and Dam No. 21.

Operator: Quincy Soybean Co.
Owner: Moorman Manufacturing Co.

Address: Foot of Harrison Street Phone:

Town: Quincy State: IL County: Adams

Railway Connection: None.

Purpose: Shipment of soybean oil.

Depth Alongside (feet): | Latitude (decimal): 39.914722

Total Berthing Space (feet): | Longitude (decimal): -91.41472

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31326 Dock Code: 702 St. Louis District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 326 PWD: 2 Name: Quincy Soybean Co., Meal Dock No. 3. Mile 325.8 AOR, left bank, Mississippi River, Quincy, approximately 0.9 mile above Location: Datum: Lock and Dam No. 21. Operator: Quincy Soybean Co. Owner: Quincy Soybean Co. Address: Front and Harrison Streets Phone: State: IL Town: Quincy County: Adams Railway Connection: None. Purpose: Shipment of soybean meal and receipt of grain. Latitude (decimal): Depth Alongside (feet): 39.912778 Total Berthing Space (feet): Longitude (decimal): -91.41722 Remarks: Corps of Engnrs Waterway Code: 31326 Year of Last Survey: 1994 Dock Code: 702 St. Louis District Port: **Upper Mississippi R** PWD: 5 Waterway: Mississippi River Mile: 327 Name: Moorman Manufacturing Co. Dock. Mile 326.6 AOR, left bank, Mississippi River, approximately 2,000 feet below Quincy Location: Datum: Memorial Highway Bri Quincy Soybean Co. Operator: Owner: Quincy Soybean Co. 510 South Front Street Address: Phone: Town: Quincy State: IL County: Adams Railway Connection: None. Purpose: Receipt of miscellaneous, bulk minerals and ores. Latitude (decimal): Depth Alongside (feet): 39.925278 Longitude (decimal): -91.415 Total Berthing Space (feet):

Corps of Engnrs Waterway Code: 31326

Remarks:

Year of Last Survey: 1994

Dock Code: 402

St. Louis District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 327 PWD: 6

Name: Quincy Soybean Co., Dock No. 1.

Location: Mile 326.8 AOR, left bank, Mississippi River, approximately 1,000 feet below Quincy Datum:

Memorial Highway Bri

Operator: Quincy Soybean Co.
Owner: Quincy Soybean Co.

Address: 320 South Front Street Phone:

Town: Quincy State: IL County: Adams

Railway Connection: None.

Purpose: Shipment of grain and meal; mooring barges for fleeting and repair. (See Remarks).

Depth Alongside (feet): | Latitude (decimal): 39.928889

Total Berthing Space (feet): | Longitude (decimal): -91.41528

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31326 Dock Code: 702 St. Louis District

Port: Upper Mississippi R

Waterway: MISSISSIPPI RIVER Mile: 336 PWD: 244

Name: Bunge Corp. LaGrange Grain Elevator Dock.

Location: Mile 335.7 AOR, right bank, Mississippi River, LaGrange, below foot of Lewis Street. Datum: NPE\*

Operator: Bunge Corp. Owner: Bunge Corp.

Address: Highway B South Phone: 314/655-2281

Town: LaGrange State: MO County: Lewis

Railway Connection: None. Purpose: Shipment of grain.

Depth Alongside (feet): 12 - 14 | Latitude (decimal): 40.039444

Total Berthing Space (feet): 525 | Longitude (decimal): -91.49694

Remarks: Grain elevator at rear consisting of 10 concrete silos with one interstice and one steel tank has total

capacity for 1,125,000 bushels. □ \*NPE = 470.0 MSL

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31335 Dock Code: 801 St. Louis District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Upper Mississippi R Port: Waterway: MISSISSIPPI RIVER Mile: 342 PWD: 243 Name: Tri-State Fertilizer Co., Canton Terminal Dock. Mile 341.7 AOR, right bank, Mississippi River, Canton, approximately 1.5 miles below Datum: NPE\* Location: Lock and Dam No. 20 Operator: Tri-State Fertilizer Co., Inc. Owner: Tri-State Fertilizer Co., Inc. Address: Foot of Green Street Phone: 314/288-3318 State: MO Town: Canton County: Lewis Railway Connection: None. Purpose: Receipt of dry bulk fertilizer. Depth Alongside (feet): Latitude (decimal): 40.1225 Total Berthing Space (feet): 195 Longitude (decimal): -91.51333 Remarks: Material is trucked to a 4,000-ton capacity steel and concrete storage warehouse and processing plant located approximately 1/2 mile north of wharf. □ \*NPE = 470.0 MSL Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31341 Dock Code: 701 St. Louis District Port: Upper Mississippi R Waterway: MISSISSIPPI RIVER Mile: 343 PWD: 242 Name: Avers Oil Co. Dock. Location: Mile 342.6 AOR, right bank, Mississippi River, Canton, approximately 0.6 mile below Datum: NPE\* Lock and Dam No. 20. Ayers Oil Co. Operator: Owner: Avers Oil Co. Foot of Grant Street Phone: 314/288-4466 Address: Town: Canton State: MO County: Lewis Railway Connection: None. Purpose: Receipt of petroleum products.

Remarks: Five 6-inch pipelines with two wharf connections extend to 9 steel storage tanks at terminal in rear.

total capacity 418,000 barrels. Canton Ferry Landing is located approximately 300 feet below wharf. The vess operated by John Baalman agent for Ursa Farmers Cooperative Co. is used mainly to transport grain trucks to the company's grain elevator at Meyer, IL (Ref. No. 7). \*\* NPE = 470.0 MSL

Latitude (decimal):

Longitude (decimal): -91.51444

40.134444

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31342 Dock Code: 601 St. Louis District

Depth Alongside (feet):

Total Berthing Space (feet):

10

96

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 343 PWD: 7

Name: URSA Farmers Cooperative Co., Meyer Division, Grain Elevator Dock.

Location: Mile 343.4 AOR, left bank, Mississippi River, Meyer, above Lock and Dam No. 20. Datum:

Operator: URSA Farmers Cooperative Co.
Owner: URSA Farmers Cooperative Co.

Address: HC 61, Box 61, Warsaw, IL. Phone:

Town: Meyer State: IL County: Adams

Railway Connection: None. Purpose: Shipment of grain.

Depth Alongside (feet): | Latitude (decimal): 40.146389

Total Berthing Space (feet): | Longitude (decimal): -91.50667

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31343 Dock Code: 402 St. Louis District

Port: Upper Mississippi R

Waterway: MISSISSIPPI RIVER Mile: 353 PWD: 241

Name: Gabe Logsdon & Sons Dock.

Location: Mile 353.0 AOR, right bank, Mississippi River, Gregory, approximately 7.5 miles Datum: NPE\*

below mouth of Des Moine

Operator: Gabe Logsdon & Sons.
Owner: Gabe Logsdon & Sons.

Address: Gregory Landing, County Road F. Phone: 816/754-6411

Town: Gregory State: MO County: Clark

Railway Connection: None. Purpose: Shipment of grain.

Depth Alongside (feet): 10 | Latitude (decimal): 40.275833

Total Berthing Space (feet): 180 | Longitude (decimal): -91.49694

Remarks: Grain elevator at rear consisting of 12 concrete silos with 14 interstices and 4 steel tanks has capacity

for 2,500,000 bushels. ■ \*NPE = 480.0 MSL

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31353 Dock Code: 001 St. Louis District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 360 PWD: 8 Name: URSA Farmers Cooperative Co., Warsaw Division, Grain Elevator Dock Mile 359.6 AOR, left bank, Mississippi River, Warsaw, approximately 1.8 miles below Location: Datum: mouth of Des Moines Operator: URSA Farmers Cooperative Co. Owner: URSA Farmers Cooperative Co. Address: 11 North Water Street Phone: State: IL Town: Warsaw County: Hancock Railway Connection: None. Purpose: Shipment of grain. Depth Alongside (feet): Latitude (decimal): 40.363889 Total Berthing Space (feet): Longitude (decimal): -91.44028 Remarks: Corps of Engnrs Waterway Code: 31359 Dock Code: 702 Year of Last Survey: 1994 St. Louis District Port: Upper Mississippi R Waterway: MISSISSIPPI RIVER Mile: 362 PWD: 239 Name: Iowa Gateway Terminal Dock. Mile 361.8 AOR, right bank, Mississippi River, approximately 1.8 miles below Keokuk Datum: NPE\* Location: Municipal (U.S. High Operator: Iowa Gateway Terminal Iowa Gateway Terminal Owner: Commercial Street @ K Street Address: Phone: 319/524-5426 Town: Keokuk State: IA County: Lee Railway Connection: One surface track serves terminal in rear connects with Keokuk Junction Railway and Burlington Northern Railroad. Purpose: Receipt and shipment of steel products, unitized and heavy lift general cargo and dry bulk materials including fertilizer, coal, salt, stone, pig iron, scrap metal; receipt of grain and lumber. 10 Latitude (decimal): 40.384722 Depth Alongside (feet): Total Berthing Space (feet): 400 Longitude (decimal): -91.40833 Remarks: Open storage area at rear has capacity for 50,000 tons of coal and other dry bulk commodities. Company also operates a food grade storage warehouse with 100,000 square feet of storage space on Twin Rivers Industr and a towboat for servicing the company's 100 barge capacity fleet located on the

480.0 MSL

Year of Last Survey: 1994

right bank approximately one mile downstream on the opposite side of the Des Moines River. □\*NPE =

Dock Code: 801

Rock Island District

Corps of Engnrs Waterway Code: 31361

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: MISSISSIPPI RIVER Mile: 362 PWD: 240

Name: Keokuk Ferro-Sil Wharf.

Location: Mile 361.9 AOR, right bank, Mississippi River, approximately 2 miles below Keokuk Datum: NPE\*

Municipal (U.S. Highwa

Operator: Keokuk Ferro-Sil Inc.
Owner: Keokuk Ferro-Sil Inc.

Address: Foot of Commercial Street Phone: 319/524-5130

Town: Keokuk State: IA County: Lee

Railway Connection: One marginal surface track along rear of wharf, connects with Burlington Northern Railroad.

Purpose: Receipt of coke and quartzite; shipment of pig iron and 50% ferro-silicon.

Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 40.384444

Total Berthing Space (feet): 237 | Longitude (decimal): -91.41083

Remarks: Steel storage building at rear has capacity for approximately 3,000 tons of 50% ferro-silicon, 4

additional timber bins have total storage capacity for 3,000 tons. Open storage area for pig iron located at plant approximately 7,600 tons. Approximately 600 feet of deteriorating concrete retaining wall located below wharf is used by the Roquette America (Ref. No. 238) for mooring barges. □\*NPE =

480.0 MSL

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31362 Dock Code: 001 Rock Island District

Port: Upper Mississippi R

Waterway: MISSISSIPPI RIVER Mile: 362 PWD: 238

Name: Roquette America, River Terminal Dock.

Location: Mile 362.3 AOR, right bank, Mississippi River, approximately 1.6 miles below Keokuk Datum: NPE\*

Municipal (U.S. High

Operator: Roquette America, Inc.
Owner: Roquette America, Inc.

Address: South Fifth (Progress) Street Phone: 319/524-5757ext

Town: Keokuk State: IA County: Lee

Railway Connection: Plant trackage in rear connects with Keokuk Junction Railway.

Purpose: Shipment of livestock feed and other grain products.

Depth Alongside (feet): 10 - 12 | Latitude (decimal): 40.385556

Total Berthing Space (feet): 155 | Longitude (decimal): -91.38833

Remarks: Private grain elevator at rear consisting of 6 steel silos; and one flat storage building has total capacity

for 800,000 bushels and is served by a truck dumper. Facility is used for shipment of grain products ma

plant in rear. □ □\*NPE = 480.0 MSL

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31362 Dock Code: 301 Rock Island District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R
Waterway: MISSISSIPPI RIVER
Name: City of Kackyk Hybing

Mile: 363 PWD: 237

Name: City of Keokuk Hubinger Landing Dock.

Location: Mile 363.2 AOR, right bank, Mississippi River, approximately 0.7 mile below Keokuk Datum: NPE\*

Municipal (U.S. Highw

Operator: City of Keokuk (See remarks).

Owner: City of Keokuk.

Address: 731 Mississippi River Drive. Phone: 319/524-2442

Town: Keokuk State: IA County: Lee

Railway Connection: None.

Purpose: Mooring casino/excursion boat; boarding passengers (See remarks).

Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 40.386944

Total Berthing Space (feet): 200 | Longitude (decimal): -91.38778

Remarks: At time of survey (1994) float had not yet been acquired dimensions shown are anticipated. □ \*NPE =

480.0 MSL□

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31363 Dock Code: 201 Rock Island District

Port: Upper Mississippi R

Waterway: MISSISSIPPI RIVER Mile: 364 PWD: 236

Name: U. S. Coast Guard Group Upper Mississippi River Dock.

Location: Mile 363.6 AOR, right bank, Mississippi River, approximately 1,500 feet below Datum: NPE\*

Keokuk Municipal (U.S. Hig

Operator: U. S. Coast Guard.
Owner: U. S. Government.

Address: 221 Mississippi Drive. Phone: 319/524-7511

Town: Keokuk State: IA County: Lee

Railway Connection: None.

Purpose: Mooring U. S. Coast Guard vessels; handling navigational aids.

Depth Alongside (feet): 12 | Latitude (decimal): 40.389444

Total Berthing Space (feet): 180 | Longitude (decimal): -91.38083

Remarks: One 4-inch sewage line serves wharf. U. S. Coast Guard Station located at rear. □ \*NPE = 480.0 MSL

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31363 Dock Code: 401 Rock Island District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Upper Mississippi R Port: Waterway: MISSISSIPPI RIVER Mile: 371 PWD: 235 Name: **ORBA-Johnson Transshipment Co. Dock.** Mile 371.0 AOR, right bank, Mississippi River, Keokuk, approximately 6.5 miles Location: Datum: NPE\* above Lock and Dam No. 19 Operator: ORBA-Johnson Transshipment Co. Owner: ORBA-Johnson Transshipment Co. Address: 3254 Mississippi River Road Phone: 319/524-6841 State: IA Town: Keokuk County: Lee Railway Connection: One surface track serving rotary dumper, rate 3,000 tons per hour (unit train), connects with Burlington Northern Railroad. Purpose: Shipment of coal. Latitude (decimal): Depth Alongside (feet): 16 10 Total Berthing Space (feet): 1450 20 Longitude (decimal): -91.39417 Т Remarks: Open storage area at mine atop bluff has capacity for 300,000 tons of coal and is served by a rotary stacker. Fleeting areas located at breasting barges and revetment on lower side and adjacent to bank on upper loaded and 20 empty barges, respectively. □ \*NPE = 518.2 MSL Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31371 Rock Island District Port: Upper Mississippi R Waterway: MISSISSIPPI RIVER Mile: 375 PWD: 234 Name: ADM/Growmark, Montrose Elevator Dock. Mile 374.8 AOR, right bank, Mississippi River, Montrose, approxi- mately 10 miles Datum: NPE\* Location: above Lock and Dam No. Operator: Hunold Storage, Inc. and ADM/Growmark subsidiary of Archer Daniels Midland Co. ADM/Growmark subsidiary of Archer Daniels Midland Co. Owner: Address: Spruce and Water Streets. Phone: 319/463-5477 Town: Montrose State: IA County: Lee Railway Connection: None. Purpose: Receipt of liquid fertilizer (See remarks). 8 - 9 I Latitude (decimal): 40.533889 Depth Alongside (feet): Longitude (decimal): -91.41361 Total Berthing Space (feet): 550

Remarks: Grain elevator at rear consisting of 6 steel tanks with capacity for 200,000 bushels was not in operation at time of survey (1994). One 6-inch pipeline extends from cell to 4 steel fertilizer storage tanks in re

Corps of Engnrs Waterway Code: 31374 Dock Code: 901

Rock Island District

Year of Last Survey: 1994

3,700,000 gallons. □ □\*NPE = 518.2 MSL

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 376 PWD: 9 Name: Colusa River Terminal, Elevator Wharf. Mile 376.4 AOR, left bank, Mississippi River, Nauvoo. Location: Datum: Operator: Colusa Elevator Co. Owner: Colusa Elevator Co. Address: Broadway and Water Street Phone: State: IL Town: Nauvoo County: Hancock Railway Connection: None. Purpose: Shipment of grain; mooring barges for fleeting. (See Remarks.) Depth Alongside (feet): Latitude (decimal): 40.558056 Total Berthing Space (feet): Longitude (decimal): -91.39583 Remarks: Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31376 Dock Code: 402 St. Louis District Port: Upper Mississippi R Waterway: MISSISSIPPI RIVER Mile: 382 PWD: 232 Name: Hall Towing Slip. Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Location: Datum: NPE\* Topeka, and Santa F Hall Towing, Inc. Operator: Owner: Hall Towing, Inc. Address: 1618 20th Street Phone: 319/372-3078 Town: Fort Madison State: IA County: Lee Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway. Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal and coke; mooring fleet service vessels, mooring vessels and barges for repair; mooring floating drydock. Latitude (decimal): Depth Alongside (feet): 11 11 11 40.621111 Total Berthing Space (feet): 420 250 Longitude (decimal): -91.33333 150

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Dock Code: 001 Rock Island District

Remarks: Slip varies in width from 150- to 200 feet, however is restricted to 120-feet at entrance. 

→ \*NPE = 518.2

MSL

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: MISSISSIPPI RIVER Mile: 382 PWD: 231 Name: Hall Towing, Barge Terminal Upper Wharf. Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Location: Datum: NPE\* Topeka, and Santa F Operator: Hall Towing, Inc. Hall Towing, Inc. Owner: Address: 1618 20th Street Phone: 319/372-3078 State: IA Town: Fort Madison County: Lee Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway. Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal, coke, crushed stone; shipment of grain. Depth Alongside (feet): Latitude (decimal): 11 Longitude (decimal): -91.33167 Total Berthing Space (feet): 300 Remarks: Bulk storage warehouse at rear has capacity for 18,000 tons of of fertilizer and other bulk commodities. A total of approximately 4 acres of open storage area is available at various locations throughout terminal □\*NPE = 518.2 MSL Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Dock Code: 001 **Rock Island District** Port: Upper Mississippi R Waterway: MISSISSIPPI RIVER Mile: 382 PWD: 233 Name: Hall Towing, Barge Terminal, Lower Wharf. Location: Mile 382.0 AOR, right bank, Mississippi River, Fort Madison, approxi- mately 2 miles Datum: NPE\* below Atchison, Top Operator: Hall Towing, Inc. Owner: Hall Towing, Inc. Address: 1618 20th Street Phone: 319/372-3078 State: IA Town: Fort Madison County: Lee Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Railway Connection: Atchison, Topeka, and Santa Fe Railway. Purpose: Shipment of grain and dry bulk fertilizer. Depth Alongside (feet): 11 Latitude (decimal): 40.620833 Longitude (decimal): -91.33333 Total Berthing Space (feet): 195 Ι Remarks: Three steel sheet pile cellular breasting dolphins located below lower side provide fleeting area for 75 barges arranged in tiers 3 barges wide. ☐ \*NPE = 518.2 MSL Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Dock Code: 001 Rock Island District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 385 PWD: 10

Name: Phoenix Chemical Co., Niota Terminal Dock.

Location: Mile 385.1 AOR, left bank, Mississippi River, Niota, approx 1.2 miles above Atchison, Datum:

Topeka, and Santa

Operator: Phoenix Chemical Co.
Owner: Phoenix Chemical Co.

Address: State Highway No. 9 & Apple River Roa Phone:

Town: Niota State: IL County: Hancock

Railway Connection: None.

Purpose: Receipt and shipment of anhydrous ammonia.

Depth Alongside (feet): | Latitude (decimal): 40.628889

Total Berthing Space (feet): | Longitude (decimal): -91.27167

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31385 Dock Code: 102 St. Louis District

Port: Upper Mississippi R

Waterway: MISSISSIPPI RIVER Mile: 390 PWD: 229

Name: Colusa Elevator Co., Green Bay Landing Dock.

Location: Mile 390.1 AOR, right bank, Mississippi River, Green Bay Landing, 6 miles above Datum: NPE\*

Atchison Topeka and Sant

Operator: Colusa Elevator Co.
Owner: Colusa Elevator Co.

Address: 2136 Green Bay Road. Phone: 319/372-7852

Town: Wever State: IA County: Lee

Railway Connection: None.

Purpose: Shipment of grain; mooring barges for fleeting (see Remarks).

Depth Alongside (feet): 12 | Latitude (decimal): 40.645556

Total Berthing Space (feet): 200 | Longitude (decimal): -91.18778

Remarks: Grain elevator at rear consisting of 5 steel tanks has capacity for 230,000 bushels. Hall Towing Co. maintains the 'Green Bay' fleet at shore moorings along 3,000 feet of bank below wharf. The fleet has

capacity for 45 barges arranged in rows 3 barges wide. □\*NPE = 518.2 MSL

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31390 Dock Code: 401 Rock Island District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 390 PWD: 11 Name: Continental Grain Co., Dallas City Elevator Dock. Mile 390.4 AOR, left bank, Mississippi River, Dallas City. Location: Datum: Operator: Continental Grain Co. Owner: Continental Grain Co. Address: 401 West First Street Phone: State: IL Town: Dallas City County: Hancock Railway Connection: None. Purpose: Shipment of grain. Depth Alongside (feet): Latitude (decimal): 40.636389 Total Berthing Space (feet): Longitude (decimal): -91.17444 Remarks: Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31390 Dock Code: 402 St. Louis District Port: Upper Mississippi R Waterway: MISSISSIPPI RIVER Mile: 399 PWD: 228 Name: I.E.S. Utilities, Burlington Generating Plant Wharf. Mile 399.4 AOR, right bank, Mississippi River, Burlington, approxi- mately 4 miles Location: Datum: NPE\* below Burlington Nort I.E.S Utilities. Operator: Owner: I.E.S Utilities. Address: 4282 Sullivan Slough Road Phone: 319/754-7934 Town: Burlington State: IA County: Des Moines Railway Connection: Two surface tracks serve undertrack pits at open storage area in rear; connect with Burlington Northern Railroad. Purpose: Receipt of coal. Depth Alongside (feet): 14 Latitude (decimal): 40.743889 Longitude (decimal): -91.11444 Total Berthing Space (feet): 656 Ι Remarks: Open storage area located at power plant in rear has capacity for 100,000 tons of coal. □ \*NPE = 518.2

Corps of Engnrs Waterway Code: 31399

MSL Year of Last Survey: 1994

Dock Code: 421

**Rock Island District** 

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: MISSISSIPPI RIVER Mile: 400 PWD: 227 Name: Koch Nitrogen Co., Burlington Ammonia Terminal Dock. Mile 399.5 AOR, right bank, Mississippi River, Burlington, approxi- mately 4 miles Location: Datum: NPE\* below Burlington Nort Operator: Gulf Central Terminal and Storage Co. Owner: Koch Nitrogen Co. Address: 4384 Sullivan Slough Road Phone: 319/752-3761 Town: Burlington State: IA County: Des Moines Railway Connection: Two surface tracks serve car loading rack with 16 stations; connect with Burlington Northern Railroad. Purpose: Receipt and occasional shipment of anhydrous ammonia. Latitude (decimal): Depth Alongside (feet): 14 40.747778 Total Berthing Space (feet): 200 Longitude (decimal): -91.11361 Т Remarks: One 6-inch pipeline extends from wharf to one 10,530,000 gallon steel storage tank at terminal in rear. One 2-inch steam utility line serves wharf. □ \*NPE = 518.2 MSL □ Corps of Engnrs Waterway Code: 31399 Year of Last Survey: 1994 Dock Code: 401 Rock Island District Port: Upper Mississippi R Waterway: MISSISSIPPI RIVER Mile: 403 PWD: 226 Name: Matteson Marine Service, South Dock. Mile 403.4 AOR, right bank, Mississippi River, approximately 0.2 mile above Location: Datum: NPE\* Burlington Northern Railroad Operator: Matteson Marine Service. Owner: Matteson Marine Service. Address: 900 South Front Street. Phone: 319/754-5318 Town: Burlington State: IA County: Des Moines Railway Connection: None. Purpose: Mooring company-owned floating equipment for storage and maintenance; mooring barges for fleeting (See Remarks). Depth Alongside (feet): Latitude (decimal): 10 10 10 Longitude (decimal): -91.0975 Total Berthing Space (feet): 100 100 Т Remarks: Company moors fleet service vessels at wharf for attending fleets at Miles 405; 406 and 407 all located above MacArthur (U.S. Highway 34) Bridge.- "405 Fleet" - East side of channel, each side of Moores Bar with 30 barges, arranged 2 abreast. \( \text{\text}' 406 \) Fleet' - West side of channel, east side of Baby Ruth Island with capacity for 60 barges, arranged in tiers 3 barges wide '407 Fleet' - 2,500 feet along left bank with capacity for 20 barges, arranged in tiers 2 barges wide. □\*NPE = 518.2 MSL □

Year of Last Survey: 1994

Corps of Engnrs Waterway Code: 31403 Dock Code: 401

Rock Island District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: MISSISSIPPI RIVER Mile: 404 PWD: 225 Name: ADM/Growmark, Burlington South Elevator Dock. Mile 403.6 AOR, right bank, Mississippi River, approximately 0.4 mile above Location: Datum: NPE\* **Burlington Northern Railroad** Operator: ADM/ Growmark, a subsidiary of Archer Daniels Midland Co. Owner: Burlington Northern Railroad. Address: 600 South Front Street. Phone: 319/753-2857 Town: Burlington State: IA County: Des Moines Railway Connection: Burlington Northern, Railroad.: Three surface tracks with storage capacity for 50 cars, serve undertrack pit, and loading spout. Purpose: Shipment of grain. Latitude (decimal): Depth Alongside (feet): 40.802778 11 Total Berthing Space (feet): 400 Longitude (decimal): -91.09833 Ι Ι Remarks: Grain elevator at rear consisting of 12 concrete silos with 6 interstices, has capacity for 550,000 bushels. □ \*NPE = 518.2 MSL Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31403 Dock Code: 601 Rock Island District Port: Upper Mississippi R Waterway: MISSISSIPPI RIVER Mile: 404 PWD: 224 Name: **Burlington River Terminal, South Dock.** Mile 403.6 AOR, right bank, Mississippi River, approximately 0.5 mile above Location: Datum: NPE\* Burlington Northern Railroad Burlington River Terminal, Inc. Operator: Owner: Burlington Northern Railroad. Address: 100 South Front Street Phone: 319/753-6533 Town: Burlington State: IA County: Des Moines One surface track, capacity 100 cars, serves undertrack pit and one car floor level track Railway Connection: serves storage warehouse at rear; connect with main line trackage of Burlington Northern Railroad. Purpose: Receipt and shipment, essentially direct transfer, of coal and other miscellaneous dry bulk commodities. Depth Alongside (feet): 10 Latitude (decimal): 40.803611 Longitude (decimal): -91.09833 Total Berthing Space (feet): 640 Τ Remarks: Open storage area at rear has capacity for 18,000 tons. A 60,000 square foot warehouse at rear can be used for storage of bulk or unitized items. □ \*NPE = 518.2 MSL □ Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31405 Dock Code: 301 Rock Island District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 404 PWD: 12

Name: Peavey Co., Gulfport Elevator Dock.

Location: Mile 404.2 AOR, left bank, Mississippi River, Gulfport, above MacArthur (U.S. Datum:

Highway 34) Bridge.

Operator: Peavey Co. Owner: Peavey Co.

Address: Broadway Street Phone:

Town: Gulfport State: IL County: Henderson

Railway Connection: None. Purpose: Shipment of grain.

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31404 Dock Code: 202 St. Louis District

Port: Upper Mississippi R

Waterway: MISSISSIPPI RIVER Mile: 405 PWD: 223

Name: ADM/Growmark, Burlington North Elevator Dock.

Location: Mile 405.1 AOR, right bank, Mississippi River, Burlington, approxi- mately one mile Datum: NPE\*

above MacArthur (U.S

Operator: ADM/ Growmark, a subsidiary of Archer Daniels Midland Co.

Owner: ADM/ Growmark, a subsidiary of Archer Daniels Midland Co.

Address: Foot of Cash Street Phone: 319/753-2857
Town: Burlington State: IA County: Des Moines

Railway Connection: One surface track serves auger unloaders at terminal in rear; connects with Burlington

Northern Railroad.

Purpose: Shipment of grain.

Depth Alongside (feet): 10 | Latitude (decimal): 40.824722

Total Berthing Space (feet): 400 | Longitude (decimal): -91.09889

Remarks: Grain elevator at rear consisting of 9 concrete silos with 7 interstices has capacity for 450,000

bushels. □ \*NPE = 518.2 MSL

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31405 Dock Code: 201 Rock Island District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 405 PWD: 222 Name: **Burlington River Terminal, North Dock.** Mile 405.2 AOR, right bank, Mississippi River, on O'Connell SloughBurlington, one Location: Datum: NPE\* mile above MacArthur ( Operator: Burlington River Terminal. Inc. Owner: Burlington River Terminal, Inc. Address: 500 Cash Street Phone: 319/753-6533 State: IA Town: Burlington County: Des Moines Railway Connection: Two surface tracks, total capacity 12 cars, serve terminal in rear; connect with Burlington Northern Railroad. Purpose: Receipt and shipment of steel products, containerized general cargo, liquid and dry bulk fertilizer; shipment of gypsum rock and coal. Depth Alongside (feet): 9 Latitude (decimal): Longitude (decimal): -91.09917 Total Berthing Space (feet): 200 Remarks: Bulk storage building and storage dome at rear have total capacity for 28,000 tons. A second building not connected by conveyor has additional storage capacity for 500 tons and contains a packaging plant. A con storage area at terminal has capacity for 3,000 tons of material. One 6-inch pipeline extends from wharf to 3 liquid fertilizer storage tanks, total capacity 3,000,000 gallons. □\*NPE = 518.2 MSL Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31405 Dock Code: 301 Rock Island District Port: Upper Mississippi R Waterway: Mississippi River Mile: 406 PWD: 221 Name: Matteson Marine Service, North Yard Dock. Mile 405.9 AOR, right bank, Mississippi River, on O'Connell SloughBurlington, 1.7 Datum: NPE\* Location: miles above MacArthur Matteson Marine Service. Operator: Owner: Matteson Marine Service. Address: Tama Road Phone: 319/754-5318 Town: Burlington State: IA County: Des Moines Railway Connection: None. Purpose: Handling contractors equipment and supplies. Latitude (decimal): 40.837778 Depth Alongside (feet): 12 12 Total Berthing Space (feet): 303 150 Longitude (decimal): -91.09889 Remarks: Contractor's equipment and materials storage yard is located in rear. □ □\*NPE = 518.2 MSL Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31405 Dock Code: 901 Rock Island District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 410 PWD: 13 Name: Twomey Co., River Terminal Dock. Mile 409.5 AOR, left bank, Mississippi River, Gladstone, approximately one mile Location: Datum: below Lock and Dam No. 1 Operator: Twomey Co. Owner: Twomey Co. Lock and Dam No. 18 Road. Address: Phone: State: IL Town: Gladstone County: Henderson Railway Connection: None. Purpose: Shipment of grain; receipt of dry bulk and liquid fertilizer; mooring barges for fleeting. (See Remarks.) Latitude (decimal): 40.873056 Depth Alongside (feet): Longitude (decimal): -91.03528 Total Berthing Space (feet): Remarks: Corps of Engnrs Waterway Code: 31409 Dock Code: 602 Year of Last Survey: 1994 St. Louis District Port: **Upper Mississippi R** Waterway: Mississippi River Mile: 416 PWD: 14 Name: Altair Trading Corp. Dock. Mile 415.5 AOR, left bank, Mississippi River, Oquawka. Datum: Location: Altair Trading Corp. Operator: Owner: Altair Trading Corp. Foot of Calhoun Street Phone: Address: State: IL Town: Oquawka County: Henderson Railway Connection: None. Purpose: Shipment of grain. Depth Alongside (feet): Latitude (decimal): 40.926944 Total Berthing Space (feet): Longitude (decimal): -90.95889 Remarks:

Corps of Engnrs Waterway Code: 31415 Dock Code: 602

St. Louis District

Year of Last Survey: 1994

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 418 PWD: 220

Name: AGRI Grain Marketing, Meekers Landing Dock.

Location: Mile 418.2 AOR, right bank, Mississippi River, Meekers Landing, approximately 8 Datum: NPE\*

miles above Lock and Dam

Operator: AGRI Grain Marketing.
Owner: AGRI Grain Marketing.

Address: 1477 Meekers Landing Road. Phone: 319/937-6155
Town: Burlington State: IA County: Des Moines

Railway Connection: None. Purpose: Shipment of grain.

Depth Alongside (feet): 12 - 15 | Latitude (decimal): 40.969167

Total Berthing Space (feet): 975 | Longitude (decimal): -90.95722

Remarks: Grain elevator at rear consisting of 25 concrete silos with 24 interstices has capacity for 862,000

bushels. □ \*NPE = 536.0 MSL

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31418 Dock Code: 201 Rock Island District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 428 PWD: 15

Name: ADM/Growmark, Keithsburg Wharf.

Location: Mile 427.6 AOR, left bank, Mississippi River, Keithsburg, upper side of 500- by 200- Datum:

foot, rectangular sl

Operator: ADM/Growmark, a subsidiary of Archer Daniels Midland Co. Owner: ADM/Growmark, a subsidiary of Archer Daniels Midland Co.

Address: Main Street, State Hwy No. 17 Phone:

Town: Keithsburg State: IL County: Mercer

Railway Connection: None. Purpose: Shipment of grain.

Depth Alongside (feet): | Latitude (decimal): 41.103056

Total Berthing Space (feet): | Longitude (decimal): -90.94667

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31427 Dock Code: 502 St. Louis District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 433 PWD: 16 Name: Continental Grain Co., New Boston Dock. Mile 433.0 AOR, left bank, Mississippi River, New Boston, approxi- mately 4 miles Location: Datum: below Lock and Dam No. Operator: Continental Grain Co. Owner: Continental Grain Co. Address: Foot of Main Street (State Hwy 17) Phone: State: IL Town: **New Boston** County: Mercer Railway Connection: None. Purpose: Shipment of grain. Depth Alongside (feet): Latitude (decimal): 41.166944 Total Berthing Space (feet): Longitude (decimal): -91.00111 Remarks: Corps of Engnrs Waterway Code: 31433 Dock Code: 002 Year of Last Survey: 1994 St. Louis District Port: Upper Mississippi R Waterway: Mississippi River Mile: 450 PWD: 218 Name: Farmland Industries, Muscatine Dock. Mile 450.3 AOR, right bank, Mississippi River, approximately 1.5 miles above Datum: NPE\* Location: Muscatine-Louisa County Lin Operator: Farmland Industries, Inc. Owner: Farmland Industries, Inc. Address: 2637 Pettibone Avenue. Phone: 319/264-1721 Town: Muscatine State: IA County: Muscatine Railway Connection: Two surface tracks serving undertrack pit and loading spout at terminal in rear, connect with CP Rail System. Purpose: Receipt of dry bulk fertilizer; receipt and occasional shipment of liquid fertilizer. Depth Alongside (feet): Latitude (decimal): 8 41.356111 Total Berthing Space (feet): Longitude (decimal): -91.07111 440 Remarks: Storage warehouse has capacity for 25,000 tons of material. One 6-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 3,030,000 gallaos □\*NPE = 536.0 MSL Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31450 Dock Code: 301 Rock Island District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 450 PWD: 219 Name: Monsanto, Muscatine Plant Barge Dock. Mile 450.0 AOR, right bank, Mississippi River, approximately 1.3 miles above Location: Datum: NPE\* Muscatine-Louisa County Lin Operator: Monsanto, The Agricultural Group. Monsanto, The Agricultural Group. Owner: Address: 2500 Wiggens Road. Phone: 319/262-7386 State: IA Town: Muscatine County: Muscatine Railway Connection: Plant trackage in rear connects with CP Rail System. Purpose: Receipt of styrene. Depth Alongside (feet): Latitude (decimal): 21 41.350556 Total Berthing Space (feet): 200 Longitude (decimal): -91.07167 Remarks: Two 8-inch pipelines extend from wharf to 2 steel storage tanks at plant in rear, total capacity 1,200,000 gallons. ☐ \*NPE = 536.0 MSL Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31449 Dock Code: 901 Rock Island District Port: Upper Mississippi R Waterway: Mississippi River Mile: 451 PWD: 216 Name: **Acme Fuel And Material Co. Dock** Location: Mile 451.2 AOR, right bank, Mississippi River, approximately 4.7 miles below State Datum: NPE\* Highway 92 Bridge. Acme Fuel and Material Co. Operator: Owner: W. G. Block Co. Address: 2544 Pettibone Avenue Phone: 319/326-1651 Town: Near Muscatine. State: County: Muscatine Railway Connection: One surface track serves plant in rear; connects with CP Rail System. Purpose: Shipment of sand and gravel. Latitude (decimal): Depth Alongside (feet): 9 41.368333 Total Berthing Space (feet): Longitude (decimal): -91.0675 240 Remarks: Open storage area located at sand pit in rear has capacity for 40,000 tons. □ \*\* NPE = 536.0 MSL Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31451 Dock Code: 251 St. Paul District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 451 PWD: 217 Name: K. A. Steel Chemicals Dock Mile 450.9 AOR, right bank, Mississippi River, approximately 5 miles below State Location: Datum: NPE\* Highway 92 Bridge. Operator: K. A. Steel Chemicals. Inc. Owner: K. A. Steel Chemicals, Inc. Address: 2575 Pettibone Avenue Phone: 319/262-8768 State: IA Town: Muscatine County: Muscatine Railway Connection: None. Purpose: Receipt of 50% sodium hydroxide solution. Latitude (decimal): Depth Alongside (feet): 12 41.366667 Total Berthing Space (feet): 180 Longitude (decimal): -91.06861 Remarks: One 8-inch pipeline extends from wharf to one 1,500,000-gallon steel storage tank at rear. □ \*NPE = 536.0 MSL Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31451 Rock Island District Dock Code: 101 Port: Upper Mississippi R Waterway: Mississippi River Mile: 451 PWD: 215 Name: River Terminal Corp./CK Processing Co. Wharf. Location: Mile 451.4 AOR, right bank, Mississippi River, approximately 4.5 miles below State Datum: NPE\* Highway 92 Bridge. Operator: River Terminal Corp./CK Processing Co. Owner: River Terminal Corp./CK Processing Co. Address: 2579 Pettibone Avenue Phone: 319/263-3155 Town: Muscatine State: IA County: Muscatine Railway Connection: Two surface tracks with capacity for 40 cars serve plant in rear; connects with CP Rail System. Purpose: Receipt of molasses, liquid and dry fertilizer, coal, fish solubles, and miscellaneous dry and liquid bulk materials; shipment of soybean oil. 12 Latitude (decimal): Depth Alongside (feet): Longitude (decimal): -91.06611 Total Berthing Space (feet): 510 Ι Т Remarks: Two 10-inch pipelines extend from wharf to 4 steel molasses storage tanks, total capacity 1,700,000 gallons, and six 6-inch pipelines extend to 11 storage tanks for miscellaneous liquids, total capacity 3,640,000 steam line serves wharf. Livestock feed processing plant located in rear. □ □\*NPE = 536.0

Corps of Engnrs Waterway Code: 31451

MSL
Year of Last Survey: 1994

Dock Code: 301

Rock Island District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River

Mile: 453 PWD: 213

Name: Grain Processing Corp., South Grain Elevator Dock.

Location: Mile 453.3 AOR, right bank, Mississippi River, approximately 2.7 miles below State Datum: NPE\*

Highway 92 Bridge.

Operator: Not operated.

Owner: Grain Processing Corp.

Address: 1600 Oregon Street Phone: 319/264-4629
Town: Muscatine State: IA County: Muscatine

Railway Connection: Two surface tracks with storage capacity for 25 cars serves undertrack pit; connects with

CP Rail System.

Purpose: Not used (See Remarks).

Depth Alongside (feet): 4 - 12 | Latitude (decimal): 41.394167

Total Berthing Space (feet): 900 | Longitude (decimal): -91.05556

Remarks: At time of survey the wharf facility was being maintained in operational condition and the grain elevator

consisting of 20 concrete silos with 18 interstices having capacity for 1,232,000 bushels was being

utiliz for grain used internally in the manufacturing process \( \subseteq \text{\*NPE} = 536.0 \text{ MSL} \)

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Dock Code: 801 Rock Island District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 453 PWD: 214

Name: Muscatine Power and Water Dock.

Location: Mile 452.9 AOR, right bank, Mississippi River, approximately 3 miles below State Datum: NPE\*

Highway 92 Bridge.

Operator: Muscatine Power & Water.
Owner: Muscatine Power & Water.

Address: 2200 Stewart Road Phone: 319/262-3506
Town: Muscatine State: IA County: Muscatine

Railway Connection: One 55-car capacity surface loop track serves undertrack pit at plant in rear connects with

CP Rail System.

Purpose: Receipt of coal for plant consumption.

Depth Alongside (feet): 12 | 15 Latitude (decimal): 41.387222

Total Berthing Space (feet): 800 | 1200 Longitude (decimal): -91.05389

Remarks: Each section is parallel to shoreline and they meet at a small angle. One 4,000-ton concrete storage

silo, and a 400,000-ton open storage area served by a radial stacker are located at rear of lower section. Tw front-end loaders and 2 diesel bulldozers serve open storage area. □ □\*NPE = 536.0 MSL

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31452 Dock Code: 901 Rock Island District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 454 PWD: 209 Name: Continental Grain Co., Muscatine Grain Elevator Dock. Mile 454.3 AOR, right bank, Mississippi River, Muscatine, approxi- mately 1.7 miles Location: Datum: NPE\* below State Highway Operator: Continental Grain Co. and Blackhawk Fleet Inc. (See Remarks) Owner: Continental Grain Co. Address: 700 Oregon Street Phone: 319/263-4343 State: IA Town: Muscatine County: Muscatine Railway Connection: Two surface tracks with capacity for 25 cars serve undertrack pit and loading spout at grain elevator in rear; connect with CP Rail System. Purpose: Shipment of grain. Latitude (decimal): 41.408056 Depth Alongside (feet): 9 Total Berthing Space (feet): 750 Longitude (decimal): -91.05944 Remarks: Grain elevator at rear consisting of 4 concrete silos with 10 interstices and 2 steel tanks has capacity for 1,100,000 bushels. □Blackhawk Fleet Inc. maintains the 'Towhead Island Fleet' with capacity for 60 barges arranged in 15 tiers each 4 barges wide at the island on opposite side of the channel□\*NPE = 536.0 MSL Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31454 Dock Code: 301 Rock Island District Port: Upper Mississippi R Waterway: Mississippi River Mile: 454 PWD: 210 Name: Grain Processing Corp., Alcohol Dock. Location: Mile 453.9 AOR, right bank, Mississippi River, approximately 2 miles below State Datum: NPE\* Highway 92 Bridge. Operator: Grain Processing Corp. Owner: Grain Processing Corp. Address: 1600 Oregon Street Phone: 319/264-4675 State: IA Town: Muscatine County: Muscatine Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System. Purpose: Shipment of grain alcohol. Depth Alongside (feet): Latitude (decimal): 41.401944 10 Total Berthing Space (feet): 150 Longitude (decimal): -91.05972 Remarks: Two 3-inch pipelines extend to circular cell from 13 steel storage tanks at plant in rear, total capacity 5,800,000 gallons. One 1-inch steam utility line also serves wharf. □\*NPE = 536.0 MSL Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Dock Code: 801 Rock Island District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 454 PWD: 212 Name: Grain Processing Corp., Coal-Unloading Dock. Mile 453.5 AOR, right bank, Mississippi River, approximately 2.5 miles below State Location: Datum: NPE\* Highway 92 Bridge. Operator: Grain Processing Corp. Owner: Grain Processing Corp. Address: 1600 Oregon Street Phone: 319/264-4476 State: IA Town: Muscatine County: Muscatine Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System. Purpose: Receipt of coal for plant consumption. Latitude (decimal): 41.396944 Depth Alongside (feet): 10 Total Berthing Space (feet): 840 Longitude (decimal): -91.05639 Remarks: Open storage area at plant in rear has capacity for 120,000 tons of coal. □ \*NPE = 536.0 MSL Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Dock Code: 801 Rock Island District Port: **Upper Mississippi R** Waterway: Mississippi River Mile: 454 PWD: 211 Name: Grain Processing Corp., Feed Loading Dock. Mile 453.7 AOR, right bank, Mississippi River, approximately 2.1 miles below State Datum: NPE\* Location: Highway 92 Bridge. Grain Processing Corp. Operator: Grain Processing Corp. Owner: Address: 1600 Oregon Street Phone: 319/264-4675 Town: Muscatine State: IA County: Muscatine Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System. Purpose: Shipment of distillers spent grain, and livestock feed. Depth Alongside (feet): Latitude (decimal): 41.400833 11 Longitude (decimal): -91.05917 Total Berthing Space (feet): 635 Remarks: \*NPE = 536.0 MSL.□□

Corps of Engnrs Waterway Code: 31453

Year of Last Survey: 1994

Dock Code: 801

Rock Island District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 468 PWD: 208 Name: Central Iowa Power Cooperative, Fair Station Wharf. Mile 468.0 AOR, right bank, Mississippi River, approximately + mile below the village Location: Datum: NPE\* of Montpelier. Operator: Central Iowa Power Cooperative. Owner: Central Iowa Power Cooperative. Address: State Highway 22 Phone: 319/381-2062 State: IA Town: Montpelier County: Muscatine Railway Connection: None. Purpose: Receipt of coal for plant consumption. Latitude (decimal): Depth Alongside (feet): 9 - 11 I 41.456389 Total Berthing Space (feet): 740 Longitude (decimal): -90.82028 Remarks: Open storage area at rear has capacity for 120,000 tons of coal. Bulldozers move coal to a groundlevel pit served by a conveyor extending to power plant. □ \*NPE = 545.0 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31468 Rock Island District Dock Code: 001 Port: Upper Mississippi R Waterway: Mississippi River Mile: 470 PWD: 205 Name: AGRI Grain Marketing, Buffalo Grain Elevator Dock. Location: Mile 469.8 AOR, right bank, Mississippi River, approximately 3 miles below the Datum: NPE\* village of Buffalo. AGRI Grain Marketing. Operator: Owner: Cargill Inc. 1657 West Front Street Phone: 319/381-4300 Address: Town: Buffalo State: IA County: Scott Four surface tracks with total capacity for 30 cars serves undertrack pit and loading spout Railway Connection: at grain elevator in rear; connect with CP Rail System. Purpose: Shipment of grain and grain products. Latitude (decimal): Depth Alongside (feet): 10 41.454167 Total Berthing Space (feet): 430 Longitude (decimal): -90.77917 Remarks: Grain elevator at rear consisting of 6 concrete silos and 3 steel tanks has capacity for 850,000 

Corps of Engnrs Waterway Code: 31469

Year of Last Survey: 1994

Dock Code: 801

**Rock Island District** 

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 470 PWD: 207 Name: Blackhawk Fleet, Buffalo Terminal Dock. Mile 469.6 AOR, right bank, Mississippi River, approximately 3.5 miles below Buffalo Location: Datum: NPE\* at Scott-Muscatine Operator: Blackhawk Fleet Inc. Owner: Blackhawk Fleet Inc. Address: West Front Street Phone: 319/322-3510 State: IA Town: Buffalo County: Scott Railway Connection: None. Purpose: Receipt and shipment of coal and other miscellaneous dry bulk materials. Latitude (decimal): Depth Alongside (feet): 9 41 455 Total Berthing Space (feet): 450 Longitude (decimal): -90.78611 Remarks: Approximately 13 acres of open storage area with capacity for 130,000 tons of material are located at rear □Operator maintains the 'Maxwell Island Fleet' with capacity for 15 barges arranged in a block 5 barges long by 3 wide, on the west side of the island at Mile 470.7, approximately one mile above wharf. □\*NPE = 545.0 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31469 Dock Code: 601 Rock Island District Port: Upper Mississippi R Waterway: Mississippi River Mile: 470 PWD: 206 Name: Cargill Buffalo Terminal Dock. Location: Mile 469.7 AOR, right bank, Mississippi River, approximately 3 miles below the Datum: NPE\* village of Buffalo. Operator: Cargill, Inc. Cargill, Inc. Owner: Address: 1657 West Front Street Phone: 319/381-2210 Town: Buffalo State: IA County: Scott Railway Connection: One surface track serves terminal in rear; connects with CP Rail System. Purpose: Receipt of caustic soda and salt; shipment of vegetable oil. 9 7 - 9 Latitude (decimal): 41.453889 Depth Alongside (feet): Longitude (decimal): -90.78083 Total Berthing Space (feet): 195 195 Т ı Remarks: One 6-inch pipeline extends from wharf to one 2,000,000-gallon caustic soda storage tank, and one 6inch pipeline extends to wharf from two vegetable oil storage tanks, total capacity 5,000,000 gallons. One 3-in wharf. Open storage area with capacity for 65,000 tons, and 2 timber storage buildings with capacities for 25,000 and 10,000 tons of salt are located in rear. Vegetable oil barge moors end-to lower side at steel sheetsalt barge moors at face overlapping each side. □ □\*NPE = 545.0 MSL.

Year of Last Survey: 1994

Dock Code: 801

Rock Island District

Corps of Engnrs Waterway Code: 31469

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port:	<b>Upper Mississi</b>	ppi R					
Waterway:	Mississippi Riv	er		N	∕lile: 475	PWD:	202
Name:	<b>Koch Materials</b>	Co., Davenport	Dock.				
Location:	Mile 475.4 AOR, r Highway 280 Brid		ppi River, approximately	y 3 miles below Inte	erstate [	Datum:	NPE*
Operator:	Koch Materials Co	).					
Owner:	Koch Materials Co	).					
Address:	561 East Front St	reet		Phone:	319/359-1	1304	
Town:	Buffalo	State	e: IA	County:	Scott		
Railway Co	nnection: One su System		6 loading stations at ter	minal in rear; conn	ects with 0	CP Rail	
Purpose: F	Receipt of asphalt a	and other petroleur	n products.				
Depth Along	gside (feet):	15	1	Latitude (	(decimal):	41.4625	5
Total Berthi	ng Space (feet):	150	1	Longitude	e (decimal):	-90.677	78
t		ks for other petrole	narf to 2 steel storage tal eum products at termina				
Year of Las	t Survey: 1994	Corps of Engnrs V	Vaterway Code: 31475	Dock Code: 401	Rocl	k Island	District
Port:	Upper Mississi	ppi R					
Waterway:	Mississippi Riv	er		N	/lile: 475	PWD:	204
Name:	Lafarge Corp.,	Davenport Plan	t Wharf.				
Location:	Mile 474.5 AOR, r Highway 280 Brid		ppi River, approximately	y 4 miles below Inte	erstate [	Datum:	NPE*
Operator:	Lafarge Corp.						
Owner:	Lafarge Corp.						
Address:	103 East Front St	reet		Phone:	319/328-6	3229	
Town:	Buffalo	State		County:			
Railway Co	CP Rai	l System.per	ge capacity for 80 cars s	erves cement plan	t at rear; c	onnects	with
	Receipt of coal,san		ent of cement.				
Depth Along		9	1		(decimal):	41.4575	
	ng Space (feet):	919	1	•	e (decimal):		
ŗ	pipeline extending f	rom 8 storage silo	1,100 tons at rear of wh s at cement plant in rear .□□*NPE = 545.0 MSL.				С
Year of Las	t Survey: 1994	Corps of Engnrs V	Vaterway Code: 31474	Dock Code: 701	Roc	k Island	District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 475 PWD: 203

Name: Linwood Mining & Minerals Corp. Dock.

Location: Mile 475.2 AOR, right bank, Mississippi River, approximately 3.2 miles below Datum: NPE\*

Interstate Highway 280 Brid

Operator: Linwood Mining & Minerals Corp.
Owner: Linwood Mining & Minerals Corp.

Address: 401 East Front Street Phone: 319/324-1931

Town: Buffalo State: IA County: Scott

Railway Connection: None.

Purpose: Shipment of stone; receipt of coal and coke.

Depth Alongside (feet):

9 | | Latitude (decimal): 41.461667

Total Berthing Space (feet): 400 | Longitude (decimal): -90.67972

Remarks: Open storage area at rear has capacity for approximately 4,500 tons of material. \*NPE = 545.0 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31475 Dock Code: 301 Rock Island District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 476 PWD: 201

Name: Amoco Oil Co., Davenport Asphalt Terminal Dock.

Location: Mile 475.5 AOR, right bank, Mississippi River, approximately 3 miles below Interstate Datum: NPE\*

Highway 280 Bridge

Operator: Amoco Oil Co.
Owner: Amoco Oil Co.

Address: 601 East Front Street Phone: 319/324-5276

Town: Buffalo State: IA County: Scott

Railway Connection: None. Purpose: Receipt of asphalt.

Depth Alongside (feet): 9 | Latitude (decimal): 41.463056

Total Berthing Space (feet): 400 | Longitude (decimal): -90.67556

Remarks: Two 8-inch pipelines extend from wharf to 16 steel asphalt storage tanks, total capacity 320,000

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31475 Dock Code: 501 Rock Island District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Upper Mississippi R Port: Waterway: Mississippi River Mile: 476 PWD: 199 Name: Blackhawk Fleet Terminal, Wharf and Pier. Mile 475.8 AOR, right bank, Mississippi River, approximately 2.5 miles below Location: Datum: NPE\* Interstate Highway 280 Brid Operator: Blackhawk Fleet Inc. Owner: Blackhawk Fleet Inc. Address: 10910 South Utah Street Phone: 319/322-3510 Town: Davenport State: IA County: Scott Railway Connection: One surface track with capacity for 25 cars serves undertrack pit and open storage area at rear; connects with CP Rail System. Purpose: Receipt of coal, and dry bulk fertilizer, steel products, newsprint, lumber; handling heavy-lift items; mooring midstream fueling vessel, floating drydock, barges and vessels for repair and fleeting \*service Depth Alongside (feet): 10 I 8 - 10 I Latitude (decimal): 41.463056 Longitude (decimal): -90.67056 Total Berthing Space (feet): 300 195 Remarks: Approximately 8 acres of open storage area at rear has capacity for 100,000 tons of bulk materials. One 300-ton floating drydock is moored at pier located approximately 300 feet upstream from wharf. Operator ma at Smiths Island and at Dewey Island on opposite side of channel with total capacity for 60 barges arranged in tiers up to 8 barges wide. □\*NPE = 545.0 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31476 Dock Code: 100 Rock Island District Port: Upper Mississippi R Waterway: Mississippi River Mile: 476 PWD: 198 Name: Peavey Co., Davenport East Grain Elevator Dock. Mile 475.9 AOR, right bank, Mississippi River, approximately 2.4 miles below Location: Datum: NPE\* Interstate Highway 280 Brid Operator: Peavey Co. Owner: Mississippi River Grain Inc. Address: 6603 South Concord Street Phone: 319/326-3581 State: IA Town: Davenport County: Scott Railway Connection: Three surface tracks serve undertrack pit; connect with CP Rail System. Purpose: Shipment of grain. Depth Alongside (feet): 10 Latitude (decimal): 41.463056 Longitude (decimal): -90.66972 Total Berthing Space (feet): 590 Т I Remarks: Grain elevator at rear consisting of 10 concrete silos with 4 interstices has capacity for 750,000 bushels. Temporary outside storage area consists of two 4 foot high 300 foot diameter concrete rings covered with having total capacity for 2,400,000 bushels □ \*NPE = 545.0 MSL. Corps of Engnrs Waterway Code: 31476 Dock Code: 001 Rock Island District Year of Last Survey: 1994

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Upper Mississippi R Port: Waterway: Mississippi River Mile: 476 PWD: 200 Name: Peavey Co., Davenport West Grain Elevator Dock. Mile 475.7 AOR, right bank, Mississippi River, approximately 2.6 miles below Location: Datum: NPE\* Interstate Highway 280 Brid Operator: Peavev Co. Owner: Peavey Co. Address: 701 East Front Street Phone: 319/326-3581 State: IA Town: Buffalo County: Scott Railway Connection: Three surface tracks with storage capacity for 37 cars serve open storage area at rear; connect with CP Rail System. Purpose: Receipt and shipment of miscellaneous dry bulk materials, including coal and fertilizer; shipment of grain. Depth Alongside (feet): Latitude (decimal): 12 - 15 I Longitude (decimal): -90.67306 Total Berthing Space (feet): 950 Remarks: Grain elevator at rear consisting of 6 concrete silos with 7 interstices has capacity for 350,000 bushels. A flat storage building and open concrete- surfaced pads at terminal have capacity for an additional 4,0 grain. Open storage area at rear of bulk material handling area has capacity for 100,000 tons. □\*NPE = 545.0 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31475 Dock Code: 701 Rock Island District Port: Upper Mississippi R Waterway: Mississippi River Mile: 481 PWD: 17 Name: Rock Island River Terminal Corp. Dock. Mile 480.8 AOR, left bank, Mississippi River, Rock Island, approx. 0.6 mi below Location: Datum: Davenport Rock Island an Operator: Rock Island River Terminal Corp. and Illinois Oil Products, Inc. Owner: Rock Island River Terminal Corp. Address: 700 Mill Street Phone: Rock Island State: II County: Rock Island Town: Railway Connection: Two surface tracks serve terminal in rear; connect with the lowa Interstate Railroad. Purpose: Receipt and shipment of steel products and miscellaneous, dry bulk materials including fertilizer, ores, salt, coal, and pig iron; receipt of liquid fertilizer; and shipment of grain. Depth Alongside (feet): Latitude (decimal): 41.504167 Total Berthing Space (feet): Longitude (decimal): -90.59833 Remarks: Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31480 Dock Code: 902 St. Louis District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 482 PWD: 18 Name: Jumbers Casino Boat, Rock Island Dock. Mile 482.4 AOR, left bank, Mississippi River, Rock Island, approximately 1,400 feet Location: Datum: above Centennial Bri Operator: Jumer's Casino Rock Island. Owner: Jumer's Casino Rock Island. Address: Foot of 18th Street Phone: State: IL Town: Rock Island County: Rock Island Railway Connection: None. Purpose: Mooring Casino Boat 'Rock Island' (formerly U.S. Army Corps of Engineers Dredge 'Ockerson'); boarding passengers. Latitude (decimal): Depth Alongside (feet): 41.513056 Longitude (decimal): -90.57583 Total Berthing Space (feet): Remarks: Dock Code: 402 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31482 St. Louis District Port: Upper Mississippi R Waterway: Mississippi River Mile: 483 PWD: 196 Name: **Builders Sand and Cement Co. Wharf.** Location: Mile 483.1 AOR, right bank, Mississippi River, above and opposite Locks and Dam Datum: NPE\* No. 15. Builders Sand and Cement Co. Operator: Owner: Builders Sand and Cement Co. Address: 615 East River Drive Phone: 319/322-1758 Town: Davenport State: IA County: Scott Railway Connection: One marginal track along rear of flood wall, connects with CP Rail System. Purpose: Receipt of sand, gravel, and crushed stone. Latitude (decimal): Depth Alongside (feet): 12 41.522222 Total Berthing Space (feet): 500 Longitude (decimal): -90.56472 Remarks: Open storage area at rear has capacity for 5,000 tons of material. □ \*NPE = 561.0 MSL.

Year of Last Survey: 1994

Corps of Engnrs Waterway Code: 31483 Dock Code: 201

Rock Island District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 483 PWD: 197

Name: President's Landing, Casino Boat Dock.

Location: Mile 482.5 AOR, right bank, Mississippi River, approximately 1, 500 feet below Dam Datum: NPE\*

No. 15.

Operator: The President Riverboat Casino.
Owner: The President Riverboat Casino.

Address: 130 West River Drive Phone: 319/322-2578

Town: Davenport State: IA County: Scott

Railway Connection: None.

Purpose: Mooring casino/excursion boat; boarding passengers.

Depth Alongside (feet): 10 | Latitude (decimal): 41.518333

Total Berthing Space (feet): 295 | Longitude (decimal): -90.57556

Remarks: Daily river excursions are normally operated during the period June through October. □ \*NPE = 592.0

MSL

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31478 Dock Code: 101 Rock Island District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 483 PWD: 195

Name: River/Gulf Grain Co., Davenport Dock.

Location: Mile 483.2 AOR, right bank, Mississippi River, Davenport approximately 1,000 feet Datum: NPE\*

above Locks and Dam 15

Operator: River/Gulf Grain Co.

Owner: City of Davenport and Alter Truck & Terminal Corp.

Address: 725 East River Drive Phone: 319/324-1691

Town: Davenport State: IA County: Scott

Railway Connection: None. Purpose: Shipment of grain.

Depth Alongside (feet): 12 | Latitude (decimal): 41.522778

Total Berthing Space (feet): 400 | Longitude (decimal): -90.56278

Remarks: Grain elevator at rear consisting of 4 steel tanks has capacity for 150,000 bushels. 

→ \*NPE = 483.1

MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31483 Dock Code: 302 Rock Island District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 483 PWD: 194

Name: W. G. Block Co., Davenport Dock.

Location: Mile 483.3 AOR, right bank, Mississippi River, Davenport, approximately 0.3 mile Datum: NPE\*

above Locks and Dam 15.

Operator: W. G. Block Co.
Owner: W. G. Block Co.

Address: 903 East River Drive Phone: 319/326-1651

Town: Davenport State: IA County: Scott

Railway Connection: None.

Purpose: Receipt of sand, gravel, and stone, occasional receipt of salt.

Depth Alongside (feet): 12 | Latitude (decimal): 41.523056

Total Berthing Space (feet): 450 | Longitude (decimal): -90.56167

Remarks: Open storage area at rear has capacity for approximately 75,000 tons of material. Company's office is

located at 317 East Fourth Street approximately 1/2 mile south of wharf. 

-\*NPE = 483.1 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31483 Dock Code: 301 Rock Island District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 486 PWD: 19

Name: Moline Consumers Co. Dock.

Location: Mile 486.3 AOR, left bank, Mississippi River, Moline, approximately 0.4 mile above Datum:

Iowa-Illinois Memoria

Operator: Moline Consumers Co.
Owner: Moline Consumers Co.
Address: 200 Twenty third Street

Address: 200 Twenty-third Street. Phone:

Town: Moline State: IL County: Rock Island

Railway Connection: None.

Purpose: Receipt of sand and gravel.

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31486 Dock Code: 402 St. Louis District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 486 PWD: 20

Name: Schadler's River Excursions Dock.

Location: Mile 486.4 AOR, left bank, Mississippi River, Moline, approximately 0.5 mile above Datum:

Iowa-Illinois Memoria

Operator: Schadler's River Excursions.
Owner: Captain Joseph Schadler.

Address: 2501 River Drive. Phone:

Town: Moline State: IL County: Rock Island

Railway Connection: None.

Purpose: Landing for excursion boat 'Queen of Hearts'; boarding passengers.

Depth Alongside (feet): | Latitude (decimal): 41.513889

Total Berthing Space (feet): | Longitude (decimal): -90.50222

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31486 Dock Code: 403 St. Louis District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 487 PWD: 191

Name: Amoco Oil Co., Bettendorf Dock.

Location: Mile 487.1 AOR, right bank, Mississippi River, approximately 1.3 mile above lowa- Datum: NPE\*

Illinois Memorial (Inte

Operator: Amoco Oil Co.
Owner: Amoco Oil Co.

Address: 75 Thirty-first Street Phone: 319/355-2686

Town: Bettendorf State: IA County: Scott

Railway Connection: None.

Purpose: Receipt of petroleum products.

Depth Alongside (feet): 9 | Latitude (decimal): 41.529444

Total Berthing Space (feet): 228 | Longitude (decimal): -90.48861

Remarks: One 8- and three 6-inch pipelines extend from wharf to 9 steel storage tanks at terminal in rear, total

capacity 237,000 barrels. ☐ \*NPE = 483.1 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31487 Dock Code: 101 Rock Island District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 487 PWD: 189

Name: Bettendorf Terminal Co. Wharf.

Location: Mile 487.5 AOR, right bank, Mississippi River, Bettendorf, 1.7 miles above lowa- Datum: NPE\*

Illinois Memorial (Inter

Operator: LeClaire Quarries, Inc.
Owner: Bettendorf Terminal Co.

Address: 3623 Elm Street Phone: 319/355-6223

Town: Bettendorf State: IA County: Scott

Railway Connection: None.

Purpose: Receipt and shipment of sand.

Depth Alongside (feet): 10 | Latitude (decimal): 41.530278

Total Berthing Space (feet): 120 | Longitude (decimal): -90.48333

Remarks: Open storage area at rear has capacity for 60,000 tons of material. □□\*NPE = 483.1 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31487 Dock Code: 501 Rock Island District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 487 PWD: 190

Name: Phillips Pipe Line Co., Bettendorf Terminal Barge Dock.

Location: Mile 487.2 AOR, right bank, Mississippi River, approximately 1.4 mile above lowa- Datum: NPE\*

Illinois Memorial (Inte

Operator: Phillips Pipe Line Co.
Owner: Phillips Pipe Line Co.

Address: 139 Thirty-third Street Phone: 319/355-2654

Town: Bettendorf State: IA County: Scott

Railway Connection: None.

Purpose: Receipt of petroleum products.

Depth Alongside (feet):

9 | | Latitude (decimal): 41.529444

Total Berthing Space (feet): 350 | Longitude (decimal): -90.48722

Remarks: Three 8-inch pipelines extend from wharf to 17 steel storage tanks at terminal in rear, total capacity

550,000 barrels. □ \*NPE = 483.1 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31487 Dock Code: 201 Rock Island District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 487 PWD: 192 Name: Phillips Pipe Line Co., Bettendorf West Terminal Barge Dock. Mile 487.0 AOR, right bank, Mississippi River, Bettendorf, 1.2 miles above lowa-Location: Datum: NPE\* Illinois Memorial (Inter Operator: Phillips Pipe Line Co. Owner: Phillips Pipe Line Co. Address: 2925 Depot Street Phone: 319/355-2654 State: IA Town: Bettendorf County: Scott Railway Connection: None. Purpose: Mooring barges. Depth Alongside (feet): Latitude (decimal): 9 41.529722 Total Berthing Space (feet): 350 Longitude (decimal): -90.49167 Remarks: Two 8- and one 6-inch pipelines extend from wharf to 8 steel storage tanks at terminal in rear, total Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31487 Dock Code: 002 Rock Island District Port: Upper Mississippi R Waterway: Mississippi River Mile: 488 PWD: 188 Name: Koch Refining Co., Bettendorf Dock. Location: Mi 487.7 AOR, right bank, Mississippi River, Bettendorf, 2.0 miles above Iowa-Illinois Datum: NPE\* Memorial (Interst Operator: Koch Refining Co. Owner: Koch Refining Co. Phone: 319/359-1304 Address: 4100 Elm Street Town: Bettendorf State: IA County: Scott Railway Connection: None. Purpose: Receipt of petroleum products. Depth Alongside (feet): Latitude (decimal): 9 41.531389 Total Berthing Space (feet): Longitude (decimal): -90.47722 195 Remarks: One 8- and two 6-inch pipelines extend from wharf to 6 steel storage tanks at terminal in rear, total capacity 150,000 barrels. ■ \*NPE = 561.0 MSL.

Corps of Engnrs Waterway Code: 31487

Year of Last Survey: 1994

Rock Island District

Dock Code: 701

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 489 PWD: 187 Name: **UNO-VEN, Bettendorf Terminal Dock.** Mile 488.5 AOR, right bank, Mississippi River, Bettendorf, 2.3 miles above lowa-Location: Datum: NPE\* Illinois Memorial (Inter Operator: Not operated. Owner: Unocal/P.D.V.S.A. Address: 312 South Bellingham Street Phone: 319/355-2931 State: IA Town: Riverdale County: Scott Railway Connection: None. Purpose: Not used. Depth Alongside (feet): 10 Latitude (decimal): 41.525556 Total Berthing Space (feet): 300 Longitude (decimal): -90.46361 Remarks: Wharf formerly was used for receipt of petroleum products. One 8- and one 6-inch pipelines (blanked at time of survey (1993), extend from wharf to 7 steel storage tanks at terminal in rear total capaacity 166,70 □\*NPE = 561.0 MSL. Corps of Engnrs Waterway Code: 31488 Year of Last Survey: 1994 Dock Code: 501 Rock Island District Port: Upper Mississippi R Waterway: Mississippi River Mile: 498 PWD: 186 Name: Leclaire Quarries Barge Dock. Mile 498.2 AOR, right bank, Mississippi River, LeClaire, approximately 2.8 miles Location: Datum: NPE\* above Interstate Highwa LeClaire Quarries, Inc. Operator: Owner: LeClaire Quarries, Inc. Address: 400 Territorial Road. Phone: 319/289-4214 Town: I eClaire State: IA County: Scott Railway Connection: None. Purpose: Receipt of sand; shipment of stone. Latitude (decimal): 41.533333 Depth Alongside (feet): 9 Total Berthing Space (feet): 325 Longitude (decimal): -90.455 Remarks: Open storage area at rear for approximately 75,000 tons of sand. Additional open storage area for stone is available at quarry on opposite side of Highway in rear. 

\*NPE = 577.0 MSL.

Year of Last Survey: 1994

Corps of Engnrs Waterway Code: 31498 Dock Code: 201

**Rock Island District** 

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 509 PWD: 21 Name: Westway Trading Corp., Cordova Terminal Dock. Mile 508.6 AOR, left bank, Mississippi River, approximately 5 miles north of Cordova. Location: Datum: Operator: Westway Trading Corp. Owner: Westway Trading Corp. Address: 22220 State Highway 84 Phone: State: IL Town: Cordova County: Rock Island Railway Connection: Three surface tracks serve terminal in rear; connect with CP Rail System. Purpose: Receipt of molasses. Depth Alongside (feet): Latitude (decimal): 41.749722 Total Berthing Space (feet): Longitude (decimal): -90.29889 Remarks: Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31507 Dock Code: 012 St. Louis District Port: Upper Mississippi R Waterway: Mississippi River Mile: 510 PWD: 23 Name: CF Industries, Inc., North Cordova Upper Dock. Mile 509.9 AOR, left bank, Mississippi River, Albany, approximately 3.5 miles below Location: Datum: Albany. Operator: Not operated. CF Industries, Inc. Owner: Address: Phone: State: IL Town: Albany County: Rock Island Railway Connection: None. Purpose: Not used. Depth Alongside (feet): Latitude (decimal): 41.7625 Total Berthing Space (feet): Longitude (decimal): -90.28056 Remarks:

Corps of Engnrs Waterway Code: 31509

Dock Code: 502

St. Louis District

Year of Last Survey: 1994

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 510 PWD: 22 Name: CF Industries, Inc., North Cordova Warehouse Dock. Mile 509.8 AOR, left bank, Mississippi River, Albany, approximately 3.5 miles below Location: Datum: Albany. Operator: CF Industries. Inc. Owner: CF Industries, Inc. Address: 23300 River Road Phone: State: IL Town: Albany County: Rock Island Railway Connection: One surface track serves storage building and one serving four ammonia-loading positions; connect with CP Rail System. Purpose: Receipt of dry bulk fertilizer; receipt and shipment of liquid fertilizer and anhydrous ammonia. Latitude (decimal): 41.760833 Depth Alongside (feet): Longitude (decimal): -90.28472 Total Berthing Space (feet): Remarks: Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31509 Dock Code: 502 St. Louis District Port: Upper Mississippi R Waterway: Mississippi River Mile: 512 PWD: 184 Name: ADM/Clinton Harbor Service, Lower Fleet Moorings. Location: Miles 512.3-513.3 AOR, right bank, Mississippi Camanche, River and Beaver Slough Channels ADM/Clinton Harbor Service. Operator: Owner: Determann Industries. Inc. 1425 North Washington Boulevard Phone: 319/242-0962 Address: Town: Camanche State: IA County: Clinton Railway Connection: None. Purpose: Mooring barges for fleeting. Latitude (decimal): Depth Alongside (feet): I 9 - 11 12 41.791667 30 Longitude (decimal): -90.24472 Total Berthing Space (feet): 70 22 Fleet Remarks: Operator maintains fleeting areas as follows: Mile/Bank Barge 512.3-513.3/R Width Capy. (barges) □ Lower Beaver Slough 84 3 Determan Pond 512.2-512.6/R 50 2\* \* At Entrance, end to- in basin. □ □ NPE = 572.0

Corps of Engnrs Waterway Code: 31512

Year of Last Survey: 1994

Rock Island District

Dock Code: 401

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 512 PWD: 185 Name: Determann Industries Dock. On lower side of slip. Mile 512.4 AOR, right bank, Mississippi River, Camanche, lower side of dredged slip. Location: Datum: NPE\* Determann Industries, Inc. Operator: Owner: Determann Industries, Inc. Address: 1425 North Washington Boulevard Phone: 319/259-8311 State: IA Town: Camanche County: Clinton Railway Connection: One surface track serving undertrack pit on apron and two serving warehouses in rear connect with Davenport, Rock Island, and Western Railway. Purpose: Receipt of coal; receipt and shipment of steel products and miscella- neous bulk materials; shipment of grain. Latitude (decimal): Depth Alongside (feet): 41.788056 12 12 Total Berthing Space (feet): 100 200 Longitude (decimal): -90.24667 Т Remarks: Open storage area at terminal for approximately 60,000 tons of coal; one warehouse at terminal has capacity for 6,000 tons of bulk material; 4 other storage buildings at terminal have a total of 146,000 square fe space and at time of survey were being used to store packaged products. □ □\*NPE = 592.0 MSI. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31512 Dock Code: 231 **Rock Island District** Port: Upper Mississippi R Waterway: Mississippi River Mile: 514 PWD: 182 Name: Interstate Power Co., M. L. Kapp Plant Wharf. Location: Mile 513.7 AOR, right bank, Mississippi River, Clinton, approximately 1.5 mile above Datum: NPE\* lower end of Beaver Operator: Interstate Power Co. Owner: Interstate Power Co. 2001 Beaver Channel Parkway Address: Phone: 319/243-2611 State: IA Town: Clinton County: Clinton Railway Connection: None. Purpose: Receipt of coal for plant consumption. Latitude (decimal): Depth Alongside (feet): 16 41.806667 Total Berthing Space (feet): 835 Longitude (decimal): -90.23111 Remarks: Open storage area at rear has maximum capacity for 290,000 tons. □ \*NPE = 687.2 MSL. Corps of Engnrs Waterway Code: 31514 Rock Island District Year of Last Survey: 1994 Dock Code: 211

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 514 PWD: 183 Name: **Vertex Chemical Corp., Clinton Plant Dock.** Mile 513.7 AOR, right bank, Mississippi River, Clinton, approximately 1.3 miles above Datum: NPE\* Location: lower end of Beave Operator: Vertex Chemical Corp. Owner: Vertex Chemical Corp. Address: Industrial Park Drive Phone: 319/243-2000 State: IA Town: Clinton County: Clinton Railway Connection: Plant trackage in rear connects with Davenport, Rock Island, and Western Railroad; CP Rail System and Chicago and North Western Transportation Co. Purpose: Receipt of caustic soda. Latitude (decimal): 41.803889 Depth Alongside (feet): 9 Total Berthing Space (feet): 220 Longitude (decimal): -90.235 Ι Remarks: One steam-traced 6-inch pipeline extends from wharf to 3 steel storage tanks in rear, total capacity 3,203,600 gallons. □ \*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31513 Dock Code: 901 Rock Island District Port: Upper Mississippi R Waterway: Mississippi River PWD: 181 Mile: 515 Name: ADM Corn Processing, Clinton Plant, Corn- Pellet-Loading Dock Mile 515.3 AOR, right bank, Mississippi River, Clinton, approximately one mile below Location: Datum: NPE\* upper end of Beaver Operator: ADM Corn Processing, a division of Archer-Daniels Midland Co. Owner: ADM Corn Processing, a division of Archer-Daniels Midland Co. Address: 1251 Beaver Channel Parkway Phone: 319/242-1121 Town: Clinton County: Clinton Railway Connection: Plant trackage in rear connects with Illinois Central Gulf Railroad and Chicago and North Western Transportation Co. Purpose: Shipment of corn pellets and livestock feed. Latitude (decimal): Depth Alongside (feet): 10 - 12 | 41.819167 400 Longitude (decimal): -90.21 Total Berthing Space (feet): ı Remarks: Grain elevator at rear consisting of 3 concrete silos has total capacity for 1200 tons. □ \*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31515 Dock Code: 501 Rock Island District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 515 PWD: 24 Name: Bunge Corp., Albany Elevator Dock. Mile 514.5 AOR, left bank, Mississippi River, Albany, approximately 3.5 miles below Location: Datum: Chicago and North We Operator: Bunge Corp. Owner: Bunge Corp. Address: State Highway 84, North. Phone: State: IL Town: Albany County: Whiteside Railway Connection: One surface track serves undertrack pit; connects with CP Rail System. Purpose: Shipment of grain. Depth Alongside (feet): Latitude (decimal): 41.795556 Total Berthing Space (feet): Longitude (decimal): -90.20861 Remarks: Corps of Engnrs Waterway Code: 31514 Dock Code: 302 Year of Last Survey: 1994 St. Louis District Port: Upper Mississippi R Waterway: Mississippi River Mile: 516 PWD: 180 Name: ADM Corn Processing, Clinton Plant, Liquid-Handling Dock. Mile 515.5 AOR, right bank, Mississippi River, Clinton, approximately 1,2 miles below Location: Datum: NPE\* upper end of Beave ADM Corn Processing, a division of Archer-Daniels Midland Co. Operator: Owner: Nabisco Brands, Inc. Address: 1251 Beaver Channel Parkway Phone: 319/244-1121 State: IA Town: Clinton County: Clinton Railway Connection: Plant trackage in rear connects with Illinois Central Gulf Railroad and Chicago and North Western Transportation Co. Purpose: Receipt and shipment of industrial and beverage alcohol, ethanol and crude and refined corn oil and canola oil. Latitude (decimal): Depth Alongside (feet): 12 41.823056 Total Berthing Space (feet): 300 Longitude (decimal): -90.2025 Ι ı Remarks: Pipelines extend to wharf from storage tanks at plant in rear: Pipeline Tanks Product (gallons) Industrial alcohol 8-inch 12,000,000 Beverage Capacity 3,000,000 Corn oil (crude) 4-inch alcohol 4-inch 3 4,000,000Corn oil refined) 6inch 3,000,000 □\*NPE = 687.2 MSL. 3 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31515 Dock Code: 501 Rock Island District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 517 PWD: 179 Name: Peavey Co., Clinton River Terminal Dock. Mile 517.1 AOR, right bank, Mississippi River, Clinton, 0.5 mile below upper end of Location: Datum: NPE\* Beaver Slough Channe Operator: Peavev Co. Owner: Peavey Co. Address: 1811 South 4th Street Phone: 319/242-5251 State: IA Town: Clinton County: Clinton Railway Connection: None. Purpose: Shipment of grain. Depth Alongside (feet): Latitude (decimal): 12 41.827222 Total Berthing Space (feet): 650 Longitude (decimal): -90.19 Remarks: Grain elevator at rear consisting of 4 concrete silos with 5 interstices and 3 steel tanks has total capacity for 700,000 bushels. ■ \*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31517 Rock Island District Dock Code: 201 Port: Upper Mississippi R Waterway: Mississippi River Mile: 518 PWD: 177 Name: Clinton Municipal Loading Dock. Location: Mile 517.5 AOR, right bank, Mississippi River, Clinton at upper end of Beaver Slough Channel. ADM/Clinton Harbor Service. Operator: Owner: City of Clinton. 204 Fifteenth Avenue, South Phone: 319/242-0962 Address: Town: Clinton State: IA County: Clinton Railway Connection: Two surface track serve rail receiving pits in rear; connect with Chicago and North Western Transportation Co. Purpose: Receipt and shipment of miscellaneous dry bulk materials, including fertilizer, clay, grain, feed pellets, salt, and ferrous sulphate; shipment of liquid fertilizer. Latitude (decimal): Depth Alongside (feet): 10 Longitude (decimal): -90.18667 Total Berthing Space (feet): 650 Т Remarks: One 6-inch pipeline extends to wharf from one 600,000-gallon storage tank in rear. 

NPE = 572.0 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31517 Dock Code: 531 **Rock Island District** 

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port:	Upper Mississippi R					
Waterway:	Mississippi River	Mile: 518	PWD: 176			
Name:	Clinton Municipal Unloading Dock.					
Location:	·					
Operator:	Archer Daniels Midland Co.					
Owner:	City of Clinton.					
Address:	204 Fifteenth Avenue, South	Phone: 319/242-0962				
Town:	Iowa, Operated b State: y	County: Clinton				
Railway Cor	nnection: Two surface tracks with capacity for 45 cars, serves loading connects with Chicago and North Western Transportation C		nal in rear;			
Purpose: F	Receipt of grain, fertilizer and other dry bulk materials; mooring barges f	or fleeting (see R	emarks).			
Depth Alongside (feet): 15   Latitude (decimal):						
Total Berthi	al): -90.18528					
fı H	Timber frame storage building at rear has capacity for 20,000 tons of fer rame storage buildings at terminal are served by truck and have total cartar operates a fleeting area for 30 barges arranged in tiers 3 barges with Rock Island on opposite side of channel. ■*NPE = 572 MSL.	apacity for 21,000	tons. Clinton			
Year of Last	Survey: 1994 Corps of Engnrs Waterway Code: 31517 Dock Co	de: 501	St. Paul District			
Port:	Upper Mississippi R					
Waterway:	Mississippi River	Mile: 519	PWD: 25			
Name:	AGRI Grain Marketing, East Clinton River Terminal Dock.					
Location:	Mile 519.4 AOR, left bank, Mississippi River, Fulton, approximately 0.7 North Clinton (State	mile below	Datum:			
Operator:	AGRI Grain Marketing and Agrico Chemical Co.					
Owner:	AGRI Grain Marketing.					
Address:	2630 South Fourth Street	Phone:				
Town:	Fulton State: IL	County: Whitesic	de			
Railway Cor	nnection: Six surface tracks with total storage capacity for 250 cars so warehouse in rear; connect with Chicago and North Wester					
Purpose: F	Receipt of dry bulk fertilizer; shipment of grain.					
Depth Along	gside (feet):	Latitude (decimal):	41.854444			
Total Berthin Remarks:	ng Space (feet):	Longitude (decimal)	): -90.16944			
Year of Last	Survey: 1994 Corps of Engnrs Waterway Code: 31520 Dock Co	de: 099	St. Louis District			

#### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 **AOR**

Port: Upper Mississippi R Waterway: Mississippi River Mile: 519 PWD: 175 Name: Clinton Showboat Landing. Mile 518.5 AOR, right bank, Mississippi River, Clinton, approximately 0.4 mile above Location: Datum: NPE\* U.S. Highway 30 Bri Operator: Mississippi Belle II Owner: Roberts River Rides. Address: 311 Riverview Drive Phone: 319/243-9000 State: IA Town: Clinton County: Clinton Railway Connection: None. Purpose: Mooring Casino Boat 'Mississippi Belle II'; boarding passengers; Depth Alongside (feet): Latitude (decimal): 10 41.842778 Total Berthing Space (feet): 150 Longitude (decimal): -90.18361 Remarks: The vessel 'Mississippi Belle' maintains a regular excursion schedule, 4 trips per day during the period June through Octobery (1984). 

<sup>□</sup> \*NPE = 572 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31518 Dock Code: 501 Rock Island District Port: Upper Mississippi R Waterway: Mississippi River Mile: 520 PWD: 26 Name: **Fulton River Terminal Dock.** Location: Mile 520.4 AOR, left bank, Mississippi River, Fulton, above North Clinton (State Datum: Highway 136) Bridge. Fulton River Terminal, Division of Burlington River Terminal. Operator: Owner: Fulton River Terminal. Division of Burlington River Terminal. Address: 110 Eleventh Avenue Phone: Town: **Fulton** State: IL County: Whiteside Railway Connection: None. Purpose: Receipt and occasional shipment of liquid fertilizer. Latitude (decimal):

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31520 Dock Code: 102 St. Louis District

41.866111

Longitude (decimal): -90.16944

Depth Alongside (feet):

Remarks:

Total Berthing Space (feet):

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 537 PWD: 27

Name: Consolidated Grain & Barge Co., Savanna Grain Elevator Dock.

Location: Mile 537.2 AOR, left bank, Mississippi River, Savanna, approximately 0.5 mile below Datum:

U.S. Highway 52 Brid

Operator: Consolidated Grain & Barge Co., Savanna Grain Elevator Dock.

Owner: Savanna Township, Carroll County, Illinois.

Address: 561 Broderick Drive. Phone:

Town: Savanna State: IL County: Carroll

Railway Connection: None. Purpose: Shipment of grain.

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31537 Dock Code: 102 St. Louis District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 559 PWD: 174

Name: Laroche Industries, Bellevue Terminal Dock.

Location: Mile 559.0 AOR, right bank, Mississippi River, Bellevue, approximately 2.3 miles Datum: NPE\*

above Lock and Dam No.

Operator: Not Operated

Owner: LaRoche Industries.

Address: 395th Street Phone: 319/323-0123
Town: Bellevue State: IA County: Jackson

Railway Connection: Four surface tracks, capacity 30 cars, asphalt covered at time of survey, connect with CP

Rail System.

Purpose: Not used.

Depth Alongside (feet): 10 | Latitude (decimal): 42.293333

Total Berthing Space (feet): 500 | Longitude (decimal): -90.43306

Remarks: One 8-inch pipeline with two 6-inch connections on wharf extends to one 30,000- ton ammonia storage

tank at rear. □ At time of survey (1993), the terminal had not been in operation for 5 years. Storage tank

and pipelines were empty and intact. Terminal was for sale. □ \*NPE = 592.0 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31559 Dock Code: 001 Rock Island District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 573 PWD: 28 Name: Phoenix Chemical Co., East Dubuque Plant Dock. Mile 572.9 AOR, left bank, Mississippi River, East Dubuque, approxi- mately 6.5 Location: Datum: miles below Julien Dubug Operator: Phoenix Chemical Co. Owner: Phoenix Chemical Co. Address: 16675 U.S. Highway 20, West Phone: Town: East Dubuque State: IL County: Jo Daviess Railway Connection: One surface track serves plant in rear; connects with Chicago Central and Pacific Railroad. Purpose: Shipment of anhydrous ammonia and liquid fertilizer. Latitude (decimal): Depth Alongside (feet): 42.44 Total Berthing Space (feet): Longitude (decimal): -90.56139 Remarks: Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31572 Dock Code: 900 St. Louis District Port: Upper Mississippi R Waterway: Mississippi River Mile: 575 PWD: 31 AGRI Grain Marketing, East Dubuque, Grain Elevator Wharf. Name: Location: Mile 574.5 AOR, left bank, Mississippi River, East Dubuque, upper side of slip located 5 miles below Juli Operator: Agri Grain Marketing Owner: I.E.I. Barge Services Inc.. Address: 18525 U.S. Highway 20 West Phone: Town: East Dubuque State: IL County: Jo Daviess Railway Connection: One surface track serves undertrack pit; connects with Chicago Central and Pacific Railroad. Purpose: Shipment of grain. Latitude (decimal): 42.456944 Depth Alongside (feet): Total Berthing Space (feet): Longitude (decimal): -90.59139 Remarks:

Corps of Engnrs Waterway Code: 31574

Year of Last Survey: 1994

Dock Code: 508

St. Louis District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 575 PWD: 29 Name: I.E.I. Barge Services, Bulk Materials Wharves. Mile 574.5 AOR, left bank, Mississipp River, East Dubuque, lower side of slip located Location: Datum: 5 miles below Juli Operator: Aggregate Materials Co. and I.E.I. Barge Services, Inc. Owner: I.E.I. Barge Services, Inc. Address: 18525 U.S. Highway 20, West Phone: State: IL Town: East Dubuque County: Jo Daviess Railway Connection: One surface track served by a spout at rear joins additional terminal trackage; connects with Chicago Central and Pacific Railroad. Purpose: Outer section: Receipt of sand and gravel; Inner section: Receipt and shipment of miscellaneous, dry bulk materials including, coal, pig iron, and fish meal. Depth Alongside (feet): Latitude (decimal): Longitude (decimal): -90.58972 Total Berthing Space (feet): Remarks: Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31574 Dock Code: 502 St. Louis District Port: Upper Mississippi R Waterway: Mississippi River PWD: 30 Mile: 575 Name: I.E.I. Barge Services, Coal Wharf. Mile 575.5 AOR, left bank, Mississippi River, East Dubuque, at head of slip located 5 Location: miles below Julien Operator: I.E.I. Barge Services, Inc. Owner: I.E.I. Barge Services, Inc. Address: 18525 U.S. Highway 20, West Phone: Town: East Dubuque State: IL County: Jo Daviess Railway Connection: One surface track serves undertrack pit at rear, joins additional terminal trackage; connects with Chicago Central and Pacific Railroad. Purpose: Shipment of coal. Latitude (decimal): Depth Alongside (feet): 42.459444 Longitude (decimal): -90.59056 Total Berthing Space (feet): Ι

Year of Last Survey: 1994

Remarks:

Corps of Engnrs Waterway Code: 31574 Dock Code: 502

St. Louis District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 575 PWD: 32 Name: I.E.I. Barge Services, Inc., Fertilizer Wharf. Mile 574.5 AOR, left bank, Mississippi River, East Dubuque, upper side of slip located Location: 5 miles below Juli Operator: I.E.I. Barge Services Inc.. Owner: I.E.I. Barge Services Inc.. Address: 18525 U.S. Highway 20 West Phone: State: IL Town: East Dubuque County: Jo Daviess Railway Connection: Terminal trackage connects with Chicago Central and Pacific Railroad. Purpose: Receipt of dry bulk fertilizer, salt and coal. Depth Alongside (feet): Latitude (decimal): 42.455278 Total Berthing Space (feet): Longitude (decimal): -90.59139 Remarks: Corps of Engnrs Waterway Code: 31574 Dock Code: 502 Year of Last Survey: 1994 St. Louis District Port: **Upper Mississippi R** Waterway: Mississippi River Mile: 577 PWD: 33 Name: Silver Eagle Dock. Mile 576.5 AOR, left bank, Mississippi River, East Dubuque, northwest side of Location: Datum: northerly extension of Fren Operator: Jo Daviess Riverboat Venture. Owner: Jo Daviess Riverboat Venture. Address: 19731 U.S. Highway 20 West Phone: Town: East Dubuque State: IL County: Jo Daviess Railway Connection: None. Purpose: Mooring Casino Boat Silver Eagle; Boarding passengers. Latitude (decimal): Depth Alongside (feet): 42.470278 Longitude (decimal): -90.61583 Total Berthing Space (feet): Remarks:

Corps of Engnrs Waterway Code: 31576

Year of Last Survey: 1994

Dock Code: 501

St. Louis District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 579 PWD: 172 Name: Dodds Co. Dock. Mile 579.4 AOR, right bank, Mississippi River, above Julien Dubuque (U.S. Highway Location: Datum: NPE\* 20 & 52) Bridge. Operator: Not operated. Owner: Dodds Co. Address: 35 Terminal Street Phone: 319/583-3035 State: IA Town: Dubuque County: Dubuque Railway Connection: Trackage in rear connects with Burlington Northern, Railroad and Chicago, Central & Pacific Railroad. Purpose: Not used. Latitude (decimal): Depth Alongside (feet): 12 42.492222 Total Berthing Space (feet): 200 Longitude (decimal): -90.65722 Т Remarks: At time of survey facilities including a storage building at rear were for sale or lease. 

\*NPE = 687.2 MSI. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Dock Code: 301 Rock Island District Port: Upper Mississippi R Waterway: Mississippi River PWD: 173 Mile: 579 Name: Koch Materials Co., Terminal No. 2 Dock. Mile 579.2 AOR, right bank, Mississippi River, Dubuque, approximately 800 feet Location: Datum: NPE\* below Julien Dubuque (U.S Koch Materials Co., Newt Marine Service and Dubuque Harbor Service. (See Remarks). Operator: Owner: Sinclair Refining Co., Inc. Address: 200 Terminal Street Phone: 319/556-1304 Town: Dubuque State: IA County: Dubuque Railway Connection: None. Purpose: Receipt of asphalt and petroleum products; mooring barges for fleeting (see Remarks). Latitude (decimal): Depth Alongside (feet): 10 42.489444 Total Berthing Space (feet): 415 Longitude (decimal): -90.6575 Remarks: Two 10-inch pipelines extend from wharf to 10 asphalt storage tanks, total capacity 100,000 barrels, and four 10-inch pipelines extend to 5 products storage tanks, total capacity 220,000 barrels. Three barge fle located at shore moorings between miles 578.5 and 575.6 Barge AOR: Width Fleet Bank Left (I) Miles (blsland\* 578.2-578.5 18 Pearl\* Left (I) 3 575.4-576.2 2-3 48 Mines of Spain\*\* Right 576.Catfish\* Left (I) 575.6-576.4 2-3 45 \*Newt Marine Service.\*\*Dubuque Harbor Service (Cassville Harbor Service) (I) Island mooring. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Dock Code: 201 Rock Island District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 580 PWD: 164 Name: Continental Grain Co. Mile 580.2 AOR, right bank, Mississippi River, inner end, upper side and head of Location: Datum: NPE\* Dove Harbor. Operator: Continental Grain Co. Owner: Continental Grain Co. Address: 1050 Kerper Boulevard Phone: 319/556-4532 Town: Continental Grai State: n County: Dubuque Railway Connection: Five surface tracks, total capacity 50 cars, serve undertrack pit, and loading spouts; connect with Chicago, Central & Pacific Railroad. Purpose: Receipt of fertilizer, salt and other miscellaneous dry bulk materials; receipt of steel coils; shipment of grain. Depth Alongside (feet): Latitude (decimal): 42.505833 10 Longitude (decimal): -90.65528 Total Berthing Space (feet): 254 375 Remarks: Three bulk fertilizer storage warehouses at rear have total capacity for 45,000 tons. Open storage area at rear of lower side bulkhead has capacity for 15,000 tons of salt, Grain elevator at head of slip consist capacity for 54,000 bushels. □ \*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31580 Dock Code: 301 St. Paul District Port: Upper Mississippi R Waterway: MISSISSIPPI RIVER Mile: 580 PWD: 167 Name: **Dubuque Excursion And Casino Boat Dock.** Location: Mile 579.6 AOR, right bank, Mississippi River, center portion, upper side of Dubuque Datum: NPE\* (Ice) Harbor. Operator: Dubuque Racing Association; Greater Dubuque Riverboat Entertainment Co. L.C. and Robe Owner: City of Dubuque. Address: 400 East Third Street Phone: 319/589-4110 Town: Dubuque State: IA County: Dubuque Railway Connection: None. Purpose: Mooring excursion vessel 'Spirit of Dubuque':boarding passengers; mooring Casino Boat (See Remarks). Depth Alongside (feet): 10 Latitude (decimal): Longitude (decimal): -90.65972 Total Berthing Space (feet): 230 75 Remarks: At time of survey (1994) the Greater Dubuque Riverboat Entertainment Co. L.C. agent for Dubuque Racing Association was attempting to obtain a suitable vessel and permission to operate casino gambling aboard. Roberts River Rides uses Floats for boarding passengers. □ □\*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Dock Code: 501 Rock Island District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Upper Mississippi R Port: Waterway: Mississippi River Mile: 580 PWD: 171 Name: Dubuque Tank Terminal Co., Dock A. Mile 579.4 AOR, right bank, Mississippi River, at lower side of entrance to Dubuque Location: Datum: NPE\* (Ice) Harbor. Operator: Dubuque Tank Terminal Co. Owner: Dubuque Tank Terminal Co. Address: 5 Jones Street Phone: 319/588-4641 State: IA Town: Dubuque County: Dubuque Railway Connection: One surface track serving loading spout at rear connects with Burlington Northern Railroad and Chicago, Central & Pacific Railroad. Purpose: Receipt of molasses, liquid and dry bulk fertilizer, and salt. Latitude (decimal): 42.493056 Depth Alongside (feet): 9 - 16 I Total Berthing Space (feet): 390 Longitude (decimal): -90.65778 Т Remarks: One 8-inch pipeline extends from wharf to 3 molasses storage tanks, total capacity 3,000,000 gallons and one 4-inch pipeline extends to 4 liquid fertilizer tanks, total capacity 658,000 gallons. □\*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Dock Code: 403 Rock Island District Port: Upper Mississippi R Waterway: Mississippi River Mile: 580 PWD: 169 Name: Dubuque Tank Terminal Co., Dock B. Location: Mile 579.4 AOR, right bank, Mississippi River, center portion, upper side of Dubuque Datum: NPE\* (Ice) Harbor. Operator: Dubuque Tank Terminal Co. Dubuque Tank Terminal Co. Owner: Address: 5 Jones Street Phone: 319/588-4641 Town: Dubuque State: IA County: Dubuque Railway Connection: None. Purpose: Receipt of liquid fertilizer; shipment of tallow and soybean oil; mooring barges for gas freeing and maintenance. Latitude (decimal): Depth Alongside (feet): 42.494167 10 Total Berthing Space (feet): 400 Longitude (decimal): -90.66 Remarks: One 6-inch pipeline extends from pier to 3 liquid fertilizer storage tanks, total capacity 4,000,000 gallons. One 4-inch pipeline extends to pier from 4 tallow tanks, total capacity 800,000 gallons, and one 4-in to 6 soybean oil tanks, total capacity 2,400,000 gallons. □□\*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Dock Code: 403 Rock Island District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 580 PWD: 165 Name: Interstate Power Co., Dubuque Plant Coal Dock. Mile 580.0 AOR, right bank, Mississippi River, center portion, lower side of Dove Location: Datum: NPE\* Harbor. Operator: Interstate Power Co. Owner: Interstate Power Co. Phone: 319/582-5421 ext Address: 600 East Eighth Street State: IA Town: Dubuque County: Dubuque Railway Connection: None. Purpose: Receipt of coal for plant consumption. Latitude (decimal): Depth Alongside (feet): 12 42.503056 Total Berthing Space (feet): 690 Longitude (decimal): -90.65639 Remarks: Open storage area at rear has capacity for 176,000 tons. □ \*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31580 Dock Code: 001 Rock Island District Port: **Upper Mississippi R** Waterway: Mississippi River Mile: 580 PWD: 162 Name: Koch Materials Co., Terminal No. 1 Dock. Mile 580.2 AOR, right bank, Mississippi River, Dubuque, upper side of Dove Harbor Location: Datum: NPE\* at entrance. Operator: Koch Materials Co. Koch Materials Co. Owner: Address: 1550 East 12th Street. Phone: 319/556-1304 Town: Dubuque State: IA County: Dubuque Railway Connection: One surface track serves 8- car capacity asphalt loading rack, connects with Chicago, Central & Pacific Railroad. Purpose: Receipt of asphalt and petroleum products. Depth Alongside (feet): Latitude (decimal): 8 42.503611 Total Berthing Space (feet): Longitude (decimal): -90.65278 440 Remarks: One 10-inch pipeline extends from cell to 6 asphalt storage tanks, total capacity 100,000 barrels and two 10-inch pipelines extend from wharf to 4 products storage tanks, total capacity 200,000 barrels. □\*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31580 Dock Code: 101 **Rock Island District** 

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 580 PWD: 170 Name: **Newt Marine Service Dock.** Mile 579.6 AOR, right bank, Mississippi River, outer portion, lower side of Dubuque Location: Datum: NPE\* (Ice) Harbor. Operator: Newt Marine Service. Owner: Newt Marine Service. Address: 15 East Third Street. Phone: 319/583-4762 State: IA Town: Dubuque County: Dubuque Railway Connection: None. Purpose: Mooring company-owned vessels; mooring vessels and barges for repair; mooring floating drydock. Latitude (decimal): 42.493889 Depth Alongside (feet): 10 10 10 Total Berthing Space (feet): 170 70 190 Longitude (decimal): -90.65889 Remarks: One 250-ton floating drydock is moored at inner end rear of face. □ "NPE = 687.2 MSL. Corps of Engnrs Waterway Code: 31579 Year of Last Survey: 1994 Dock Code: 404 Rock Island District Port: **Upper Mississippi R** Waterway: Mississippi River Mile: 580 PWD: 163 Name: **Newt Marine Service, Dove Fleet Mooring.** Mile 580.1 AOR, right bank, Mississippi River, center portion, upper side of Dove Datum: NPE\* Location: Harbor. Operator: Newt Marine Service. Continental Grain Co. Owner: Address: Kerper Boulevard. Phone: 319/583-4762 Town: Dubuque State: IA County: Dubuque Railway Connection: None. Purpose: Mooring barges for fleeting. Latitude (decimal): Depth Alongside (feet): 42.503333 8 Longitude (decimal): -90.65472 Total Berthing Space (feet): 9 Remarks: Fleeting area has capacity for 18 barges arranged in 2 tiers 5-barges wide and one tier 3-barges wide. ■ \*NPE = 687.2 MSL.

Year of Last Survey: 1994

Corps of Engnrs Waterway Code: 31579 Dock Code: 401

**Rock Island District** 

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Upper Mississippi R Port: Waterway: Mississippi River Mile: 580 PWD: 166 Name: Peavey Co., Dubuque Wharf. Mile 580.0 AOR, right bank, Mississippi River, lower side of Dove Harbor at entrance. Datum: NPE\* Location: Peavey Co. and Dubugue Harbor Service (Cassville Harbor Service). Operator: Peavey Co. Owner: Address: 505 East 7th Street Phone: 319/556-6002 State: IA Town: Dubuque County: Dubuque Railway Connection: Five surface tracks, total capacity 45 cars, serve undertrack pit, and loading spout; connect with Chicago, Central & Pacific Railroad. Purpose: Receipt of miscellaneous bulk materials, including fertilizer, coal, and oats; shipment of grain; mooring barges for fleeting. (See Remarks.) Latitude (decimal): Depth Alongside (feet): 10 10 42.501111 Longitude (decimal): -90.65361 Total Berthing Space (feet): 900 Т Remarks: Grain elevator at rear consisting of 4 concrete silos and 2 steel tanks has total capacity for 300,000 bushels. Fertilizer storage warehouse at terminal has capacity for 30,000 tons. Open storage area at rear c asphalt-paved pads has total capacity for 90,000 tons of material. □Dubuque Harbor Service (Cassville Harbor Service) Peavey Mooring, located at outer end of facility has capacity for 12 barges arranged in 2 tiers, eacharges wide. □□\*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31580 Dock Code: 011 Rock Island District Port: Upper Mississippi R Waterway: Mississippi River Mile: 580 PWD: 168 Name: U.S. Coast Guard Cutter 'WYACONDA' Moorings. Mile 579.4 AOR, right bank, Mississippi River, inner portion, lower side of Dubuque Location: Datum: NPE\* (Ice) Harbor. Operator: U.S. Coast Guard. Owner: United States Government. Address: 60 East First Street Phone: 319/582-1965 State: IA County: Dubuque Town: Dubuque Railway Connection: None. Purpose: Mooring Coast Guard vessel 'Wyaconda'; handling navigation aids. Depth Alongside (feet): 8 - 10 | Latitude (decimal): 42.494722 Longitude (decimal): -90.66111 Total Berthing Space (feet): 205 I Remarks: \*NPE = 529.0 MSL□□

Year of Last Survey: 1994

Corps of Engnrs Waterway Code: 31579 Dock Code: 402

Rock Island District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port:	Upper Mississi	іррі К							
Waterway:	Mississippi Riv	/er				Mile: 581	PWD:	161	
Name:	Dubuque Tank Terminal Co., Bulk Material Dock.								
Location:	Mile 580.6 AOR, right bank, Mississippi River, Dubuque.						Datum:	NPE*	
Operator:	Dubuque Tank Terminal Co.								
Owner:	Dubuque Tank Terminal Co.								
Address:	12th Street Extension.					Phone: 319/588-2019			
Town:	Dubuque State: IA					County: Dubuque			
Railway Connection: One surface track at rear of wharf total capacity 3 cars, connects with CP Rail System.									
Purpose: F	Receipt of miscella	neous dry b	ulk materials, prir	ncipally salt ar	nd fertilizer.				
Depth Alongside (feet): 10					La	Latitude (decimal): 42.508056			
Total Berthing Space (feet): 200						Longitude (decimal): -90.64917			
Remarks: Timber storage warehouse at rear has capacity for 8,000 tons of salt. Open storage area at rear consisting of 2 asphalt-paved, and 2 unpaved pads has total capacity for 500,000 tons of bulk materials.   ¬*NPE = 687.2 MSL.									
	t Survey: 1994	Corps of Er	ngnrs Waterway (	Code: 31580	Dock Code	e: 601 Ro	ck Island	District	
Port:	Upper Mississi	ippi R							
Waterway:	Mississippi Riv	/er				Mile: 606	PWD:	34	
Name:	<b>Dairyland Pow</b>	er Coopera	ative, E. J. Stor	neman Plan	t Dock.				
Location:	Mile 606.2 AOR, left bank, Mississippi River, foot of Crawford Street.					Datum:			
Operator:	Dairyland Power	Cooperative							
Owner:	Dairyland Power	Cooperative							
Address:	716 Jack Oak Road.					Phone:			
Town:	Cassville		State: WI			ounty: Grant			
•	nnection: One su	urface track	serves plant in re	ear; connects v	with Burlingto	on Northern Ra	ilroad.		
•	Receipt of coal.								
•	pth Alongside (feet):					Latitude (decimal): 42.706667			
Total Berthing Space (feet):       Remarks:					Lo	ngitude (decimal	): -90.984	144	
Year of Last	t Survey: 1994	Corps of Er	ngnrs Waterway	Code: 31606	Dock Code	e: 202	St. Paul	District	

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 608 PWD: 36 Name: Cassville River Terminal Slip. Mile 608.3 AOR, left bank, Mississippi River, approximately 1.3 mile above Cassville. Location: Datum: Cassville River Terminal, division of ADM/ARTCO. Operator: Cassville River Terminal, division of ADM/ARTCO. Owner: Address: 12111 County Road VV Phone: Cassville, WI. State: Town: County: Grant Railway Connection: None. Purpose: Mooring barges for cleaning; maintenance and repair; mooring barges for fleeting. (See Remarks.) Depth Alongside (feet): Latitude (decimal): 42.725 Total Berthing Space (feet): Longitude (decimal): -91.01278 Remarks: Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31608 Dock Code: 142 St. Paul District Port: Upper Mississippi R Waterway: Mississippi River Mile: 608 PWD: 35 Name: Wisconsin Power & Light Co., Nelson Dewey Generating Station Dock. Mile 608.0 AOR, left bank, Mississippi River, approximately one mile above Cassville. Datum: Location: Operator: Wisconsin Power & Light Co. Owner: Wisconsin Power & Light Co. Address: County Road VV Phone: State: WI Cassville Town: County: Grant Railway Connection: Two surface tracks serve plant in rear; connect with Burlington Northern Railroad. Purpose: Receipt of coal; shipment of slag. Depth Alongside (feet): Latitude (decimal): 42.722778 Longitude (decimal): -91.00972 Total Berthing Space (feet): Remarks:

Corps of Engnrs Waterway Code: 31607

St. Paul District

Dock Code: 802

Year of Last Survey: 1994

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 623 PWD: 160 Name: Pattison Brothers Investment, Dock No. 3. Mile 623.4 AOR, right bank, Mississippi River, approximately one mile below the Location: Datum: NPE\* municipality of Clayton. Operator: Pattison Brothers. Investment. Inc. Owner: Pattison Brothers, Investment. Inc. Address: Great River Road Phone: 319/964-2651 State: MN Town: Below Dock No. 3 County: Grant Railway Connection: Trackage with capacity for 50 cars serves 2 under track pits; connects with CP Rail System. Purpose: Receipt and shipment of dry bulk materials including salt, crushed rock and coal; shipment of grain. Latitude (decimal): Depth Alongside (feet): 15 Longitude (decimal): -90.74111 Total Berthing Space (feet): 80 Remarks: Two steel grain storage tanks at rear have total capacity for 62,000 bushels. An additional 7,500,000 bushels can be stored inside a former mine on bluff in rear. Pattison Brothers Investment Inc. maintains a fleeting area between miles 622.1 and 623.4 (below wharf) for 100 barges arranged in tiers up to 4 wide at 4 steel breasting dolphins and at 4 timber breasting dolphinsmoorings. □ "NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32623 Dock Code: 501 St. Paul District Port: Upper Mississippi R Waterway: Mississippi River Mile: 624 PWD: 159 Name: Pattison Brothers Investment, Dock No. 2. Mile 623.5 AOR, right bank, Mississippi River, approximately one mile below the Location: Datum: NPE\* municipality of Clayton. Operator: Pattison Brothers, Investment. Inc. Owner: Pattison Brothers, Investment. Inc. Address: **Great River Road** Phone: 319/964-2651 State: IA Town: Fayette County: Grant Railway Connection: Trackage with capacity for 50 cars serving terminal in rear connects with CP Rail System. Purpose: Receipt of dry bulk and liquid fertilizer. Latitude (decimal): Depth Alongside (feet): 12 42.898889 Longitude (decimal): -91.13806 Total Berthing Space (feet): 195 1 I Remarks: \*NPE = 611.0 MSL Open storage area in rear has capacity for 50,000 to pipeline extends from wharf to 2 steel storage tanks in rear, total capacity 906,000 gallons. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32623 Dock Code: 501 St. Paul District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 **AOR**

Port: Upper Mississippi R Waterway: Mississippi River Mile: 624 PWD: 158 Name: Pattison Brothers, Mississippi River Terminal, Dock No. 1. Mile 624.1 AOR, right bank, Mississippi River, approximately 0.5 mile below the Location: Datum: NPE\* municipality of Clayton. Operator: Pattison Brothers, Mississippi River Terminal. Owner: Bernard Pattison. Address: South Maine Street Phone: 319/964-2651 State: IA Town: Clayton County: Grant Railway Connection: None. Purpose: Shipment of grain. Depth Alongside (feet): Latitude (decimal): 12 42.903889 Total Berthing Space (feet): 25 Longitude (decimal): -91.14583 Remarks: Grain elevator at rear consisting of 3 steel tanks has capacity for 300,000 bushels. 

→ \*NPE = 687.2 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32624 Dock Code: 311 Rock Island District Port: Upper Mississippi R Waterway: Mississippi River Mile: 633 PWD: 157 AGRI Grain Marketing, McGregor River Terminal Dock. Name: Location: Mile 633.4 AOR, right bank, Mississippi River, McGregor, approximately 1.3 miles Datum: NPE\* below U.S. Highway 18 B Operator: AGRI Grain Marketing. Owner: AGRI Grain Marketing. Phone: 319/873-3436 Address: East B Street Town: McGregor State: IA County: Crawford Railway Connection: Four surface tracks, total capacity 25 cars, serve undertrack pit and loading spout; connect with CP Rail System. Purpose: Shipment of grain. Latitude (decimal): 43.024444 Depth Alongside (feet): 9 Ι Longitude (decimal): -91.17194

Total Berthing Space (feet):

Year of Last Survey: 1994

780

Т

ı

Corps of Engnrs Waterway Code: 32633

Remarks: Grain elevator at rear consisting of 27 concrete silos with 7 interstices has total capacity for 1,250,000

Dock Code: 311

**Rock Island District** 

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 635 PWD: 37 Name: Prairie du Chien, Municipal Dock. Mile 634.8 AOR, left bank, Mississippi River, Prairie du Chien, above U.S. Highway Location: Datum: 18 Bridge. Operator: Didion Inc. and Slaght Construction Inc. Owner: City of Prairie du Chien. Address: South Water Street Phone: State: io Town: Operated By Did County: Crawford Railway Connection: Two surface tracks with holding capacity for 25 cars serve 2 receiving pits; connect with Wisconsin & Calumet Railroad. Purpose: Didion Inc.: Shipment of grain; Slaght Construction Inc.: Receipt of salt. Latitude (decimal): Depth Alongside (feet): 43.048889 Longitude (decimal): -91.15778 Total Berthing Space (feet): Remarks: Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32635 Dock Code: 202 St. Paul District Port: Upper Mississippi R PWD: 39 Waterway: Mississippi River Mile: 636 Name: Prairie Sand & Gravel Co., Grain Dock. Location: Mile 636.0 East Channel, left bank, Mississippi River, Prairie du Chien, approximately 1.4 miles above U Operator: Didion Inc. Owner: Prairie Sand & Gravel Co. Address: 700 Villa Louis Drive. Phone: Town: Prairie duChien State: N County: Crawford Railway Connection: Two surface tracks with holding capacity for 15 cars serve undertrack pit; connects with Wisconsin & Calumet Railroad and Burlington Northern Railroad. Purpose: Shipment of grain Latitude (decimal): 43.064167 Depth Alongside (feet): Total Berthing Space (feet): Longitude (decimal): -91.1525 Remarks:

Corps of Engnrs Waterway Code: 32636

Year of Last Survey: 1994

Dock Code: 002

St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 636 PWD: 40 Name: Prairie Sand & Gravel Co., Prairie du Chien, North Coal Dock. East of Mile 636.3, Mississippi River, Sawmill Slough, Prairie du Chien. Location: Datum: Prairie Sand & Gravel Co. Operator: Owner: Prairie Sand & Gravel Co. Address: 700 Villa Louis Drive. Phone: Prairie du Chien State: WI Town: County: Crawford Railway Connection: One surface track at rear joins additional terminal trackage; connects with Wisconsin & Calumet Railroad and Burlington Northern Railroad. Purpose: Receipt of coal and other miscellaneous dry bulk materials.(See Remarks). Depth Alongside (feet): Latitude (decimal): 43.0675 Total Berthing Space (feet): Longitude (decimal): -91.15361 Remarks: Corps of Engnrs Waterway Code: 32636 Year of Last Survey: 1994 Dock Code: 003 St. Paul District Port: **Upper Mississippi R** Waterway: Mississippi River Mile: 636 PWD: 38 Name: Prairie Sand & Gravel Co., St. Feriole Island West Dock. Mile 636.0 East Channel, left bank, Mississippi River, Prairie du Chien, approximately Datum: Location: 1.3 miles above U Prairie Sand & Gravel Co. Operator: Prairie Sand & Gravel Co. Owner: 700 Villa Louis Drive. Address: Phone: Town: Prairie du Chien State: h, County: Crawford Railway Connection: None. Purpose: Receipt of miscellaneous dry bulk materials including coal, salt, crushed stone and fertilizer; Mooring barges for fleeting (See Remarks). Depth Alongside (feet): Latitude (decimal): 43.065 Total Berthing Space (feet): Longitude (decimal): -91.15833

Corps of Engnrs Waterway Code: 32639

Remarks:

Year of Last Survey: 1994

Dock Code: 002

St. Paul District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

PWD: 41

Datum:

Port: Upper Mississippi R
Waterway: Mississippi River Mile: 637
Name: Prairie Sand & Gravel Co., Swingle Docks.
Location: East of Mile 636.5, Mississippi River, left bank of Marais de Saint Feriole, Prairie du Chien.

Operator: Prairie Sand & Gravel Co.
Owner: Prairie Sand & Gravel Co.

Address: County Highway K North Phone:

Town: Prairie du Chien State: WI County: Crawford

Railway Connection: None.

Purpose: Lower dock: Mooring company-owned equipment for cleaning, maintenance and repair; Upper dock:

Receipt of salt.

Depth Alongside (feet): | Latitude (decimal): 43.069167

Total Berthing Space (feet): | Longitude (decimal): -91.15389

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32636 Dock Code: 002 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 660 PWD: 156

Name: Brennan Marine, Lansing Fleet Mooring.

Location: Mile 659.4 AOR, right bank, Mississippi River, Lansing, approximately 4 miles below Datum: NPE\*

State Highway 82 Bri

Operator: Brennan Marine, Inc.
Owner: Interstate Power Co.

Address: Power Plant Road Phone: 608/782-3670
Town: Lansing State: IA County: Crawford

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): 13 | Latitude (decimal): 43.335556

Total Berthing Space (feet): 15 | Longitude (decimal): -91.16222

Remarks: \*NPE = 620.0

MSL Fleeting

area has capacity for 24 barges arranged in □\*NPE = 631.0 MSL

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32659 Dock Code: 401 Rock Island District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 660 PWD: 155 Name: Interstate Power Co., Lansing Plant Coal Dock. Mile 660.3 AOR, right bank, Mississippi River, Lansing, approximately 3 miles below Location: Datum: NPE\* State Highway 82 Bri Operator: Interstate Power Co. Owner: Interstate Power Co. Address: 2320 Power Plant Road Phone: 319/538-4717 State: IA Town: Lansing County: Allamakee Railway Connection: One unused surface track at plant in rear connects with CP Rail System. Purpose: Receipt of coal for plant consumption. 43.338056 Depth Alongside (feet): 13 Latitude (decimal): Total Berthing Space (feet): 24 Longitude (decimal): -91.17 Remarks: Open storage area at rear served by radial stacker has total capacity for 685,000 tons. ☐ Brennan Marine, Inc. uses lower 2 cells for mooring barges for cleaning prior to transferring to fleet described under Ref. No. 156. □ \*NPE = 687.2 MSL. Dock Code: 001 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32660 Rock Island District Port: Upper Mississippi R Waterway: Mississippi River PWD: 42 Mile: 679 Name: Dairyland Power Cooperative, Genoa Plant No. 3 Wharf. Mile 678.5 AOR, Left bank, Mississippi River, Genoa, approximately 0.7 mile below Location: Datum: Lock and Dam No. 8. **Dairyland Power Cooperative** Operator: Owner: Dairyland Power Cooperative. Address: State Highway 35 Phone: Town: Genoa State: WI County: Vernon Railway Connection: One surface track serves plant; connects with Burlington Northern Railroad. Purpose: Receipt of coal; mooring barges for fleeting (See Remarks) Latitude (decimal): 43.558056 Depth Alongside (feet): Total Berthing Space (feet): Longitude (decimal): -91.23444 Remarks: Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32678 Dock Code: 702 St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 696 PWD: 43 Name: City of La Crosse, Isle LaPlume Dock and Fleet Mooring. Mile 696.4 AOR, left bank, Mississippi River, approximately one mile below State Location: Datum: Highway 61 Bridge. Operator: Brennan Marine, Inc. Owner: City of La Crosse. Address: P.O. Box 2557 Phone: State: WI Town: La Crosse County: La Crosse Railway Connection: None. Purpose: Receipt and shipment of miscellaneous dry bulk materials; mooring barges for fleeting (see Remarks). Latitude (decimal): 43.795556 Depth Alongside (feet): Longitude (decimal): -91.25972 Total Berthing Space (feet): Remarks: Corps of Engnrs Waterway Code: 32696 Year of Last Survey: 1994 Dock Code: 402 St. Paul District Port: **Upper Mississippi R** Waterway: Mississippi River Mile: 697 PWD: 46 Name: Holnam, LaCrosse Cement Terminal Dock. Mile 697.4 AOR, left bank, Mississippi River, approximately 200 feet below State Location: Datum: Highway 61 Bridge. Operator: Holnam Inc. Owner: Holnam Inc. Address: 617 Cross Street Phone: Town: La Crosse State: WI County: La Crosse Railway Connection: None. Purpose: Receipt of cement. Depth Alongside (feet): Latitude (decimal): 43.807778 Longitude (decimal): -91.25778 Total Berthing Space (feet):

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32697 Dock Code: 612 St. Paul District

Remarks:

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 697 PWD: 44

Name: Jerzak Barge Terminal Dock.

Location: Mile 696.5 AOR, left bank, Mississippi River, approximately 0.9 mile below State Datum:

Highway 61 Bridge.

Operator: Jerzak Inc. Owner: Jerzak Inc.

Address: 1700 Marco Drive Phone:

Town: LaCrosse State: WI County: LaCrosse

Railway Connection: None.

Purpose: Receipt of salt; Shipment of sand and gravel.

Depth Alongside (feet): | Latitude (decimal): 43.795556

Total Berthing Space (feet): | Longitude (decimal): -91.25972

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32696 Dock Code: 502 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 697 PWD: 45

Name: La Crosse Plumbing Supply Co. Dock.

Location: Mile 697.3 AOR, left bank, Mississippi River, approximately 600 feet below State Datum:

Highway 61 Bridge.

Operator: La Crosse Plumbing Supply Co.
Owner: La Crosse Plumbing Supply Co.

Address: 106 Cameron Avenue. Phone:

Town: La Crosse State: WI County: La Crosse

Railway Connection: None.

Purpose: Occasional receipt of cast iron pipe.

Depth Alongside (feet): | Latitude (decimal): 43.806667

Total Berthing Space (feet): | Longitude (decimal): -91.25778

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32697 Dock Code: 422 St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 698 PWD: 47

Name: Cargill, Inc., La Crosse Grain Elevator Dock.

Location: Mile 697.5 AOR, left bank, Mississippi River, approximately 500 feet above State Datum:

Highway 61 Bridge.

Operator: Cargill, Inc.
Owner: Cargill, Inc.

Address: 416 South Front Street Phone:

Town: La Crosse State: WI County: La Crosse

Railway Connection: None. Purpose: Shipment of grain.

Depth Alongside (feet): | Latitude (decimal): 43.810833

Total Berthing Space (feet): | Longitude (decimal): -91.25778

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32697 Dock Code: 732 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 698 PWD: 48

Name: LaFayette Park, Excursion Boat Dock.

Location: Mile 698.2 AOR, left bank, Mississippi River, at entrance to Black River. Datum:

Operator: River Boats America, Inc.
Owner: River Boats America, Inc.

Address: LaFayette Park. Phone:

Town: La Crosse State: WI County: La Crosse

Railway Connection: None.

Purpose: Landing for excursion vessel 'La Crosse Queen'.

Depth Alongside (feet): | Latitude (decimal): 43.818056

Total Berthing Space (feet): | Longitude (decimal): -91.25611

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32698 Dock Code: 104 St. Paul District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Upper Mississippi R Port: Waterway: Mississippi River Mile: 724 PWD: 152 Name: Modern Transport Terminal, Lower Wharf. Mile 724.2 AOR, right bank, Mississippi River, Winona, approximately 1.5 miles Location: Datum: NPE\* below State Highway 54 Br Operator: LaFarge Corp. and Benson-Quinn Co. Owner: Modern Transport Inc. Address: 850 East Front Street Phone: 507/457-3414 State: MN Town: Winona County: Winona Railway Connection: Trackage serving undertrack pit connects with CP Rail System. Purpose: Receipt of bulk cement; Shipment of grain. Depth Alongside (feet): Latitude (decimal): 12 44 048889 Total Berthing Space (feet): 380 Longitude (decimal): -91.61306 Remarks: LaFarge Corp.: One 8-inch pneumatic pipeline extends from platform to one 1,440 ton capacity steel storage tank at terminal in rear. Benson-Quinn Co.: Grain Elevator at rear consisting of 2 concrete silos has total capacity for 250,000 bushels. □One 6-inch pipeline for liquid fertilizer (inactive at time of survey) extends from platform to 2 steel storage tanks, total capacity 546,000 gallons. □\*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32724 Dock Code: 401 St. Paul District Port: Upper Mississippi R Waterway: Mississippi River Mile: 724 PWD: 153 Name: ST Services, Winona Terminal Dock. Location: Mile 724.2 AOR, right bank, Mississippi River, Winona, approximately 1.7 miles Datum: NPE\* below State Highway 54 Br Operator: ST Services. Owner: ST Services. Address: 1020 East 2nd Street Phone: 507/452-2045 State: MN Town: Winona County: Winona Railway Connection: One surface track serves terminal in rear; connects with Burlington Northern, Railroad. Purpose: Receipt of liquid fertilizer. Latitude (decimal): 44.046944 Depth Alongside (feet): 12 Total Berthing Space (feet): 200 Longitude (decimal): -91.60972 Remarks: One 10-, one 8-, and one 6-inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 8,255,200 gallons. \*NPE = 687.2 MSL.

Corps of Engnrs Waterway Code: 32724

Year of Last Survey: 1994

Dock Code: 021

St. Paul District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 724 PWD: 154 Name: Winona Barge Terminal Wharf. Mile 724.2 AOR, right bank, Mississippi River, Winona, approximately 1.8 miles Location: Datum: NPE\* below State Highway 54 Br Operator: Winona Barge Terminal. Owner: Rosen Diversified Inc. Address: 1000 East 3rd Street Phone: 507/452-7908 State: MN Town: Winona County: Winona Railway Connection: Four surface tracks with total capacity for 50 cars serve undertrack pit and shipping conveyors; connect with CP Rail System. Purpose: Receipt and shipment of fertilizer and other miscellaneous bulk materials. Latitude (decimal): 44.046389 Depth Alongside (feet): 10 Total Berthing Space (feet): 225 Longitude (decimal): -91.60861 Т Remarks: Bulk storage building has capacity for 15,000 tons of fertilizer; Open storage area at rear has capacity for 65,000 tons of material. ■ \*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32724 Dock Code: 012 St. Paul District Port: Upper Mississippi R Waterway: Mississippi River PWD: 150 Mile: 725 Name: Bay State Milling Co. Dock. Mile 725.3 AOR, right bank, Mississippi River, Winona, approximately 0.5 mile below Location: Datum: NPE\* State Highway 54 Bri Operator: Not operated. Owner: Bay State Milling Co. Address: 55 Franklin Street Phone: 507/452-1770 Town: Winona State: MN County: Winona Railway Connection: Three surface tracks serve plant in rear; connect with Dakota Minnesota & Eastern Railroad. Purpose: Not used. Latitude (decimal): 44.054167 Depth Alongside (feet): 14 14 14 Longitude (decimal): -91.63222 Total Berthing Space (feet): 285 Remarks: \*NPE = 645.5 MSL Wharf formerly was used for receipt of grain. Proces maintains a concrete grain elevator with storage capacity for 1,000,000 bushels. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32725 Dock Code: 203 St. Paul District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 725 PWD: 151 Name: Modern Transport Terminal, Upper Wharf. Mile 724.3 AOR, right bank, Mississippi River, Winona, approximately 1.4 miles Datum: NPE\* Location: below State Highway 54 Br Operator: Modern Transport Inc. Owner: Modern Transport Inc. Address: 850 East Front Street Phone: 507/452-3918 State: MN Town: Winona County: Winona Railway Connection: None. Purpose: Receipt of dry bulk materials: fertilizer, cottonseed, salt and fly ash. Depth Alongside (feet): Latitude (decimal): 12 44 05 Total Berthing Space (feet): 260 Longitude (decimal): -91.615 Remarks: Steel storage building in rear has capacity for 6,500 tons of fertilizer and 3,000 tons of cottonseed. □ \*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32724 Dock Code: 401 St. Paul District Port: Upper Mississippi R Waterway: Mississippi River Mile: 726 PWD: 149 Name: City Of Winona, Levee Park Dock. Location: Mile 725.6 AOR, right bank, Mississippi River, Winona, approximately 1,000 feet Datum: NPE\* below State Highway 54 B City of Winona. Operator: Owner: City of Winona. Foot of Johnson Street Address: Phone: 507/457-8258 Town: Winona State: MN County: Winona Railway Connection: None. Purpose: Mooring vessels on exhibition and occasionally river excursion vessels. Latitude (decimal): Depth Alongside (feet): 12 44.055278 Total Berthing Space (feet): 900 Longitude (decimal): -91.63639 Remarks: \*NPE = 645.5 MSL.□□

Corps of Engnrs Waterway Code: 32725

Year of Last Survey: 1994

Dock Code: 602

St. Paul District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 727 PWD: 144

Name: Archer Daniels Midland Co., Winona Grain Elevator Dock.

Location: Mile 727.1 AOR, right bank, Mississippi River, south side of Crooked Slough Datum: NPE\*

Channel, Winona.

Operator: ADM/Growmark division of Archer Daniels Midland Co.

Owner: Archer Daniels Midland Co.

Address: 1155 River View Drive Phone: 507/452-3562
Town: Winona State: MN County: Winona
Railway Connection: Two surface tracks with total capacity for 50 cars serve undertrack pit; connect with

Dakota Minnesota & Eastern Railroad.

Purpose: Shipment of grain.

Depth Alongside (feet): 10 - 13 | | Latitude (decimal): 44.059444

Total Berthing Space (feet): 400 | Longitude (decimal): -91.66528

Remarks: Grain elevator at rear consisting of 4 concrete silos with 4 interstices has capacity for 300,000

bushels. □ \*NPE = 687.2 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32726 Dock Code: 501 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 727 PWD: 146

Name: Harvest States Cooperatives, Winona Terminal Barge-Loading Dock.

Location: Mile 726.9 AOR, right bank, Mississippi River, Winona, south side of channel. Datum: NPE\*

Operator: Harvest States Cooperatives.
Owner: Harvest States Cooperatives.

Address: 988 River View Drive Phone: 507/452-1992
Town: Winona State: MN County: Winona

Railway Connection: Three surface tracks with total capacity for 25 cars serve undertrack pit; connect with

Dakota Minnesota & Eastern Railroad.

Purpose: Shipment of grain.

Depth Alongside (feet): 10 - 11 | Latitude (decimal): 44.059444

Total Berthing Space (feet): 400 | Longitude (decimal): -91.66306

Remarks: Grain elevator at rear consisting of 8 concrete silos with 21 interstices and one flat storage building has

total capacity for 611,000 bushels. □ \*NPE = 687.2 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32726 Dock Code: 901 St. Paul District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 727 PWD: 145 Name: Kujak Brothers, Dock No. 1. Mile 727.0 AOR, right bank, Mississippi River, Winona, south side of channel. Location: Datum: NPE\* Operator: Kujak Brothers Corp. Owner: City of Winona. Address: 978 River View Drive Phone: 507/454-5421 State: MN Town: Winona County: Winona Railway Connection: One surface track on opposite side of road; connects with Dakota Minnesota & Eastern Railroad. Purpose: Receipt of miscellaneous dry bulk materials, including coal, fertilizer, and salt; shipment of grain and bulk lime. Latitude (decimal): Depth Alongside (feet): 12 Longitude (decimal): -91.66417 Total Berthing Space (feet): 300 Ι Remarks: Open storage area at rear has capacity for approximately 3,000 tons of material. Two concrete storage silos at rear have total capacity for 15,000 tons of fertilizer. □\*NPE = 687.2 MSL. Corps of Engnrs Waterway Code: 32726 Year of Last Survey: 1994 Dock Code: 951 St. Paul District Port: Upper Mississippi R Mile: 727 PWD: 147 Waterway: Mississippi River Name: Kujak Brothers, Dock No. 2. Mile 726.9 AOR, right bank, Mississippi River, Winona, south side of channel. Location: Datum: NPE\* Kujak Brothers Corp. Operator: Owner: City of Winona. 978 River View Drive Phone: 507/454-5421 Address: Town: Winona State: MN County: Winona Railway Connection: None. Purpose: Receipt of coal and salt. Depth Alongside (feet): Latitude (decimal): 44.059444 12 260 Longitude (decimal): -91.66333 Total Berthing Space (feet): Remarks: Open storage area at rear has capacity for approximately 200,000 tons of material. \\_ \*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32726 St. Paul District Dock Code: 951

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 727 PWD: 148

Name: Winona Marine Co., Fleet Moorings.

Location: Miles 727.2-726.3 AOR, right bank, Mississippi River; Winona, south side of channel). Datum: NPE\*

Operator: Winona Marine Co.
Owner: City of Winona.

Address: Phone: 507/454-6026
Town: Winona State: MN County: Winona

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): 6 - 9 | 6 - 9 | 6 - 10 Latitude (decimal): 44.059444

Total Berthing Space (feet): 15 | 20 | 33 Longitude (decimal): -91.65417

Remarks: Fleets are arranged in tiers up to 4 barges wide and have total capacity for approximately 75 barges.

\*NPE = 687.2 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32725 Dock Code: 501 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 728 PWD: 143

Name: Artco River Services, Winona Fleet Moorings.

Location: Miles 727.3-727.1 & 726.6-726.3 AOR, right bank, Mississippi River, south side of Datum: NPE\*

Crooked Slough Channel

Operator: ARTCO River Services.

Owner: City of Winona.

Address: 1155 River View Drive Phone: 507/452-7703
Town: Winona State: MN County: Winona

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): 7 - 9 | 7 - 9 Latitude (decimal): 44.06

Total Berthing Space (feet): 20 | 24 Longitude (decimal): -91.66778

Remarks: Upper fleet is arranged in 4 tiers up to 6 barges wide. Lower fleet is arranged in 8 tiers each 3 barges

wide. □ \*NPE = 687.2 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32725 Dock Code: 202 St. Paul District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 734 PWD: 58

Name: U.S. Army Corps of Engineers, Fountain City Service Base Dock.

Location: Mile 733.5 AOR, left bank, Mississippi River, Fountain City, approximately one half Datum:

mile above Fountain

Operator: U. S. Army Corps of Engineers.

Owner: U. S. Government.

Address: 431 North Shore Drive. Phone:

Town: Fountain City State: WI County: Buffalo

Railway Connection: None.

Purpose: Handling construction materials, machinery, and equipment, including Lock and Dam apparatus;

mooring government-owned floating equipment.

Depth Alongside (feet): | Latitude (decimal): 44.136389

Total Berthing Space (feet): | Longitude (decimal): -91.72639

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32733 Dock Code: 302 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 751 PWD: 59

Name: Dairyland Power Cooperative, Alma Power Plant Dock.

Location: Mile 751.4 AOR, left bank, Mississippi River, Alma, approximately 1.5 miles below Datum:

Lock and Dam No. 4.

Operator: Dairyland Power Cooperative and Genoa Dock Corp.

Owner: Dairyland Power Cooperative.

Address: 1430 Main Street South. Phone:

Town: Alma State: WI County: Buffalo

Railway Connection: None.

Purpose: Receipt of coal; mooring barges for fleeting (see Remarks).

Depth Alongside (feet): | Latitude (decimal): 44.306667

Total Berthing Space (feet): | Longitude (decimal): -91.91222

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32751 Dock Code: 502 St. Paul District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: MISSISSIPPI RIVER Mile: 789 PWD: 141

Name: Northern States Power Co., Red Wing Steam Plant Dock.

Location: Mile 789.3, right bank, Mississippi River, approximately one mile below U.S. Highway Datum: NPE\*

63 Bridge.

Operator: Not operated.

Owner: Northern States Power Co.

Address: 801 East Fifth Street Phone: 612/388-8825
Town: Red Wing State: MN County: Goodhue

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 9 | Latitude (decimal): 44.569444

Total Berthing Space (feet): 1100 | Longitude (decimal): -92.51333

Remarks: \*NPE = 687.2 MSL.□□

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32789 Dock Code: 401 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 789 PWD: 142

Name: Red Wing River Towing, Fleet Mooring.

Location: Miles 789.0 to 788.5 AOR, left bank, Mississippi River, Red Wing, along Island on Datum: NPE\*

Wisconsin side of chan

Operator: Red Wing River Towing.

Owner: Red Wing Holding Co. and G. W. Salmonson.

Address: Route 2, Box 241 Phone: 612/388-6324

Town: Red Wing State: MN County: Pierce

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): 7 - 11 | Latitude (decimal): 44.569167

Total Berthing Space (feet): 27 | Longitude (decimal): -92.50056

Remarks: \*NPE = 667.0

MSL Upper

and lower sections are arranged in blocks 3 ba 5-barges long, respectively.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32789 Dock Code: 020 St. Paul District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 791 PWD: 140 Name: Archer Daniels Midland Co., Red Wing Plant Dock. Mile 790.7 AOR, right bank, Mississippi River, approximately 500 feet above U.S. Location: Datum: NPE\* Highway 63 Bridge. Operator: Archer-Daniels-Midland Co. Owner: City of Red Wing. Address: 118 Main Street Phone: 612/388-7111 State: MN Town: Red Wing County: Goodhue Railway Connection: Four surface tracks serve 2 undertrack pits and plant in rear; connect with CP Rail System. Purpose: Shipment of grain, meal, sunflower oil, and linseed oil. Latitude (decimal): Depth Alongside (feet): 9 44 568611 Total Berthing Space (feet): 565 Longitude (decimal): -92.53417 Remarks: One 6-inch pipeline extends to wharf from 3 storage tanks at plant in rear, total capacity 3,100,000 gallons. Grain elevator at rear consisting of 21 concrete silos has capacity for 650,000 bushels. \*NPE = 687.2 MSL. Corps of Engnrs Waterway Code: 32790 Year of Last Survey: 1994 Dock Code: 702 St. Paul District Port: Upper Mississippi R Mile: 791 PWD: 138 Waterway: Mississippi River Name: Continental Grain Co., Red Wing Elevator Dock. Mile 791.1 AOR, right bank, Mississippi River, Red Wing, approximately 0.5 mile Location: Datum: NPE\* above U.S. Highway 63 Br Continental Grain Co. Operator: Owner: Continental Grain Co. Phone: 612/388-0731 Address: 810 Levee Street Town: Red Wina State: MN County: Goodhue Railway Connection: Two surface tracks serve undertrack pit; connect with CP Rail System. Purpose: Shipment of grain. Latitude (decimal): Depth Alongside (feet): 14 44.565833 1200 Total Berthing Space (feet): Longitude (decimal): -92.54083 Ι Remarks: Grain elevator at rear, consisting of 18 concrete silos with 8 interstices, one steel tank, and 18 headhouse bins, has capacity for 2,000,000 bushels. Upper bulkhead and lower dolphins provide mooring space for barges wide. □ □\*NPE = 687.2 MSL.

Corps of Engnrs Waterway Code: 32791

Year of Last Survey: 1994

St. Paul District

Dock Code: 031

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 791 PWD: 139

Name: Red Wing Levee Wall Dock.

Location: Mile 790.9 AOR, right bank, Mississippi River, approximately 0.5 mile above U.S. Datum: NPE\*

Highway 63 Bridge.

Operator: St Croix Boat & Packet Co.

Owner: City of Red Wing.

Address: Phone: 612/430-1234
Town: Red Wing State: MN County: Goodhue

Railway Connection: None.

Purpose: Landing for river excursion vessel 'Schatze'; Mooring transient vessels.

Depth Alongside (feet): 4 - 10 | Latitude (decimal): 44.567222

Total Berthing Space (feet): 600 | Longitude (decimal): -92.53778

Remarks: \*NPE = 667.0 MSL□□

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32790 Dock Code: 901 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 792 PWD: 137

Name: Red Wing Municipal Terminal Wharf.

Location: Mile 791.5 AOR, right bank, Mississippi River, Red Wing, approximately one mile Datum: NPE\*

above U.S. Highway 63 Br

Operator: Holst Excavating Co.
Owner: Red Wing Port Authority.

Address: Levee Road Phone: 612/388-4781
Town: Red Wing State: MN County: Goodhue

Railway Connection: None.

Purpose: Receipt and shipment of miscellaneous dry bulk materials.

Depth Alongside (feet): 11 | Latitude (decimal): 44.565833

Total Berthing Space (feet): 800 | Longitude (decimal): -92.55389

Remarks: \*NPE = 667.0 MSL□□

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32790 Dock Code: 701 St. Paul District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: MISSISSIPPI RIVER Mile: 823 PWD: 136 Name: CF Industries, Rosemount Fertilizer Terminal, Dock No. 1. Mile 823.4 AOR, right bank, Mississippi River, Rosemount, inner end, lower side at Location: Datum: NPE\* head of dredged inlet Operator: CF Industries. Inc. Owner: CF Industries, Inc. Address: 5300 Pine Bend Trail Phone: 612/437-6366 State: MN Town: Rosemount County: Dakota Railway Connection: Five surface tracks, total capacity 100 cars, serving 2 undertrack receiving pits; connect with Chicago and North Western Transportation Co. and CP Rail System. Purpose: Receipt of dry bulk fertilizer. Latitude (decimal): Depth Alongside (feet): 9 44.764167 Total Berthing Space (feet): 600 Longitude (decimal): -93.00222 Ι Remarks: Two blanked 6-inch pipelines formerly used for receipt of ethylene glycol extend from wharf to 5 steel storage tanks, total capacity 1,200,000 gallons. ☐ \*NPE = 687.2 MSL. Corps of Engnrs Waterway Code: 32823 Year of Last Survey: 1994 Dock Code: 811 St. Paul District Port: Upper Mississippi R Waterway: Mississippi River PWD: 135 Mile: 823 Name: CF Industries, Rosemount Fertilizer Terminal, Dock No. 2. Mile 823.4 AOR, right bank, Mississippi River, Rosemount, inner end, upper side at Location: Datum: NPE\* head of dredged inlet Operator: CF Industries, Inc. Owner: CF Industries, Inc. Address: 5300 Pine Bend Trail Phone: 612/437-6366 Town: Rosemount State: MN County: Dakota Railway Connection: Five surface tracks, total capacity 100 cars, serving 2 undertrack receiving pits; connect with Chicago and North Western Transportation Co. and CP Rail System. Purpose: Receipt of dry bulk fertilizer. Depth Alongside (feet): Latitude (decimal): 9 44.764167 Longitude (decimal): -93.00444 Total Berthing Space (feet): 200 Ι Remarks: Four timber storage warehouses at terminal in rear have total storage capacity for 200,000 tons of fertilizer. 

\*NPE = 687.2 MSL. St. Paul District Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32823 Dock Code: 811

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 824 PWD: 134 Name: **CF Industries, Pine Bend Ammonia Terminal Dock.** Mile 823.6 AOR, right bank, Mississippi River, Rosemount, inner end of dredged Location: Datum: NPE\* rectangular slip, approxi Operator: CF Industries. Inc. Owner: CF Industries, Inc. Address: 13040 Pine Bend Trail Phone: 612/437-6366 State: MN Town: Rosemount County: Dakota Railway Connection: One surface track serves loading rack with 3 car stations at terminal in rear; connects with Chicago and North Western Transportation Co. and CP Rail System. Purpose: Receipt of anhydrous ammonia and liquid fertilizer (urea ammonium nitrate solution). Latitude (decimal): Depth Alongside (feet): 16 44.765278 Longitude (decimal): -93.00806 Total Berthing Space (feet): 3 Remarks: \*NPE = 687.2 MSI One 12inch pipeline extends from wharf to 2 steel a capacity 60,000 tons, and one 12-inch pipeline extends to one 25,000 ton liquid fertilizer storage tank. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32823 Dock Code: 821 St. Paul District Port: Upper Mississippi R Waterway: Mississippi River Mile: 824 PWD: 132 Name: Koch Refining Co., Dock No. 3. Location: Mile 824.0 AOR, right bank, Mississippi River, Pine Bend, inner portion, upper side of Datum: NPE\* rectangular slip. Operator: Koch Refining Co. Owner: Koch Refining Co. Address: Junction of State Highways 52 and 55 Phone: 612/437-0521 State: MN Town: Pine Bend County: Dakota Plant trackage in rear; connects with Chicago and North Western Transportation Co. and Railway Connection: CP Rail System. Purpose: Shipment of asphalt. (See Remarks.) Depth Alongside (feet): 12 Latitude (decimal): 44.774722 Longitude (decimal): -93.02111 Total Berthing Space (feet): 195 Remarks: Wharf is equipped to handle crude oil, however, facilities were not in use at time of survey (1993). One 10-inch pipeline extends to 20 asphalt storage tanks, total capacity 1,723,380 barrels, and one 10-inch pi crude oil storage tanks, total capacity 1,844,500 barrels. □ ¬\*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32824 St. Paul District Dock Code: 211

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Upper Mississippi R Port: Waterway: Mississippi River Mile: 824 PWD: 131 Name: Koch Refining Co., Dock Nos.1 & 2 Mile 824.0 AOR, right bank, Mississippi River, Pine Bend, outer portion, upper side of Datum: NPE\* Location: rectangular slip. Operator: Koch Refining Co. Owner: Koch Refining Co. Address: Junction of State Highways 52 and 55 Phone: 612/437-0521 State: MN Town: Pine Bend County: Dakota Railway Connection: Plant trackage in rear; connects with Chicago and North Western Transportation Co. and CP Rail System. Purpose: Shipment of petroleum products. Latitude (decimal): Depth Alongside (feet): 12 12 44.774167 Total Berthing Space (feet): 402 287 Longitude (decimal): -93.01833 Remarks: One 2-inch fueling pipeline serving Dock No. 1 was blanked at time of survey.. Five 8-inch pipelines with connections at each wharf extend from 20 steel storage tanks at refinery in rear, total capacity 873,000 barrel slop oil tank is located at rear. Slip is 1,300 feet long by 200 feet wide extending upstream at a 50x angle to river. A steel sheet pile, retaining wall extends along head of slip and along lower side. □\*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32824 Dock Code: 211 St. Paul District Port: Upper Mississippi R Waterway: Mississippi River Mile: 824 PWD: 133 Name: Koch Refining Co., Docks Nos. 5 and 6. Mile 824.0 AOR, right bank, Mississippi River, Pine Bend, lower side of rectangular Location: Datum: NPE\* slip. Operator: Koch Refining Co. Owner: Koch Refining Co. Address: Junction of State Highways 52 and 55 Phone: 612/437-0521 Pine Bend State: MN Town: County: Dakota Railway Connection: Plant trackage in rear; connects with Chicago and North Western Transportation Co. and CP Rail System. Purpose: Receipt of crude oil; fueling vessels at Dock No. 6. Latitude (decimal): Depth Alongside (feet): 12 44.773611 Total Berthing Space (feet): 1620 - 1 Longitude (decimal): -93.01861 Remarks: One 10-inch pipeline with a 16-inch connection on Dock No. 5 and a 12-inch connection on Dock No. 6 extends to the crude oil storage tanks described under Ref. No. 132. One 4-inch fueling pipeline serves Dock No □\*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32824 Dock Code: 211 St. Paul District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 825 PWD: 64

Name: Shiely Co., Nelson Plant Dock.

Location: East of Mile 825.0 AOR, Mississippi River, northwest shore of Baldwin Lake, Lower Datum:

Grey Cloud Island, Cot

Operator: Shiely Co.
Owner: Shiely Co.

Address: 11250 Grey Cloud Trail. Phone:

Town: Cottage Grove State: MN County: Washington

Railway Connection: None.

Purpose: Shipment of sand, gravel, and crushed stone.

Depth Alongside (feet): | Latitude (decimal): 44.786944

Total Berthing Space (feet): | Longitude (decimal): -93.00194

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32825 Dock Code: 201 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 827 PWD: 65

Name: Shiely Co., Carl Larson Keystone Plant Dock.

Location: Mile 826.6 AOR, left bank, Mississippi River, west shore, Upper Grey Cloud Island, Datum:

St. Paul Park.

Operator: Shiely Co.
Owner: Shiely Co.

Address: 10120 Grey Cloud Island Drive S. Phone:

Town: St. Paul Park State: MN County: Washington

Railway Connection: None.

Purpose: Shipment of crushed stone.

Depth Alongside (feet): | Latitude (decimal): 44.805

Total Berthing Space (feet): | Longitude (decimal): -93.01333

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32826 Dock Code: 612 St. Paul District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 830 PWD: 66

Name: Ashland Petroleum Co., St. Paul Park Refinery Dock.

Location: Mile 830.0 AOR, left bank, Mississippi River, St. Paul Park, above foot of Broadway Datum:

Avenue extended.

Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc. Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.

Address: 100 W. 3rd Avenue Phone:

Town: St. Paul Park State: MN County: Washington

Railway Connection: Two surface tracks serve refinery at rear; connect with CP Rail System.

Purpose: Receipt and shipment of asphalt and petroleum products; loading midstream bunkering barge (see

Remarks).

Depth Alongside (feet): | Latitude (decimal): 44.848056

Total Berthing Space (feet): | Longitude (decimal): -93.00806

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 005 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 831 PWD: 130

Name: Dakota Bulk Terminal, Inc.

Location: Mile 831.2 AOR, right bank, Mississippi River, South St. Paul approximately 1.2 mile Datum: NPE\*

below Interstate Hi

Operator: Dakota Bulk Terminal, Inc..
Owner: Dakota Bulk Terminal, Inc.
Address: 925 Hardman Avenue South.

Address: 925 Hardman Avenue South. Phone: 612/451-1414
Town: Dakota Bulk Term State: in County: Dakota

Railway Connection: Five surface tracks, one serving undertrack pit on north side of slip, total capacity 75 cars;

connect with Chicago and North Western Trans- portation Co., Burlington Northern

Railroad and CP Rail System.

Purpose: Receipt and shipment of general cargo; receipt of steel, lumber, paper products, twine, coal, shell,

aggregate, and salt; shipment of grain, livestock feed and pelletized sugar beets grain

Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 44.853333

Total Berthing Space (feet): 800 | 800 | 1000 Longitude (decimal): -93.01833

Remarks: One 960- by 100-, and 200-foot, steel frame, building with aluminum siding, and concrete floor has

storage space for 40,000 to 50,000 tons of feed products. Ancillary facilities at terminal include a

pelletizing area for approximately 100,000 tons of salt. □ \*NPE = 687.2 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 020 St. Paul District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 832 PWD: 67

Name: Erickson Petroleum Corp. Dock.

Location: Mile 832.2 AOR, left bank, Mississippi River, Newport, approximately 1,000 feet Datum:

below Interstate Highway

Operator: Erickson Petroleum Corp.
Owner: Erickson Petroleum Corp.

Address: 50 21st Street Phone:

Town: Newport State: MN County: Washington

Railway Connection: None.

Purpose: Receipt of petroleum products.

Depth Alongside (feet): | Latitude (decimal): 44.878056

Total Berthing Space (feet): | Longitude (decimal): -93.01306

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 025 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 833 PWD: 74

Name: Upper River Services, Pig's Eye and North Star Steel, Fleet Moorin

Location: East of Mile 833.2-834.2,left bank, Mississippi River, East and West sides of Red Datum:

Rock Channel, above Mi

Operator: Upper River Services, Inc.

Owner: Port Authority of the City of St. Paul.

Address: 1401 Red Rock Road Phone:

Town: St. Paul State: MN County: Ramsey

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): | Latitude (decimal): 44.901667

Total Berthing Space (feet): | Longitude (decimal): -93.02306

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 146 St. Paul District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 834 PWD: 69

Name: Barton Enterprises Dock.

Location: East of Mile 834.2 AOR, left bank, Mississippi River, Red Rock Channel, St. Paul. Datum:

Operator: Barton Enterprises, Inc.

Owner: Port Authority of the City of St. Paul.

Address: 1359 Red Rock Road. Phone:

Town: St. Paul State: MN County: Ramsey

Railway Connection: One surface track serves tank car rack at plant in rear; connects with Burlington Northern

Railroad and CP Rail System.

Purpose: Receipt of asphalt.

Depth Alongside (feet): | Latitude (decimal): 44.900278

Total Berthing Space (feet): | Longitude (decimal): -93.02083

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 147 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 834 PWD: 70

Name: Dakota Barge Service, Office Boat Mooring.

Location: East of Mile 834.4 AOR, left bank, Mississippi River, Red Rock Channel, St. Paul. Datum:

Operator: Dakota Barge Service Inc.
Owner: St. Paul Terminals Inc.

Address: 1303 Red Rock Road Phone:

Town: St. Paul State: MN County: Ramsey

Railway Connection: None.

Purpose: Mooring towboats for fueling, pumping bilges, and repair.

Depth Alongside (feet): | Latitude (decimal): 44.902222

Total Berthing Space (feet): | Longitude (decimal): -93.02139

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 075 St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 834 PWD: 68

Name: Lafarge Corp., Red Rock Cement Terminal Dock.

Location: East of Mile 834.0 AOR, left bank, Mississippi River, Red Rock Channel, St. Paul. Datum:

Operator: Lafarge Corp.

Owner: Port Authority of the City of St. Paul.

Address: 1363 Red Rock Road Phone:

Town: St. Paul State: MN County: Ramsey

Railway Connection: None. Purpose: Receipt of cement.

Depth Alongside (feet): | Latitude (decimal): 44.899444

Total Berthing Space (feet): | Longitude (decimal): -93.02139

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 040 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 834 PWD: 75

Name: Upper River Services - Red Rock, North Star, and Kaposia, Fleet Mo

Location: Miles 833.6-834.3, left bank, Mississippi River, St. Paul. Datum:

Operator: Upper River Services, Inc.

Owner: Port Authority of the City of St. Paul.

Address: Phone:

Town: , St. Paul. State: MN County: Ramsey

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 146 St. Paul District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 835 PWD: 76

Name: Dakota Barge Service, Beltline Fleet Mooring.

Location: Mile 835.1 - 835.6 AOR, left bank, Mississippi River, St. Paul, below Chicago and Datum:

North Western Transpo

Operator: Dakota Barge Service, Inc.□□
Owner: Port Authority of the City of St. Paul.

Address: Phone:

Town: St. Paul State: MN County: Ramsey

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): | Latitude (decimal): 44.912222

Total Berthing Space (feet): | Longitude (decimal): -93.045

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 074 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 835 PWD: 71

Name: Dakota Barge Service, Repair Yard Wharf.

Location: East of Mile 834.5 AOR, left bank, Mississippi River, Red Rock Channel, St. Paul. Datum:

Operator: Dakota Barge Service Inc.
Owner: St. Paul Terminals Inc.

Address: 1303 Red Rock Road. Phone:

Town: St. Paul State: MN County: Ramsey

Railway Connection: None.

Purpose: Mooring vessels and barges for maintenance and repair.

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 075 St. Paul District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 835 PWD: 129

Name: Dakota Barge Service, South St. Paul and Concord Street Fleet Moor

Location: Miles 835.0 and 834.6, right bank, Mississippi River, South St. Paul, approximately Datum: NPE\*

one mile below Chica

Operator: Dakota Barge Service, Inc.
Owner: Dakota Barge Service, Inc.

Address: Central Avenue Phone: 612/731-6399
Town: South St. Paul State: MN County: Dakota

Railway Connection: None.

Purpose: Mooring barges for fleeting.

 Depth Alongside (feet):
 9 - 12 | 9 - 12 |
 Latitude (decimal):
 44.900833

 Total Berthing Space (feet):
 15 | 15 |
 Longitude (decimal):
 -93.03889

Remarks: Barges in each fleet are arranged in tiers, each 3 barges wide. □□\*NPE = 687.2 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 073 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 835 PWD: 72

Name: Peavey Co., Red Rock River Terminal, Loading Dock.

Location: East of Mile 834.6 AOR, left bank, Mississippi River, Red Rock Channel, St. Paul. Datum:

Operator: Peavey Co.

Owner: Port Authority of the City of St. Paul.

Address: 1061 Red Rock Road Phone:

Town: St. Paul State: MN County: Ramsey

Railway Connection: Seven surface tracks serve plant, 2 additional holding tracks, total capacity 110 cars,

connect with Burlington Northern Railroad and CP Rail System.

Purpose: Shipment of grain.

Depth Alongside (feet): | Latitude (decimal): 44.907222

Total Berthing Space (feet): | Longitude (decimal): -93.02083

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 077 St. Paul District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 835 PWD: 73 Name: Peavey Co., Red Rock River Terminal, Unloading Dock. East of Mile 834.7 AOR, left bank, Mississippi River, Red Rock Channel, St. Paul. Location: Datum: Operator: Peavey Co. Port Authority of the City of St. Paul. Owner: 1061 Red Rock Road, St. Paul Address: Phone: State: MN Town: St. Paul County: Ramsey Seven surface tracks serve plant, 2 additional holding tracks, total capacity 110 cars, Railway Connection: connect with Burlington Northern Railroad and CP Rail System. Purpose: Receipt of dry bulk commodities including fertilizer, coal, and feed grade phosphates; occasional shipment of petroleum coke. Latitude (decimal): 44.908889 Depth Alongside (feet): Longitude (decimal): -93.02222 Total Berthing Space (feet): 1 Remarks: Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 077 St. Paul District Port: Upper Mississippi R Waterway: Mississippi River Mile: 836 PWD: 124 Name: Dakota Barge Service, Dakota Fleet Mooring. Location: Mile 836.1 AOR, right bank, Mississippi River, approximately 2.7 miles below Datum: NPE\* Lafayette Freeway (State Hi Operator: Dakota Barge Service, Inc. Owner: Port Authority of the City of St. Paul. Airport Road. Address: Phone: 612/731-6399 Town: St. Paul State: MN County: Ramsey

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): 9 - 12 | Latitude (decimal): 44.926389

Total Berthing Space (feet): 21 | Longitude (decimal): -93.05194

Remarks: Barges are arranged in tiers, each 3 barges wide. □ \*NPE = 687.2 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 830 St. Paul District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 836 PWD: 127 Name: Hawkins Chemical, Terminal No. 2 Dock. Mile 836.0 AOR, right bank, Mississippi River, inner end, lower side of Southport Location: Datum: NPE\* Industrial Slip, St. P Operator: Hawkins Chemical, Inc. Owner: Port Authority of the City of St. Paul. Address: 701 Barge Channel Road Phone: 612/224-1903 State: MN Town: St. Paul County: Ramsey Railway Connection: Two surface tracks serve plant and tank car rack at rear; connect with Chicago and North Western Transportation Co. Purpose: Receipt of caustic soda, caustic potash or potassium hydroxide. Latitude (decimal): Depth Alongside (feet): 12 44.923889 Total Berthing Space (feet): 225 Longitude (decimal): -93.05833 Т Remarks: Two 6-inch pipelines extend from wharf: one to a 640,000-gallon caustic soda storage tank and one to a 400,000-gallon caustic potash or potassium hydroxide storage tank. □\*NPE = 687.2 MSL. Corps of Engnrs Waterway Code: 32840 Year of Last Survey: 1994 Dock Code: 152 St. Paul District Port: Upper Mississippi R Waterway: Mississippi River Mile: 836 PWD: 126 Name: Lametti & Sons Dock Mile 836.0 AOR, right bank, Mississippi River, head of Southport Industrial Slip. Location: Datum: NPE\* Lametti & Sons Operator: Owner: Port Authority of the City of St. Paul. Barge Channel Road Phone: 612/426-1380 Address: Town: Southport Ind State: us County: Ramsey Railway Connection: None. Purpose: Mooring company-owned floating equipment. Latitude (decimal): Depth Alongside (feet): 9 44.924444 Total Berthing Space (feet): 200 Longitude (decimal): -93.05861 Remarks: \*NPE = 687.2 MSL. □ □ Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 080 St. Paul District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 836 PWD: 128 Name: St. Paul River Terminal Corp. Wharf. Mile 836.0 AOR, right bank, Mississippi River, lower side of Southport Industrial Slip, Location: Datum: NPE\* St. Paul. Operator: St. Paul River Terminal Corp. Owner: Port Authority of the City of St. Paul. Address: 781 Barge Channel Road Phone: 612/222-1957 State: du Town: On South Port In County: Ramsey Railway Connection: Four surface tracks, one serving undertrack pit, connect with Chicago and North Western Transportation Co. Purpose: Receipt of coal and salt; shipment of scrap metal, grain, and dry bulk commodities. Latitude (decimal): Depth Alongside (feet): 12 44.922778 Total Berthing Space (feet): 1400 Longitude (decimal): -93.05556 Remarks: Grain is transferred directly to barges from trucks and rail cars. Open storage area has capacity for 250,000 tons of coal. ■ \*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 140 St. Paul District Port: Upper Mississippi R Waterway: Mississippi River Mile: 836 PWD: 125 Name: Upper River Services, Southport Slip Fleet Mooring. Mile 836.0 AOR, right bank, Mississippi River, upper side of slip 2.8 miles below Location: Datum: NPE Lafayette Freeway (Sta Upper River Services, Inc. Operator: Owner: Port Authority of the City of St. Paul. Address: Barge Channel Access Road. Phone: 612/292-9293 Town: St. Paul State: MN County: Ramsey Railway Connection: None. Purpose: Mooring barges for fleeting. Latitude (decimal): 44.923889 Depth Alongside (feet): 12 Total Berthing Space (feet): Longitude (decimal): -93.0525 15 Remarks: Barges are arranged in tiers, each 3 barges wide. □ \*NPE = 687.2 MSL. Corps of Engnrs Waterway Code: 32840 Year of Last Survey: 1994 Dock Code: 079 St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 837 PWD: 83 Name: Great Lakes Coal & Dock Co., Barge Terminal Wharf. Mile 837.3 AOR, left bank, Mississippi River, St. Paul, approximately 1.4 miles below Location: Datum: Lafayette Freeway Operator: Great Lakes Coal & Dock Co. Owner: Port Authority of the City of St. Paul. Address: 1031 Childs Road Phone: Town: St. Paul County: Ramsey Railway Connection: One surface track at rear of upper portion of wharf and 7 surface tracks at rear, one serving car pit, have total capacity for 45 cars; connect with tracks of Chicago and North Western Transportation Co. Purpose: Receipt of steel coils and products, dry bulk commodities, including coal, coke, salt, and slag; shipment of coal and petroleum coke. Depth Alongside (feet): Latitude (decimal): 44.939167 Total Berthing Space (feet): Longitude (decimal): -93.05111 Remarks: Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 156 St. Paul District Port: Upper Mississippi R Waterway: Mississippi River Mile: 837 PWD: 84 Name: Harvest States Cooperatives, Terminal No. 2 Wharf. Mile 837.4 AOR, left bank, Mississippi River, St. Paul, approximately 1.3 miles below Location: Datum: Lafayette Freeway Operator: Harvest States Cooperatives. Port Authority of the City of St. Paul. Owner: Address: 935 Childs Road Phone: Town: St. Paul State: County: Ramsey Railway Connection: Two surface tracks serve elevator and car pit at rear, capacity 11 full and 11 empty cars; connect with Chicago and North Western Transportation Co. Purpose: Shipment of grain. Latitude (decimal): Depth Alongside (feet): 44.942222 Total Berthing Space (feet): Longitude (decimal): -93.05417 Remarks:

Corps of Engnrs Waterway Code: 32840

Year of Last Survey: 1994

St. Paul District

Dock Code: 167

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 837 PWD: 82 Name: Hawkins Chemical, Terminal No. 1 Dock. Mile 837.1 AOR, left bank, Mississippi River, St. Paul, approximately 1.5 miles below Location: Datum: Lafayette Freeway Operator: Hawkins Chemical, Inc. Owner: Port Authority of the City of St. Paul. Address: 1125 Childs Road Phone: State: MN Town: St. Paul County: Ramsey Railway Connection: Three surface tracks serving 5 loading stations at plant in rear; connect with Chicago and North Western Transportation Co. Purpose: Receipt of liquid caustic soda. Latitude (decimal): Depth Alongside (feet): 44.9375 Total Berthing Space (feet): Longitude (decimal): -93.04972 Remarks: Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 152 St. Paul District Port: Upper Mississippi R PWD: 78 Waterway: Mississippi River Mile: 837 Name: Koch Materials Co., St. Paul Wharf. Location: Mile 836.8 AOR, left bank, Mississippi River, St. Paul, 0.8 mile above Chicago and Datum: North Western Transpo Operator: Koch Materials Co. Owner: Port Authority of the City of St. Paul. Address: 2209 Childs Road Phone: Town: St. Paul State: MN County: Ramsey Railway Connection: One surface track serves plant at rear; connects with Chicago and North Western Transportation Co. Purpose: Receipt of asphalt. Latitude (decimal): 44.930556 Depth Alongside (feet): Total Berthing Space (feet): Longitude (decimal): -93.04778

Corps of Engnrs Waterway Code: 32840

Remarks:

Year of Last Survey: 1994

Dock Code: 154

St. Paul District

### Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 **AOR**

Port: Upper Mississippi R Waterway: Mississippi River Mile: 837 PWD: 80 Name: LaFarge Corp., St. Paul Cement Terminal Dock. Mile 837.1 AOR, left bank, Mississippi River, St. Paul, 1.7 miles below Lafayette Location: Datum: Freeway (State Highway Operator: Lafarge Corp. Owner: Port Authority of the City of St. Paul. Address: 2145 Childs Road Phone: State: MN Town: St. Paul County: Ramsey Railway Connection: One surface track serving terminal at rear connects with Chicago and North Western Transportation Co. Purpose: Receipt of cement; occasional shipment of fly ash. Latitude (decimal): 44.932222 Depth Alongside (feet): Longitude (decimal): -93.0475 Total Berthing Space (feet): Remarks: Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 155 St. Paul District Port: Upper Mississippi R PWD: 81 Waterway: Mississippi River Mile: 837 Name: Shiely Co., Yard A Wharf. Location: Mile 836.9 AOR, left bank, Mississippi River, St. Paul, approximately 1.6 miles below Datum: Lafayette Freeway Operator: Shiely Co. Owner: Port Authority of the City of St. Paul. Address: 1177 Childs Road Phone: Town: St. Paul State: MN County: Ramsey Railway Connection: One surface track serving plant in rear connects with Chicago and North Western Transportation Co. Purpose: Receipt of sand, gravel, and crushed stone. Latitude (decimal): 44.934167 Depth Alongside (feet):

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840

Longitude (decimal): -93.04778

St. Paul District

Dock Code: 153

Total Berthing Space (feet):

Remarks:

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 837 PWD: 123

Name: Upper River Services, Airport Fleet Mooring.

Location: Mile 837.0 AOR, right bank, Mississippi River, approximately 1.8 mile below Datum: NPE\*

Lafayette Freeway (State Hig

Operator: Upper River Services, Inc.

Owner: Port Authority of the City of St. Paul.

Address: Airport Road. Phone: 612/292-9293
Town: St. Paul State: MN County: Ramsey

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 44.934444

Total Berthing Space (feet): 60 | Longitude (decimal): -93.05222

Remarks: Barges are arranged in tiers, each 3 barges wide. □ □\*NPE = 687.2 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 824 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 837 PWD: 79

Name: Westway Trading Corp., St. Paul Terminal No. 1 Wharf.

Location: Mile 836.9 AOR, left bank, Mississippi River, St. Paul, 1.8 miles below Lafayette Datum:

Freeway (State Highway

Operator: Westway Trading Corp.

Owner: Port Authority of the City of St. Paul.

Address: 2175 Childs Road Phone:

Town: St. Paul State: MN County: Ramsey

Railway Connection: Two surface tracks serve 8-car-capacity tank car rack at rear; connect with Chicago and

North Western Transportation Co.

Purpose: Receipt and shipment of molasses and vegetable oils; receipt of ethylene glycol and caustic soda.

Depth Alongside (feet):

| | Latitude (decimal): -93.04722

Longitude (decimal): -93.04722

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 150 St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 837 PWD: 77

Name: Westway Trading Corp., St. Paul Terminal No. 2 Wharf.

Location: Mile 836.5 AOR, left bank, Mississippi River, St. Paul, 0.6 mile above Chicago and Datum:

North Western Transpo

Operator: Westway Trading Corp.

Owner: Port Authority of the City of St. Paul.

Address: 2225 Childs Road Phone:

Town: St. Paul State: County: Ramsey
Railway Connection: One surface track serves plant at rear; connects with Chicago and North Western

Transportation Co.

Purpose: Receipt of molasses and liquid fish solubles; occasional shipment of molasses.

Depth Alongside (feet): | Latitude (decimal): 44.928889

Total Berthing Space (feet): | Longitude (decimal): -93.04778

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 148 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 838 PWD: 122

Name: Dakota Barge Service, Hangar Fleet Mooring.

Location: Mile 837.5 AOR, right bank, Mississippi River, approximately 1.3 miles below Datum: NPE\*

Lafayette Freeway (State Hi

Operator: Dakota Barge Service Inc.

Owner: Port Authority of the City of St. Paul.

Address: Ridder Circle Phone: 612/731-6399
Town: St. Paul State: MN County: Ramsey

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): 9 - 12 | Latitude (decimal): 44.942222

Total Berthing Space (feet): 15 | Longitude (decimal): -93.05889

Remarks: Barges are arranged in tiers, each 3 barges wide. □ \*NPE = 687.2 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 823 St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 838 PWD: 85

Name: Minnesota Harbor Service, Warner Road Fleet Mooring.

Location: Mile 838.0 AOR, left bank, Mississippi River, St. Paul, approximately 0.8 mile below Datum:

Lafayette Freeway (

Operator: Upper River Services, Inc. dba.Minnesota Harbor Service.

Owner: Port Authority of the City of St. Paul.

Address: 825 Warner Road Phone:

Town: St. Paul State: MN County: Ramsey

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): | Latitude (decimal): 44.9475

Total Berthing Space (feet): | Longitude (decimal): -93.06667

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 190 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 838 PWD: 121

Name: Upper River Services, Twin City Fleet Mooring.

Location: Mile 838.4 AOR, right bank, Mississippi River, approximately 0.4 mile below Datum: NPE\*

Lafayette Freeway (State Hig

Operator: Upper River Services, Inc.

Owner: Port Authority of the City of St. Paul.

Address: 91 Ridder Circle Phone: 612/292-9293
Town: St. Paul State: MN County: Ramsey

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 44.945833

Total Berthing Space (feet): 38 | Longitude (decimal): -93.0675

Remarks: Barges are arranged in tiers, each 3 barges wide. □ □\*NPE = 687.2 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 822 St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 839 PWD: 118 Name: Dakota Barge Service, Robert Street Fleet Mooring. Mile 839.0 AOR, right bank, Mississippi River, below Robert Street Bridge, St. Paul. Location: Datum: NPE\* Dakota Barge Service Inc. Operator: Port Authority of the City of St. Paul. Owner: Address: Foot of State Street Phone: 612/731-6399 St. Paul State: MN Town: County: Ramsey Railway Connection: None. Purpose: Mooring barges for fleeting. Depth Alongside (feet): Latitude (decimal): 9 44 944167 Total Berthing Space (feet): 15 Longitude (decimal): -93.08444 Remarks: Barges are arranged in tiers, each 3 barges wide. □ \*NPE = 687.2 MSL. Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 790 St. Paul District Port: Upper Mississippi R Waterway: Mississippi River Mile: 839 PWD: 120 Name: Farmland Industries, St. Paul Dock Mile 838.7 AOR, right bank, Mississippi River, approximately 0.1 mile below Datum: NPE\* Location: Lafayette Freeway (State Hig Farmland Industries, Inc. Operator: Owner: Farmland Industries. Inc. Address: Phone: 612/227-8358 50 Chester Street Town: in St. Paul State: County: Ramsey Railway Connection: One surface track at rear of warehouse connects with Chicago and North Western Transportation Co. Purpose: Receipt of dry bulk fertilizer. Depth Alongside (feet): Latitude (decimal): 44.946111 14 Longitude (decimal): -93.07639 Total Berthing Space (feet): 195 Remarks: One 300- by 175-foot steel frame, composite siding, concrete floor warehouse in rear has capacity for

approximately 13,000 tons of fertilizer. 

□ \*NPE = 687.2 MSL.

Year of Last Survey: 1994

Corps of Engnrs Waterway Code: 32840 Dock Code: 818

St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 839 PWD: 86

Name: Lambert's Landing

Location: Mile 839.0 AOR, left bank, Mississippi River, St. Paul, between Lafayette Freeway Datum:

(State Highway 56) Bri

Operator: Port Authority of the City of St. Paul.
Owner: Port Authority of the City of St. Paul.

Address: 235 Warner Road Phone:

Town: St. Paul State: County: Ramsey

Railway Connection: None.

Purpose: Mooring towboats, excursion vessels, and vessels on exhibit.

Depth Alongside (feet): | Latitude (decimal): 44.946389

Total Berthing Space (feet): | Longitude (decimal): -93.08361

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 197 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 839 PWD: 119

Name: Upper River Services, State Street Yard Dock

Location: Mile 838.8 AOR, right bank, Mississippi River, under Lafayette Freeway (State Datum: NPE\*

Highway 3) Bridge, St. Pau

Operator: Upper River Services, Inc.
Owner: Upper River Services, Inc.

Address: 40 State Street Phone: 612/292-9293
Town: State Street Yar State: d County: Ramsey

Railway Connection: None.

Purpose: Mooring barges for cleaning and repair; mooring floating drydocks.

Depth Alongside (feet):

9 | | Latitude (decimal): 44.945278

Total Berthing Space (feet): 1316 | Longitude (decimal): -93.08028

Remarks: One 500- and one 400-ton floating drydocks are moored at wharf. Marine repair plant is located at

rear. 

 \*NPE = 687.2 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 802 St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 840 PWD: 87

Name: Dakota Barge Service, High Bridge Fleet Mooring.

Location: Mile 840.1, left bank, Mississippi River, St. Paul, below High Bridge (State Highway Datum:

49).

Operator: Dakota Barge Service, Inc..

Owner: Port Authority of the City of St. Paul.

Address: 501 Shepard Road Phone:

Town: St. Paul State: MN County: Ramsey

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): | Latitude (decimal): 44.935833

Total Berthing Space (feet): | Longitude (decimal): -93.10361

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 220 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 841 PWD: 117

Name: Minnesota Harbor Service, Dock and Fleet Moorings.

Location: Mile 840.6 AOR, right bank, Mississippi River, above High Bridge (State Highway Datum: NPE\*

49), St. Paul.

Operator: Minnesota Harbor Service, d.b.a. Upper River Services, Inc.

Owner: Port Authority of the City of St. Paul.

Address: 415 W. Water Street Phone: 612/292-9293
Town: St. Paul State: MN County: Ramsey

Railway Connection: None.

Purpose: Mooring barges and towboats for repair, cleaning, and maintenance; mooring floating drydocks; and

mooring barges for fleeting (see Remarks).

Depth Alongside (feet): 9 | 9 | 9 Latitude (decimal): 44.930556

Total Berthing Space (feet): 550 | 12 | 12 Longitude (decimal): -93.105

Remarks: One 700-ton floating drydock is moored at wharf. Wharf barges contain marine repair shops and

equipment. Company operates fleet mooring at mile 841.0 on left bank, and on right bank at lower

side of wharf. Bar arranged in tiers, each 3 barges wide. □ \*NPE = 687.2 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 779 St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 841 PWD: 89

Name: Northern States Power Co., High Bridge, Power Plant Wharf.

Location: Mile 840.8 AOR, left bank, Mississippi River, St. Paul, approximately 0.4 mile above Datum:

High Bridge (State

Operator: Upper River Services Inc.
Owner: Northern States Power Co.

Address: 501 Shepherd Road Phone:

Town: St. Paul State: MN County: Ramsey Railway Connection: Surface tracks serve plant and car pit at rear; connect with CP Rail System.

Purpose: Mooring barges for fleeting.

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 232 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 841 PWD: 90

Name: The UNO-VEN Company, St. Paul Dock.

Location: Mile 841.0 AOR, left bank, Mississippi River, St. Paul, head of slip approximately 0.6 Datum:

mile above High

Operator: The UNO-VEN Company
Owner: The UNO-VEN Company

Address: 747 Shepard Road Phone:

Town: St. Paul State: MN County: Ramsey

Railway Connection: None.

Purpose: Receipt of petroleum products.

Depth Alongside (feet): | Latitude (decimal): 44.928056

Total Berthing Space (feet): | Longitude (decimal): -93.11417

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 234 St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 841 PWD: 88 Name: **Upper River Services Service Dock & Fleet** Mile 840.6 AOR, left bank, Mississippi River, St. Paul, approximately 0.2 mile above Location: Datum: High Bridge (State Operator: Upper River Services Inc. Owner: Northern States Power Co. Address: 501 Shepard Road Phone: State: MN Town: St. Paul County: Ramsey Railway Connection: None. Purpose: Mooring company-owned floating equipment. Latitude (decimal): 44.933056 Depth Alongside (feet): Total Berthing Space (feet): Longitude (decimal): -93.10611 Remarks: Corps of Engnrs Waterway Code: 32840 Year of Last Survey: 1994 Dock Code: 223 St. Paul District Port: **Upper Mississippi R** Waterway: Mississippi River Mile: 842 PWD: 91 Name: Harvest States Cooperatives, St. Paul Elevator D Wharf. Mile 841.7 AOR, left bank, Mississippi River, St. Paul, 0.3 mile above Chicago and Location: Datum: North Western Transpo Operator: Harvest States Cooperatives. Harvest States Cooperatives. Owner: Address: 575 Drake Street Phone: State: MN Town: St. Paul County: Ramsey Railway Connection: Four surface tracks serve 2 car pits at grain elevator in rear; connect with Chicago and North Western Transportation Co. Purpose: Shipment of grain.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 256 St. Paul District

Latitude (decimal):

Longitude (decimal): -93.12389

44.9225

Depth Alongside (feet):

Remarks:

Total Berthing Space (feet):

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 **AOR**

Port: Upper Mississippi R Waterway: Mississippi River Mile: 842 PWD: 92 Name: Koch Refining Co., St. Paul Dock. Mile 842.2 AOR, left bank, Mississippi River, approximately 0.8 mile above Chicago Location: Datum: and North Western Tra Operator: Koch Refining Co. Owner: Koch Refining Co. Address: 778 Otto Avenue Phone: State: MN Town: St. Paul County: Ramsey Railway Connection: Two surface track serves 8-car capacity loading rack, connects with CP Rail System. Purpose: Receipt of petroleum products. Latitude (decimal): Depth Alongside (feet): 44.918056 Total Berthing Space (feet): Longitude (decimal): -93.13111 Remarks: Corps of Engnrs Waterway Code: 32840 Year of Last Survey: 1994 Dock Code: 266 St. Paul District Port: **Upper Mississippi R** Waterway: Mississippi River Mile: 842 PWD: 93 Name: Mobil Pipe Line Co., St. Paul Terminal Dock. Mile 842.3 AOR, left bank, Mississippi River, approximately 1.0 mile below Lexington Location: Datum: (Interstate Highway Operator: Mobil Pipe Line Co. Mobil Pipe Line Co. Owner: Address: 852 Hathaway Street Phone: Town: St. Paul State: MN County: Ramsey Railway Connection: Two surface tracks, total capacity 12 cars serve terminal; connect with CP Rail System.

Purpose: Receipt of petroleum products and ethanol.

Depth Alongside (feet): Latitude (decimal): 44.916667 Longitude (decimal): -93.13194 Total Berthing Space (feet):

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 268 St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 843 PWD: 116

Name: Shiely Co., Yard B Wharf.

Location: Mile 843.3 AOR, right bank, Mississippi River, Mendota, below Interstate Highway Datum: NPE\*

35E Bridge.

Operator: Shiely Co. Owner: Shiely Co.

Address: Highway 13 and Victory Road Phone: 612/683-8119

Town: Mendota State: MN County: Dakota

Railway Connection: None.

Purpose: Receipt of sand, gravel, and crushed stone.

Depth Alongside (feet): 10 - 12 | Latitude (decimal): 44.904167

Total Berthing Space (feet): 400 | Longitude (decimal): -93.13722

Remarks: Open storage area at plant atop bluff in rear has capacity for approximately 200,000 tons of material.

\*NPE = 687.2 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 722 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 844 PWD: 115

Name: Upper River Services, Minnesota River Mouth Fleet Mooring.

Location: Mile 843.8 AOR, right bank, Mississippi River, approximately 0.5 mile above Datum: NPE\*

Interstate Highway 35E Bridg

Operator: Upper River Services, Inc.
Owner: Upper River Services, Inc.

Address: 40 State Street Phone: 612/292-9293

Town: Mendota State: MN County: Dakota

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet):

9 | Latitude (decimal): 44.898889

Total Berthing Space (feet): 12 | Longitude (decimal): -93.14528

Remarks: Barges are arranged in tiers, each 2 barges wide. □ \*NPE = 687.2 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32840 Dock Code: 720 St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 853 PWD: 102

Name: General Mills, WCCO Grain Elevator Wharf.

Location: Mile 853.4 AOR, right bank, Mississippi River, between St. Anthony Falls Upper Lock Datum: NPE\*

and Dam, and St. Ant

Operator: General Mills, Inc.
Owner: City of Minneapolis.
Address: 928 South 2d Street

Address: 928 South 2d Street Phone: 612/338-1923
Town: Minneapolis State: MN County: Hennepin

Railway Connection: None. Purpose: Shipment of grain.

Depth Alongside (feet): 10 | Latitude (decimal): 44.978889

Total Berthing Space (feet): 830 | Longitude (decimal): -93.2525

Remarks: Grain elevator at rear consisting of 242 concrete bins has total capacity for 5 million bushels. -\* NPE =

750.0 MSL.

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32853 Dock Code: 789 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 853 PWD: 94

Name: University of Minnesota, Coal Dock.

Location: Mile 853.1 AOR, left bank, Mississippi River, Minneapolis, between CP Rail System Datum:

and Interstate Highway

Operator: Not operated.

Owner: University of Minnesota.

Address: 1180 E. River Flats Avenue Phone:

Town: St. Paul State: MN County: Hennepin

Railway Connection: None.

Purpose: Not used. (See Remarks).

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32853 Dock Code: 083 St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 856 PWD: 100

Name: American Iron and Supply Co. Dock.

Location: Mile 856.2 AOR, right bank, Mississippi River, Minneapolis, approximately 1,000 feet Datum: NPE\*

below Lowry Avenue

Operator: American Iron and Supply Co.
Owner: American Iron and Supply Co.
Address: 2800 Pacific Street, North

Address: 2800 Pacific Street, North Phone: 612/529-9221
Town: Minneapolis State: MN County: Hennepin

Railway Connection: One surface track serves scrap metal storage area at rear; connects with CP Rail System.

Purpose: Shipment of scrap metal.

Depth Alongside (feet): 10 | Latitude (decimal): 45.01

Total Berthing Space (feet): 520 | Longitude (decimal): -93.17528

Remarks: Open storage area at rear has capacity for approximately 3,000 tons of scrap metal. \*NPE = 799.2

MSI

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32853 Dock Code: 699 St. Paul District

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 856 PWD: 101

Name: Shiely Co., Yard D Wharf.

Location: Mile 856.1 AOR, right bank, Mississippi River, Minneapolis, approximately 2,000 feet Datum: NPE\*

below Lowry Avenue

Operator: Shiely Co.
Owner: Shiely Co.

Address: 65 North 26th Avenue Phone: 612/683-8119
Town: Minneapolis State: MN County: Hennepin

Railway Connection: None.

Purpose: Receipt of sand, gravel, and crushed stone.

Depth Alongside (feet): 10 - 12 | Latitude (decimal): 45.0075

Total Berthing Space (feet): 400 | Longitude (decimal): -93.27583

Remarks: Open storage area at rear has capacity for approximately 60,000 tons of material. 

\*\*NPE = 799.2 MSL.\*\*

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32853 Dock Code: 690 St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R Waterway: Mississippi River Mile: 857 PWD: 96 Name: Holnam, Minneapolis Cement Terminal Dock. Mile 857.0 AOR, right bank, Mississippi River, Minneapolis, approximately 0.2 mile Location: Datum: below CP Rail System Operator: Holnam, Inc. Owner: Holnam, Inc. Address: 3939 First Street, North Phone: State: MN Town: Minneapolis County: Hennepin Railway Connection: Three surface tracks serve undertrack pit at terminal in rear; connect with CP Rail System. Purpose: Receipt of cement. Depth Alongside (feet): Latitude (decimal): 45.028056 Total Berthing Space (feet): Longitude (decimal): -93.28167 Remarks: Corps of Engnrs Waterway Code: 32853 Year of Last Survey: 1994 Dock Code: 665 St. Paul District Port: **Upper Mississippi R** Waterway: Mississippi River Mile: 857 PWD: 95 Name: Northern States Power Co., Riverside Power Plant Dock. Mile 857.1 AOR, left bank, Mississippi River, Minneapolis, approximately 0.7 mile Location: Datum: above Lowry Avenue Bri Operator: Not operated. Northern States Power Co. Owner: 3100 Marshall Street, N.E. Address: Phone: Town: Minneapolis State: mn County: Hennepin Railway Connection: One main track with 4 spur tracks total capacity 70 cars, serves 2 undertrack pits at building in rear; connects with Burlington Northern Railroad. Purpose: Not used. Latitude (decimal): Depth Alongside (feet): 45.025833 Total Berthing Space (feet): Longitude (decimal): -93.27806 Remarks:

Corps of Engnrs Waterway Code: 32853

Year of Last Survey: 1994

Dock Code: 222

St. Paul District

## Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 **AOR**

Port: Upper Mississippi R Waterway: Mississippi River Mile: 857 PWD: 98 Name: River Services, Minneapolis Bulk-Loading Dock. Mile 857.0 AOR, right bank, Mississippi River, Minneapolis, approximately 0.6 mile Location: Datum: below CP Rail System Operator: River Services. Inc. Owner: City of Minneapolis. Address: 3750 Washington Avenue, North Phone: Town: Minneapolis State: MN County: Hennepin Railway Connection: One surface track along bank joins 7 surface tracks serving terminal at rear; total capacity 150 cars; connects CP Rail System. Purpose: Shipment of grain, potash and feed products, and dry bulk commodities including coal. Latitude (decimal): Depth Alongside (feet): 45.022778 Longitude (decimal): -93.27861 Total Berthing Space (feet): Remarks: Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32853 Dock Code: 676 St. Paul District Port: Upper Mississippi R Waterway: Mississippi River Mile: 857 PWD: 97 River Services, Minneapolis North Dock. Location: Mile 857.1 AOR, right bank, Mississippi River, Minneapolis, approximately 0.4 mile Datum:

Name:

below CP Rail System

River Services, Inc. and Koch Materials Co. Operator:

Owner: City of Minneapolis.

Address: 3750 Washington Avenue, North Phone:

Town: Minneapolis State: MN County: Hennepin

One surface track along bank joins 7 surface tracks serving terminal at rear; total capacity Railway Connection:

150 cars; connects with CP Rail System.

Purpose: Receipt and shipment of general cargo, asphalt, vegetable oil, steel, paper, lumber, grain and dry bulk

items including coal, salt, potash, and fertilizer; mooring barges.

Latitude (decimal): 45.025278 Depth Alongside (feet): Total Berthing Space (feet): Longitude (decimal): -93.28

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32853 Dock Code: 676 St. Paul District

# Minneapolis-St. Paul, MN, and Ports on Upper Mississippi River Miles 300-860 AOR

Port: Upper Mississippi R

Waterway: Mississippi River Mile: 857 PWD: 99

Name: River Services, Minneapolis South Dock.

Location: Mile 856.8 AOR, right bank, Mississippi River, approximately 0.8 miles below CP Rail Datum:

System Bridge.

Operator: River Services, Inc.
Owner: City of Minneapolis.

Address: 3750 Washington Avenue, North Phone:

Town: Minneapolis State: MN County: Hennepin

Railway Connection: One surface track along bank joins 7 surface tracks serving terminal at rear; total capacity

150 cars; connects CP Rail System.

Purpose: Receipt and shipment of general cargo and heavy-lift items; receipt of steel, paper and lumber

products, grain, dry bulk commodities: coal, salt, potash, and fertilizers; mooring barges for fleeting.

Depth Alongside (feet): | Latitude (decimal): 45.020278

Total Berthing Space (feet): | Longitude (decimal): -93.27806

Remarks:

Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32853 Dock Code: 676 St. Paul District